In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

			EXTERIORES MACYREX	<u>, 10. 201</u>	<i></i>		
	_	Revision: 13/0	01/2017 Previous revis	sion: 17/1	0/2012	Da	ate of printing: 13/01/2017
SECTIC	ON 1 : I		OF THE SUBSTANCE/MIXTURE AND	OF THE	COMPANY/UNDERTAKIN	G	· -
1.1	PROE	OUCT IDENTIFIER:	MACYPI Code: 70		TERIORES MACYREX		
1.2	Intend Masil # Sec Consi Uses This p identi Restri	led uses (main tech la. <u>tors of use:</u> umer uses (SU21). advised against: oroduct is not recon fied uses'.		industrial,		ther than those previously li	ofessional [X] Consumers
1.3	PINTU Ctra. Phone E-mai	JRAS MACY, S.A. Nacional 301, Km. 3 e: +34 967 440712	PLIER OF THE SAFETY DATA SHEET 212,8 - E-02630 - La Roda (Albacete) - Fax: +34 967 442819 rson responsible for the safety data sh turas-macy.com	_			
1.4			<u>DNE NUMBER:</u> +34 967 440712 (8:00	-13:00 / 10	6:00-20:00 h.) (working hou	rs)	
	1	HAZARDS IDENTII					
2.1	# Cla	ssification in accord	<u>HE SUBSTANCE OR MIXTURE:</u> <u>dance with <i>Regulation (EC) No. 1272//</i> 315 Eye Dam. 1:H318 STOT SE (irr</u>	<u>2008~605/</u>	<u>′2014 (CLP):</u>		
		er class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects
	Physi	cochemical: assified	Skin Irrit. 2:H315 Eye Dam. 1:H318 STOT SE (irrit.) 3:H335	Cat.2 Cat.1 Cat.3	Skin Eyes Inhalation	Skin Eyes Respiratory ways	Irritation Serious lesions Irritation
	Envir	an health:					
2.2	Note: comp	When in section 3 onent, but below the	nents mentioned is indicated in sectior a range of percentages is used, the he e maximum value.		environmental hazards des	cribe the effects of the highe	est concentration of each
2.2	LABEL ELEMENTS: # This product is labelled with the signal word DANGER in accordance with Regulation (EC) No. 1272/2008~605/2014 (CLP) Hazard statements: H335 May cause respiratory irritation. H315 Causes skin irritation. H318 Causes serious eye damage. Precautionary statements: Wear eyes, las vías respiratorias. P362 Take off contaminated clothing. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P332+P313 If skin irritation occurs: Get medical attention. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.						
2.3	None. <u>Hazar</u> Ceme <u>OTHE</u> Haza	dous ingredients: nt portland, clinker R HAZARDS: rds which do not res	sult in classification but which may co	ntribute to	the overall hazards of the r	nixture:	
	Other	physicochemical h adverse human he negative environm	azards: # No other relevant adverse alth effects: # No other relevant adve ental effects:	errects an	e known. 's are known.		

	Code: 70620	T EXTERIORES MACYREX				
SECTI		NFORMATION ON INGREDIENTS				
3.1	SUBSTANCES: Not applicable (mixture	э).				
3.2	HAZARDOUS INGREE	cargas, resinas y aditivos.				
	CA:	nent portland, clinker S: 65997-15-1 , EC: 266-043-4 REACH: I P: Danger: Skin Irrit. 2:H315 Eye Dam. 1:H318 STOT SE (irrit				
	Impurities: # The marketed produ respect to total weight		soluble in water. Content of soluble Cr(VI) < 2 mg/kg (0,0002%) wi			
	Stabilizers: None Reference to other sec	tions:				
	For more information on hazardous ingredients, see sections 8, 11, 12 and 16. SUBSTANCES OF VERY HIGH CONCERN (SVHC): # List updated by ECHA on 20/06/2016. Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: None					
		MULABLE AND TOXIC PBT. OR VERY PERSISTENT AND VERY BIO. nic mixture).	ACCUMULABLE VPVB SUBSTANCES:			
ECTI	ION 4 : FIRST AID MEAS	SURES				
	recomn	nended protective equipment if there is a possibility of exposure	. Wear protective gloves when administering first aid.			
	Route of exposure	Symptoms and effects, acute and delayed Inhalation of dust produces irritation to mucus, coughing and breathlessness	Description of first-aid measures In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in			
	Inhalation:	Inhalation of dust produces irritation to mucus, coughing	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. I the person is unconscious, place in appropriate recovery			
	Inhalation:	Inhalation of dust produces irritation to mucus, coughing and breathlessness.	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Wash with water and soap. Do not use solvents or thinners.			
	Inhalation:	Inhalation of dust produces irritation to mucus, coughing and breathlessness. # Skin contact causes redness and pain.	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. I the person is unconscious, place in appropriate recovery position. Wash with water and soap. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician			
.2	Inhalation: Inhalation: Skin: Image: Skin: Ingestion:	Inhalation of dust produces irritation to mucus, coughing and breathlessness. # Skin contact causes redness and pain. Contact with the eyes produces redness and pain. If swallowed, may cause irritation of the mouth and	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Wash with water and soap. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately. If swallowed, seek medical advice immediately and show container or label. Do not induce vomiting. Keep the patient at			
	Inhalation: Inhalation: Skin: Image: Skin: Ima	Inhalation of dust produces irritation to mucus, coughing and breathlessness. # Skin contact causes redness and pain. Contact with the eyes produces redness and pain. If swallowed, may cause irritation of the mouth and throat, abdominal pain, vomiting and diarrhoea. YMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Wash with water and soap. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately. If swallowed, seek medical advice immediately and show container or label. Do not induce vomiting. Keep the patient at rest. NT NEEDED:			
.2	Inhalation: Inhalation: Skin: Image: Skin: Ima	Inhalation of dust produces irritation to mucus, coughing and breathlessness. # Skin contact causes redness and pain. Contact with the eyes produces redness and pain. If swallowed, may cause irritation of the mouth and throat, abdominal pain, vomiting and diarrhoea. YMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: nd effects are indicated in sections 4.1 and 11 IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATME Treatment should be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and the control of symptoms and to be directed at the control of symptoms and to be directed at the control of symptoms and the control o	In case of dust inhalation, remove the patient out of the contaminated area into the fresh air. If there is difficulty in breathing, apply oxygen. If necessary, artificial respiration. If breathing is irregular or stops, administer artificial respiration. If the person is unconscious, place in appropriate recovery position. Wash with water and soap. Do not use solvents or thinners. Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water for at least 15 minutes, holding the eyelids apart, until the irritation is reduced. Call a physician immediately. If swallowed, seek medical advice immediately and show container or label. Do not induce vomiting. Keep the patient at rest. NT NEEDED:			

Mar		e with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830 MACYPLAST EXTERIORES MACYREX Code: 70620				
		FIRE-FIGHTING MEASURES				
Not combustible.						
5.1	EXTINGUISHING MEDIA: Extinguishing powder or CO2. In the case of more important fires, also alcohol resistant foam and water spray/mist. Do not use for extinguishing: direct water jet.					
5.2		CIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: ever, if it is located in a fire, may sustain combustion, decompose and give off toxic or irritant vapours.				
5.3	ADVICE FOR FIREFIGHTERS: Special protective equipment: # Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.					
SECTIO	DN 6 : /	ACCIDENTAL RELEASE MEASURES				
6.1		SONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: oid direct contact with this product. Avoid breathing dust.				
6.2	Avoid	IRONMENTAL PRECAUTIONS: d contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminat ages, inform the appropriate authorities in accordance with local regulations.	tes lakes, rivers or			
6.3	# Cor	HODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: ntain and mop up spills with electrically-protected vacuum cleaner or by wet brushing. Do not use a dry brush as dust clouds can of solvents. Keep the remains in a closed container.	be created. Avoid			
6.4	For co For in For ex	ERENCE TO OTHER SECTIONS: contact information in case of emergency, see section 1. nformation on safe handling, see section 7. exposure controls and personal protection measures, see section 8. subsequent waste disposal, follow the recommendations in section 13.				
SECTIO	ON 7 : I	HANDLING AND STORAGE				
7.1	Comp Gener Avoid Recor Recor Do no or foo Recor	CAUTIONS FOR SAFE HANDLING: ply with the existing legislation on health and safety at work. <u>eral recommendations:</u> d any type of leakage or escape. Dust generation should be minimized as possible. <u>ommendations for the prevention of fire and explosion risks:</u> <u>ommendations for the prevention of toxicological risks:</u> ot eat, drink or smoke while handling. After handling, wash hands with soap and water. Avoid applying the product directly to peop odstuffs. For exposure controls and personal protection measures, see section 8. <u>ommendations for the prevention of environmental contamination:</u> not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.	ole, animals, plants			
7.2	Keep Keep <u>Class</u> <u>Maxin</u> Temp Incom None Type of Accor Limit of	DITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: o away from food, drink and animal foodstuffs. Keep out of reach of children. Keep container dry. Avoid humidity. Keep only in the o container tightly closed. For more information, see section 10. s of store : According to current legislation. mum storage period : # 12. months particular. : min: 5. °C, max: 30. °C (recommended). of packaging: orgenative interval of guantity (Seveso III): # Directive 2012/18/EU: o aplicable.	original container.			
7.3	<u>SPEC</u>	CIFIC END USES:				
	• See	e 'Safe Powder Coating Guideline', (CEPE, 2005).				

ION 8 : EXPOSURE CONTROLS/PERSONA CONTROL PARAMETERS: # If a product contains ingredients with exp of the ventilation or other control measures and EN482 standard concerning methods Reference should be also made to national	posure limits, may be necessar s and/or the necessity to use re for assesing the exposure by in	spiratory pro nhalation to cl	ective equip nemical agei	ment. Reference should be nts, and exposure to chem	e made to EN689, EN14 ical and biological ageni	
OCCUPATIONAL EXPOSURE LIMIT VALU	JES (TLV)					
AGCIH 2014	Year	<u>TLV-TWA</u> ppm	mg/m3	TLV-STEL ppm mg/m3	Remarks	
Cement portland, clinker Inhalable dust Breathable dust	1986	-	10. 10. 5.0			
BIOLOGICAL LIMIT VALUES: Not stablished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of REACH. DNEL values may differ from a oc	Not stablished					
		DNEL Inhala	tion	DNEL Cutaneous	DNEL Oral	
Derived no-effect level, workers: - Systemic effects, acute and chronic: Not available (without data of registration F	REACH).	mg/m3		mg/kg bw/d	mg/kg bw/d	
Derived no-effect level, workers: - Local effects, acute and chronic: Not available (without data of registration F	REACH).	DNEL Inhala mg/m3	<u>tion</u>	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2	
Derived no-effect level, general population - Systemic effects, acute and chronic: Not available (without data of registration F	-	DNEL Inhala mg/m3	<u>tion</u>	DNEL Cutaneous mg/kg bw/d -	DNEL Oral mg/kg bw/d	
Derived no-effect level, general population: - Local effects, acute and chronic: Not available (without data of registration F		DNEL Inhala mg/m3	<u>tion</u>	DNEL Cutaneous mg/cm2	DNEL Eyes mg/cm2	
PREDICTED NO-EFFECT CONCENTRATION (PNEC):						
Predicted no-effect concentration, aquatic of - Fresh water, marine water and intermiter Not available (without data of registration F	t release:	PNEC Fresh mg/l	water	PNEC Marine mg/l	PNEC Intermittent mg/l	
- Wastewater treatment plants (STP) and a marine water: Not available (without data of registration F		PNEC STP mg/l	-	PNEC Sediments mg/kg dry weight	PNEC Sediments mg/kg dry weight	
Predicted no-effect concentration, terrestria - Air, soil and effects for predators and hu Not available (without data of registration F	mans:	PNEC Air mg/m3	-	PNEC Soil mg/kg dry weight	PNEC Oral mg/kg bw/d	

EXPO						
	SURE CONTROLS:					
ENGIN	IEERING MEASURES:					
	Provide adequate ventilation. If these measures are not sufficient to maintain concentrations of particles be Occupational Exposure Limits, suitable respiratory protection must be worn.	ow the				
Protect	t <u>ion of respiratory system:</u> Avoid the inhalation of dust. <u>tion of eyes and face:</u> <u>tion of hands and skin:</u> Barrier creams may help to protect the exposed areas of the skin.					
As a g corres	ATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC: eneral measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment ponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and c protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufactu	re on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the				
Mask:	Advisable.					
Goggle	Advisable.					
Face s	hield: No.					
Gloves	Advisable.					
Boots:	. No.					
Apron:	_ No.					
<u>Clothin</u>	i <u>g:</u> No.					
# Not a ENVIR # Avoi Spills o Spills i - Wate	al hazards: applicable (the product is handled at room temperature). ONMENTAL EXPOSURE CONTROLS: d any spillage in the environment. on the soil: Prevent contamination of soil. <u>n water:</u> Do not allow to escape into drains, sewers or water courses. er Control Act: # Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la j la Directiva 2000/60/CE~2013/39/UE.	política de aguas,				
<u>Emissi</u>	ons to the atmosphere: Avoid the formation of dust.					

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

() Nac	MACYPLAST EXTERIORES MACYREX Code: 70620	
ECTIC	DN 9 : PHYSICAL AND CHEMICAL PROPERTIES	
.1	INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTI Appearance - Physical state - Colour - Odour - Odour threshold	ES: : Powdered solid. : White. : Characteristic, faint. : Not available (mixture).
	pH-value - pH <u>Change of state</u> - Melting point - Initial boiling point	 Not applicanle (product in powder). Not available Not applicable
	Density - Relative density - Apparent density <u>Stability</u>	# 2.684* at 20/4°C Relative water 1.02 g/cc at 20°C
	Occomposition temperature <u>Viscosity:</u> Viscosity (flow time) <u>Volatility:</u>	Not applicable (thermally stable).Not applicable (solid).
	Vapour pressure Solubility(ies) Solubility in water: Liposolubility Flammability: Flash point Autoignition temperature Explosive properties:	 Not applicable Soluble <i># Not applicable (inorganic product).</i> <i># Not applicable</i> <i># Not applicable (not combustible).</i>
	 # Not available. Oxidizing properties: # Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. 	
.2	OTHER INFORMATION: - Heat of combustion	: # 95* Kcal/kg
FOTI	of the same. For additional information concerning physical and cher	ns. The data for the product specifications can be found in the technical data sheet nical properties related to safety and environment, see sections 7 and 12.
0.1	REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric.	
0.2	CHEMICAL STABILITY: Stable under recommended storage and handling conditions.	
0.3	POSSIBILITY OF HAZARDOUS REACTIONS: In contact with acids, produces hydrogen gas which is extremely infla	ammable and produces explosive mixtures when in contact with air.
0.4		J. J
0.5	INCOMPATIBLE MATERIALS: None in particular.	
0.6	HAZARDOUS DECOMPOSITION PRODUCTS: No product of decomposition is dangerous if stored and handled prop	perly.

٦

© acy	MACYPLAST EXTERIOR Code: 70620	ES MACYREX						
CTION 11	: TOXICOLOGICAL INFORMA	ΓΙΟΝ						
experimen culation me	tal toxicological data on the pre ethod of the Regulation (EC) No	oaration is available. The . 1272/2008~605/2014 (C	toxicologic LP).	al classification for these mixture has been carried out by using the conventiona				
1 INFORMATION ON TOXICOLOGICAL EFFECTS:								
ACUT	ACUTE TOXICITY:							
for inc	Dose and lethal concentrations for individual ingredients : Not available							
	No observed adverse effect level							
Lowe	Not available Lowest observed adverse effect level Not available							
INFO	RMATION ON LIKELY ROUTES	S OF EXPOSURE: Acute	toxicity:					
Route	es of exposure	Acute toxicity	Cat.	Main effects, acute and/or delayed				
<u>Inhala</u> Not c	ation: lassified	ATE > 5000 mg/m3	-	# Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).				
<u>Skin:</u> Not c	lassified	ATE > 2000 mg/kg	-	# Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).				
Eyes: Not c	lassified	Not available	-	# Not classified as a product with acute toxicity by eye contact (lack of data).				
Inges Not c	<u>tion:</u> lassified	ATE > 5000 mg/kg	-	# Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).				
	ROSION / IRRITATION / SENSI	TISATION :						
Dang	er class	Target organs	Cat.	Main effects, acute and/or delayed				
	iratory corrosion/irritation:	Respiratory ways	Cat.3	# IRRITANT: May cause respiratory irritation.				
	corrosion/irritation:	Skin	Cat.2	# IRRITANT: Causes skin irritation.				
	us eye damage/irritation:	Eyes	Cat.1	# DAMAGE: Causes serious eye damage.				
Resp Not c	iratory sensitisation: lassified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).				
	sensitisation: lassified	-	-	Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).				
ASPI	RATION HAZARD:							
Dang	er class	Target organs	Cat.	Main effects, acute and/or delayed				
	ation hazard: lassified	-	-	# Not applicable (solid).				
	SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE): Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).							
CMR EFFECTS: Carcinogenic effects: # Is not considered as a carcinogenic product. Genotoxicity: # Is not considered as a mutagenic product. Toxicity for reproduction: # Do not harm fertility. Do not harm the fetus developping. Effects via lactation: Not classified as a hazardous product for children breast-fed. DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: # Not available.								
							-term exposure: # Irritating to term or repeated exposure: # N	

Mac	<u> </u>	MACYPLAST EXTERIORES MACYREX Code: 70620	
SECTIO	ON 12 :	ECOLOGICAL INFORMATION	
		al ecotoxicological data on the preparation as such is available. The ecotoxicological classification for these mixture has been ca al calculation method of the Regulation (EC) No. 1272/2008~605/2014 (CLP).	arried out by using
12.1	TOXIC	DITY:	
		toxicity in aquatic environment ividual ingredients :	
	Not av No ob	railable served effect concentration	
	Lowes	railable <u>t observed effect concentration</u>	
12.2		railable	
12.2		available.	
12.3		CCUMULATIVE POTENTIAL: /ailable.	
12.4		LITY IN SOIL: applicable.	
12.5		LTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulation (EC) no. 1907/2006: applicable (inorganic mixture).	
12.6	OTHE Ozone	R ADVERSE EFFECTS: e depletion potential: Not available.	
	Photo Earth	chemical ozone creation potential: Not available. global warming potential: <i># Not available.</i>	
		r <mark>ine disrupting potential:</mark> Not available.	
SECTIO		DISPOSAL CONSIDERATIONS	
13.1	Take discha	E TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recy arge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of t local and national regulations. For exposure controls and personal protection measures, see section 8.	cling. Do not of in accordance with
	# Émp hazar Chapi	sal of empty containers: # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: otied containers and packaging should be disposed of in accordance with currently local and national regulations. The classifical dous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, ter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packa measures as for the product in itself.)in accordance with
		dures for neutralising or destroying the product: horised landfill in accordance with local regulations.	

# In acco	rdance	with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830	
Ø Mac	y	MACYPLAST EXTERIORES MACYREX Code: 70620	
SECTIO	ON 14	TRANSPORT INFORMATION	
14.1	<u>UN N</u>	UMBER: Not applicable	
14.2	<u>UN P</u>	ROPER SHIPPING NAME: Not applicable	
14.3	TRAN	ISPORT HAZARD CLASS(ES) AND PACKING GROUP:	
14.4	Trans	port by road (ADR 2015) and port by rail (RID 2015): aglamented	
		port by sea (IMDG 37-14): eglamented	
		port by air (ICAO/IATA 2015): glamented	
	<u>Trans</u> Free.	port by inland waterways (ADN):	
14.5	ENVI # Not	RONMENTAL HAZARDS: applicable (not classified as hazardous for the environment).	
14.6	# Ens	CIAL PRECAUTIONS FOR USER: sure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers tha ion and sure.	t are in a vertical
14.7		ISPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: pplicable.	
SECTIO	ON 15	REGULATORY INFORMATION	
15.1		AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: egulations applicable to this product generally are listed throughout this material safety data sheet.	
	Restr	ictions on manufacture, placing on market and use: See section 1.2	
	Contr	ol of the risks inherent in major accidents (Seveso III):See section 7.2	
	Tactil	e warning of danger: Not applicable (the classification criteria are not met).	
		safety protection: Not applicable (the classification criteria are not met).	
		ol of Cr(VI) soluble:	
	For c inform 0.000	ement treated with a Cr(VI) reducing agent the effect of the reducing agent decreases with time. Thus, the bags of cement shoul nation on the date of packaging and the appropriate period of time for the reducing agent to continue to maintain the level of Cr(12% of the total dry weight of the cement ready for use, according to EN 196-10. Should also indicate the appropriate storage co ffectiveness of the reducing agent.	VI) soluble below
	OTHE Not a	ER REGULATIONS: vailable	
15.2	CHEN # For	<u>MICAL SAFETY ASSESSMENT:</u> this mixture has not been carried out a chemical safety assessment.	

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Ø Ma <u>ci</u>	MACYPLAST EXTERIORES MACYREX Code: 70620					
SECTION	N 16 : OTHER INFORMATION					
	 TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Hazard statements according the Regulation (EC) No. 1272/2008-605/2014 (CLP), Annex III: H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in or understanding and interpretation of material safety data sheets and labelling of products as well. MAIN LITERATURE REFERENCES AND SOURCES FOR DATA: European Chemicals Agency: ECHA, http://echa.europa.eu/ Access to European Union Law, http://echa.europa.eu/ Access to European Union Law, http://eur-lex.europa.eu/ Access to European Union Careorring the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. CLP: European Inventory of Existing Commercial Chemical Substances. ELINCCS: European List of Notified Chemical Substances. ELINCCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Ser	der to provide				
	 vOC. volate Organic Compounds. DNEL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent. LC50: Letal concentration, 50 percent. VN: United Nations Organisation. ADR: European agreement concerning the international carriage of dangeous goods by road. RID: Regulations concerning the international carriage of dangeous goods by road. INDG: International Maritime code for Dangerous Goods. INTCA: International Air Transport Association. ICAO: International Civil Aviation Organization. MATERIAL SAFETY DATA SHEET REGULATIONS: Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 2015/830. 					
,	Version: 2 13/01/2017 <u>Modifications with respect to the previous Material Safety Data Sheet:</u> <u>The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are</u> Material Safety Data Sheet by a mark # in red and italic.	highlighted in this				

Ine information of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' working conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.