() Mal		MATE DECORACIÓN BLAN Code: 15401	CO Y COLORES	
Versio	on: 6	Revision: 18/10/2016	Previous revision: 20/07/2016	Date of printing: 18/10/201
SECTIO	ON 1 : I	DENTIFICATION OF THE SUBST	ANCE/MIXTURE AND OF THE COMPANY	//UNDERTAKING
1.1	PROD	DUCT IDENTIFIER:	MATE DECORACIÓN BLA Code: 15401	NCO Y COLORES
1.2	Intend Decor Sector # Cor Uses None safety Restri	guidelines provided.	<u></u>	[] Industrial [X] Professional [X] Consume ner than the identified uses, but all uses have to be consistent with the of Regulation (EC) No. 1907/2006:
.3	PINTU Ctra. I Phone E-mai	ILS OF THE SUPPLIER OF THE S JRAS MACY, S.A. Nacional 301, Km. 212,8 - E-02630 e: +34 967 440712 - Fax: +34 967 I address of the person responsible I: laborato102@pinturas-macy.com) - La Roda (Albacete) 7 442819 e for the safety data sheet:	
1.4	EMEF	RGENCY TELEPHONE NUMBER:	+34 967 440712 (8:00-13:00 / 16:00-20:00	h.) (working hours)
SECTIO	ON 2 : I	HAZARDS IDENTIFICATION		
2.1		SIFICATION OF THE SUBSTANC	E OR MIXTURE: bus. in accordance with Regulation (EC) No	1272/2008~605/2014 (CLD)
	Note:	C C	entages is used, the health and environmer	ntal hazards describe the effects of the highest concentration of eacl
	under	This product does not require a ma ordinary conditions, it should not p esy in response to a customer requ	present a physicochemical, health safety or	to the Regulation (EC) no. 2015/830. When used as recommended environmental hazard. However, an MSDS can be provided as a
.2	# This Hazar None. Preca P102 P262 P280E P273 Supple EUH2 EUH2	d statements: utionary statements: Keep out of rea Do not get in ey Wear protective Avoid release t <u>ementary statements:</u> 08 Contains 1,2-be	yes, on skin, or on clothing. e gloves and eye protection . to the environment.	p. <i>1272/2008~605/2014 (CLP)</i> 47-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction.
2.3	Hazar Other Other	R HAZARDS: rds which do not result in classificat <u>physicochemical hazards:</u> No oth adverse human health effects: #	tion but which may contribute to the overall ner relevant adverse effects are known. <i>No other relevant adverse effects are know</i> Does not contain substances that fulfil the l	vn.

() 1a <u>c</u>	MATE DECORACIÓN BLANCO Y COLORES Code: 15401
ECTIC	N 3 : COMPOSITION/INFORMATION ON INGREDIENTS
.1	SUBSTANCES: Not applicable (mixture).
.2	MIXTURES: This product is a mixture. <u>Chemical description:</u> Mixture of pigments, extenders, resins and additives in aqueous media.
	HAZARDOUS INGREDIENTS: Substances taking part in a percentage higher than the exemption limit: None
	Impurities: Does not contain other components or impurities which will influence the classification of the product.
	Stabilizers: None
	Reference to other sections: For more information, see sections 8, 11 and 12.
	SUBSTANCES OF VERY HIGH CONCERN (SVHC): # List updated by ECHA on 20/06/2016. Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None
	Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: None
	PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: Does not contain substances that fulfill the PBT/vPvB criteria.

-		C) No. 1907/2006 and Regulation (EU) No. 2015/830							
() Mac	MATE DECO Code: 15401	DRACIÓN BLANCO Y COLORES							
SECTIO	DN 4 : FIRST AID MEAS	SURES							
4.1	DESCRIPTION OF FIR	RST-AID MEASURES:							
	Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.								
	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures						
	Inhalation:	Normaly does not produce symptoms.	Should there be any symptoms, transfer the person affected to the open air.						
	<u>Skin:</u>	Normaly does not produce symptoms.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.						
	Eyes:	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.						
	Ingestion:	If swallowed, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Rinse out the mouth with water.						
4.2		YMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: Ind effects are indicated in sections 4.1 and 11							
4.3	Notes to physician: T	IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATM reatment should be directed at the control of symptoms and the dications: Specific antidote not known.	ENT NEEDED: le clinical condition of the patient.						
SECTIO	ON 5 : FIRE-FIGHTING	MEASURES							
5.1	EXTINGUISHING MEE In the case of fire in th	DIA:							
5.2	SPECIAL HAZARDS A Does not represent a	ARISING FROM THE SUBSTANCE OR MIXTURE: serious fire danger. However, if it is located in a fire, may susta	ain combustion, decompose and give off toxic or irritant vapours.						
5.3	apparatus, gloves, pro sheltered position or a Other recommendation	ipment: Depending on magnitude of fire, heat-proof protectiv tective glasses or face masks and boots. If the fire-proof prote t a safe distance. The standard EN469 provides a basic level	e clothing may be required, appropriate independent breathing active equipment is not available or not used, combat fire from a of protection for chemical incidents. burces of heat or fire. Bear in mind the direction of the wind. Do not						
SECTIO	DN 6 : ACCIDENTAL R	ELEASE MEASURES							
6.1		TIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PRO ith this product. The floor may become slippery.	CEDURES:						
6.2			f large scale spills or when the product contaminates lakes, rivers or						
6.3	METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container.								
6.4	For information on saf For exposure controls	HER SECTIONS: n in case of emergency, see section 1. e handling, see section 7. and personal protection measures, see section 8. disposal, follow the recommendations in section 13.							

Kar	MATE DECORACIÓN BLANCO Y COLORES Code: 15401
SECTIC	N 7 : HANDLING AND STORAGE
7.1	PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. <u>General recommendations:</u> Usual protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding any discharge. Keep the container tightly closed. Recommendations for the prevention of fire and explosion risks:
	 # Not applicable. <u>Recommendations for the prevention of toxicological risks:</u> Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. <u>Recommendations for the prevention of environmental contamination:</u> Avoid any spillage in the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
7.2	CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Keep container tightly closed. For more information, see section 10. Class of store : According to current legislation. Maximum storage period : # 24 months Temperature interval : min: 5. °C, max: 30. °C (recommended). Incompatible materials: Keep away from acid products and strongly oxidizing agents. Type of packaging: Sealed containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. Limit quantity (Seveso III): # Directive 2012/18/EU: # No aplicable.
7.3	SPECIFIC END USES: For the use of this product do not exist particular recommendations apart from that already indicated.

٦

<u> </u>	MATE DECORACIÓN BLANCO Y COLORES Code: 15401									
N 8 · F	EXPOSURE CONTROLS/PERSONAL PROTECTION									
1										
If a pr of the and E	<u>ROL PARAMETERS:</u> oduct contains ingredients with exposure limits, may be necessary ventilation or other control measures and/or the necessity to use r N482 standard concerning methods for assesing the exposure by i ence should be also made to national guidance documents for met	espiratory protective nhalation to chemica	equipm I agents	ent. Reference shous, and exposure to c	uld be m hemical	ade to EN689. E	N14			
	JPATIONAL EXPOSURE LIMIT VALUES (TLV)									
AGCI	H 2014 Year	ppm mg/m3		TLV-STEC - Ceiling ppm mg/m3	;	Remarks				
	enzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- 0. - 0.0	10 80	- 0.0 - 0.	60 23	Recommended Recommended				
TLV -	TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit.									
	BIOLOGICAL LIMIT VALUES: Not stablished									
Derive REAC compa	DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances included in REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by a particular company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived by a process different of REACH.									
	ed no-effect level, workers:	DNEL Inhalation		DNEL Cutaneous		DNEL Oral				
1,2-be	temic effects, acute and chronic: anzisothiazol-3(2H)-one	mg/m3 - (a)	- (c)	mg/kg bw/d - (a)	- (c)	mg/kg bw/d - (a)				
Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a)	- (C)	- (a)	- (c)	- (a)				
	ed no-effect level, workers: al effects, acute and chronic:	DNEL Inhalation		DNEL Cutaneous		DNEL Eyes mg/cm2				
1,2-be	er CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)				
	ed no-effect level, general population:	DNEL Inhalation		DNEL Cutaneous		DNEL Oral				
1,2-be	temic effects, acute and chronic: enzisothiazol-3(2H)-one	mg/m3 - (a)	- (c)	mg/kg bw/d - (a)	- (c)	mg/kg bw/d - (a)				
Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a)	- (c)	- (a)	- (c)	- (a)				
Derive	ed no-effect level, general population: al effects, acute and chronic:	DNEL Inhalation		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2				
1,2-be	nrzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)				
	NEL not available (without data of registration REACH).	- (a)	- (0)	- (a)	- (0)	- (a)				
	PREDICTED NO-EFFECT CONCENTRATION (PNEC):									
	ted no-effect concentration, aquatic organisms:	PNEC Fresh water		PNEC Marine		PNEC Intermitte	<u>ent</u>			
-	sh water, marine water and intermitent release: enzisothiazol-3(2H)-one	mg/l		mg/l		mg/l				
Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-		-		-				
	stewater treatment plants (STP) and sediments in fresh- and e water:	PNEC STP		PNEC Sediments		PNEC Sedimen	<u>ts</u>			
1,2-be	enzisothiazol-3(2H)-one	mg/l -		mg/kg dry weight -		mg/kg dry weight -				
	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-		-		-				
Predic	ted no-effect concentration, terrestrial organisms: soil and effects for predators and humans:	PNEC Air mg/m3		PNEC Soil mg/kg dry weight		PNEC Oral mg/kg bw/d				
1,2-be	nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-		-		-				
		-		-		-				
(-) - PI	NEC not available (without data of registration REACH).									

Mau Mau	<u>.</u>	MATE DECOF Code: 15401	RACIÓN BLANCO Y COLORES	
8.2	EXPO	SURE CONTROLS	<u>S:</u>	
	ENGI	NEERING MEASU	IRES:	
			Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exigood general extraction.	naust ventilation and
	Protec	tion of respiratory tion of eyes and fa tion of hands and	ace:	
	corres	PPE), with the haracteristics of the rers of PPE.		
	Mask:		No, unless ventilation is insufficient. Use respiratory protection in spray applications.	
	<u>Goggl</u>	<u>es:</u>	Advisable.	
	Face s	shield:	No.	
	Glove	<u>3:</u>	Advisable.	
	Boots		No.	
	<u>Apron</u>	L	No.	
	<u>Clothi</u>	<u>ıq:</u>	No.	
	Not a		luct is handled at room temperature).	
	Avoid	any spillage in the	e environment.	
			ent contamination of soil. Land contaminated with this product must be managed as hazardous and toxic resi	
	- <u>Wat</u> segúr	<u>n water:</u> Do not er Control Act: # E a la Directiva 2000/	empty into drains. Do not allow to escape into drains, sewers or water courses. Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la p /60/CE~2013/39/UE.	olítica de aguas,
	<u>Emiss</u>	ions to the atmosp	ohere: Substance with very low volatility.	

MATERIAL SAFETY DATA SHEET (REACH)

Keep away from acid products and strongly oxidizing agents.	(Ma <u>c</u> y	MATE DECORACIÓN BLANCO Y COLORES Code: 15401	
Adjaced ance - Provide State : Viscous liquid. - Provide State : So the colour in package. - Odour : So the colour in package. - Odour threshold : Die available (mixture). - Odour threshold : Not available (mixture). - Main good point : * > - Main good point : * > 100° *C at 760 mmHg Density : : 1.65 at 204*C Relative water Stability . . : Not available . . - Opensity : : 1.65 at 204*C Relative water Stability - Opensity : : - Vapour pressore : : - Solubility in water: : <	SECTION 9	: PHYSICAL AND CHEMICAL PROPERTIES	
 Physical state Colour Colour Colour See the colour in the package. Colour threshold Court threshold Not available Anticing point Field and counting point Field and counting point Field and counting point Court threshold Court threshold			TIES:
 pH c. 8.5 to 5. at 20°C Change of state Molting point Initiability of the state of the state. CONDITIONS TO AVOID: CONDIT	- P - C - C - C	Physical state Colour Odour Odour threshold	See the colour in the package. Characteristic, faint.
 Allering point India boling point Indi boling point	- p	H	: 8.5 ± 0.5 at 20°C
Density 1.65 at 20/4°C Relative water Stability - Recomposition temperature : Not available - Recomposition temperature : Not available - Recomposition temperature : Not available - Recomposition temperature : 000. ± 20	- N	Ielting point	: Not available
Stability Decomposition temperature :: Not available Dynamic viscosity :: :: 000. 1 2000. cps 20°C Manuality :: <td< td=""><td>- Ir Der</td><td>nitial boiling point nsity</td><td>: # > 100* °C at 760 mmHg</td></td<>	- Ir Der	nitial boiling point nsity	: # > 100* °C at 760 mmHg
Decomposition temperature Jorden Jorden			: 1.65 at 20/4 ^o C Relative water
Pynamic viscosity :: 6000. ± 2000. cps 200C - Kinematic viscosity :: 1200. mm2/s at 40°C Vabality: :: 1200. mm2/s at 40°C - Evaporation rate :: : 40.4* - Evaporation rate :: : 17.5* mm4 at 20°C - Vapour pressure :: : 17.5* mm4 at 20°C - Solubility in water: : : Miscible : Initialable (mixture untested). - Solubility in water: : : Initialable (mixture untested). : Initialable (mixture untested). - Batter torgenities: : Not available. : Not available (do not support combustion). - Heat of combustion : : : : 431* Kcal/kg - VOC (supply) : : : : 15.0 git - Heat iolician information concerning physical and the product specifications can be found in the technical data shere of the same. For additional information concerning physical and the call for the product safety and environment, see sections 7 and 12. ECTON 10 : STABILITY AND REACTIVITY : Stable under recommende storage and handling conditions.	- D	Decomposition temperature	: Not available
Foreportion rate Yapour pressure Yapour presser Yapour presser	- D - K	Dynamic viscosity Kinematic viscosity	
Solubility in water:	- E - V - V	vaporation rate /apour pressure /apour pressure	: # 17.5* mmHg at 20°C
Planmability: • Ininflamable* °C • Autoignition temperature :: Not applicable (do not support combustion). Explosive properties: Not applicable (do not support combustion). Not available. Odiding properties: Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. 2 OTHER INFORMATION: : 431* Kcal/kg • Void (supply) : 15.0 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shere of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. EOTION 10: STABILITY AND REACTIVITY EACTIVITY: 0.1 REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. 0.2 OHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Pressible dangerous reaction or es esensible a los choques, pero como recomendación de lipo general se deben	<u>Sol</u> - S	ubility(ies) Solubility in water:	: Miscible
Not available. Oxidizing properties: Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. 2 OTHER INFORMATION: - Heat of combustion : Heat of combustion : Heat of combustion : VOC (supply) : To Supply : To Supply : To Supply : To Stability AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals: Prophorical properties: It is not corrosive to metals. Prophorical properties: It is not corrosive to metals. Prophorical properties: It is not prophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with exidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Arris: & El producto no as esistible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abollacturas y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carg descarga. 0.5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.	<u>Flai</u> - F - A	mmability: lash point utoignition temperature	: # Ininflamable* °C
 *Estimated values based on the substances composing the mixture. OTHER INFORMATION: Heat of combustion Heat of combustion Heat of combustion Heat of combustion YOC (supply) 15.0 gl The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheed of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. ECTION 10 : STABILITY AND REACTIVITY REACTIVITY: Corrosivity to metals:. It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. OHEMICAL STABILITY: Stable under recommended storage and handling conditions. OPOSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid ender other ones evisición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: Not relevant. Shock: <i>J. El producto no os sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carge descarga.</i> 	Not Oxi	t available. dizing properties:	
Content of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. Corresivity to metals: If a not properties: If a not properime not properties: If a not proper			<u>a</u>
 Heat of combustion : # 431* Kcal/kg VOC (supply) : 15.0 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shere of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. ECTION 10 : STABILITY AND REACTIVITY I BEACTIVITY: Corrosivity to metals:. It is not corrosive to metals. Pyrophorical properties: It is not porrosive to metals. Pyrophonical properties: It is not pyrophoric. CHEMICAL STABILITY: Stable under recommended storage and handling conditions. POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Light: the product on se via alectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: <i>N</i> Not relevant. Shock: <i>F</i> El producto no se sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar aboliaduras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cartidades, y durante las operaciones de carg descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 			
The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheed of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. EECTION 10 : STABILITY AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals: Pyrophorical properties: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 Heat: Heat: Stepsible, avoid direct contact with sunlight. Alt: # El product on os eve affectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El product on os eventales, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carg descarga. 0.5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.	- H	leat of combustion	
 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: It possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carg descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: 	Cor	rrosivity to metals: It is not corrosive to metals.	
Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carg descarga. 0.5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 0.6 HAZARDOUS DECOMPOSITION PRODUCTS:	0.2 <u>CH</u>	EMICAL STABILITY:	
Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carg descarga. 0.5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 0.6 HAZARDOUS DECOMPOSITION PRODUCTS:			ng alkalis.
Keep away from acid products and strongly oxidizing agents. 10.6 HAZARDOUS DECOMPOSITION PRODUCTS:	Hea Ligh Air: Pre Sho	 at: Keep away from sources of heat. ht: If possible, avoid direct contact with sunlight. # El producto no se vé afectado por exposición al aire, pero se ssure: # Not relevant. bck: # El producto no es sensible a los choques, pero como rec 	comendación de tipo general se deben evitar golpes y manejos bruscos, para evitar
	des		
	0.5 <u>INC</u>	SCARGA.	
	10.5 <u>INC</u> Kee	SCARGA.	
	0.5 <u>INC</u> Kee	SCARGA.	
	0.5 <u>INC</u> Kee	SCARGA.	
	0.5 <u>INC</u> Kee	SCARGA.	
	0.5 <u>INC</u> Kee	SCARGA.	

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Kar Kar	MATE DECORACIÓN BL Code: 15401	ANCO Y COLORES				
	DN 11 : TOXICOLOGICAL INFORMA	TION				
No expe	erimental toxicological data on the pre ion method of the Regulation (EC) No	paration is available. The to		al classification for these r	nixture has been carried out	t by using the conventional
11.1	INFORMATION ON TOXICOLOGIC	AL EFFECTS:				
	ACUTE TOXICITY:			1		
	Dose and lethal concentrations for individual ingredients : 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 2	20-239-6 (3:1)		DL50 (OECD 401) mg/kg oral 1020. Rat 67. Rat	DL50 (OECD 402) mg/kg cutaneous > 2000. Rat 140. Rat	CL50 (OECD 403) mg/m3.4h inhalation > 2050. Rat > 1230. Rat
	No observed adverse effect level Not available Lowest observed adverse effect leve Not available INFORMATION ON LIKELY ROUTE		xicity:			
	Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/o	or delayed	
	Inhalation: Not classified ATE > 20000 mg/m3 - Not classified as a product with acute toxicity if inhaled (based or data, the classification criteria are not met).			ed (based on available		
	Skin: Not classified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).		
	Eves: Not classified	Not available	-	Not classified as a produ	ict with acute toxicity by eye	contact (lack of data).
	Ingestion: Not classified	ATE > 5000 mg/kg	-	Not classified as a produdata, the classification c	ict with acute toxicity if swall riteria are not met).	owed (based on available
	CORROSION / IRRITATION / SENS	ITISATION :	1			
	Danger class Target organs Cat. Main effects, acute and/or delayed					
	Respiratory corrosion/irritation: - Not classified as a product corrosive or irritant by inhalation (based or data, the classification criteria are not met).			nalation (based on available		
	Skin corrosion/irritation: Not classified	-	-	Not classified as a product corrosive or irritant in contact with skin (based on available data, the classification criteria are not met).		
	<u>Serious eye damage/irritation:</u> Not classified	-	-		ict corrosive or irritant in cor ification criteria are not met)	
	Respiratory sensitisation: Not classified	-	-	Not classified as a produ the classification criteria	ict sensitising by inhalation (are not met).	based on available data,

Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction.

ASPIRATION HAZARD:

Skin sensitisation:

Not classified

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

Not classified as a product sensitising by skin contact (based on available

data, the classification criteria are not met).

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.

<u>Genotoxicity:</u> Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Do not harm fertility. Do not harm the fetus developping. <u>Effects via lactation:</u> Not classified as a hazardous product for children breast-fed.

Mac	4	MATE DECORACIÓN BLANCO Y COLORES Code: 15401								
	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: Not available. Short-term exposure: # Not available. Long-term or repeated exposure: Not available.									
	INTERACTIVE EFFECTS: Not available.									
	INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION: Dermal absorption: Not available. Basic toxicokinetics: Not available.									
	ADDITIONAL INFORMATION: Not available.									
SECTIO	ON 12 :	ECOLOGICAL INFORMATION								
		tal ecotoxicological data on the preparation as such is available. The nal calculation method of the Regulation (EC) No. 1272/2008~605/20		tion for these mixture has be	en carried out by using					
12.1	TOXIC	CITY:	Γ							
	for inc	<u>toxicity in aquatic environment</u> dividual ingredients : enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	CL50 (OECD 203) mg/l.96hours 1.2 Fishes 0.19 Fishes	CE50 (OECD 202) mg/l.48hours 0.85 Daphnia 0.16 Daphnia	<u>CE50</u> (OECD 201) mg/l.72hours 0.37 Algae 0.018 Algae					
	Not av	<u>served effect concentration</u> vailable <u>st observed effect concentration</u> vailable								
12.2		SISTENCE AND DEGRADABILITY: vailable.								
12.3		CCUMULATIVE POTENTIAL: vailable.								
	for inc 1,2-be	<u>cumulation</u> dividual ingredients : enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	<u>logPow</u> 0.640 -0.830	BCF L/kg 3.2 (calculated) 3.2 (calculated)	Potential Unlikely, low No bioaccumulable					
12.4		LITY IN SOIL: vailable.								
12.5		ILTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulation not contain substances that fulfill the PBT/vPvB criteria.	on (EC) no. 1907/2006:							
12.6	Ozone Photo Earth	R ADVERSE EFFECTS: <u>e depletion potential:</u> Not available. <u>chemical ozone creation potential:</u> Not available. <u>global warming potential:</u> Not available. <u>crine disrupting potential:</u> Not available.								
SECTIO	ON 13 :	DISPOSAL CONSIDERATIONS								
13.1	WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8. Disposal of empty containers: # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, jin accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.									
		dures for neutralising or destroying the product: orised landfill in accordance with local regulations.								

Mal		MATE DECORACIÓN BLANCO Y COLORES Code: 15401							
SECTIO	ON 14 :	TRANSPORT INFORMATION							
14.1		UMBER: Not applicable							
14.2	UN PF	ROPER SHIPPING NAME: Not applicable							
14.3 14.4	TRAN	ISPORT HAZARD CLASS(ES) AND PACKING GROUP:							
	Trans	Transport by road (ADR 2015) and Transport by rail (RID 2015): Not reglamented							
	Trans Not re	Transport by sea (IMDG 37-14): Not reglamented							
	Trans Not re	port by air (ICAO/IATA 2015): glamented							
	Trans Free.	port by inland waterways (ADN):							
14.5		RONMENTAL HAZARDS: pplicable (not classified as hazardous for the environment).							
14.6	# Ens	CIAL PRECAUTIONS FOR USER: sure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that ion and sure.	t are in a vertical						
14.7		ISPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: pplicable.							
SECTIO	ON 15 :	REGULATORY INFORMATION							
15.1	EU SA	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC:							
		egulations applicable to this product generally are listed throughout this material safety data sheet.							
		ictions on manufacture, placing on market and use: See section 1.2							
		ol of the risks inherent in major accidents (Seveso III):See section 7.2							
	Tactile	e warning of danger: Not applicable (the classification criteria are not met).							
	Child :	safety protection: Not applicable (the classification criteria are not met).							
	VOC i # Cor	information on the label: ntains VOC max. 16. g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30. g/l (2010).							
		ER REGULATIONS: vailable							
15.2	CHEN For th	<u>AICAL SAFETY ASSESSMENT:</u> is mixture has not been carried out a chemical safety assessment.							

Mar <u></u>	MATE DECORACIÓN BLANCO Y COLORES Code: 15401	
SECTIO	ON 16 : OTHER INFORMATION	
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Not applicable.	
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in or understanding and interpretation of material safety data sheets and labelling of products as well.	der to provide
	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:	
	 European Chemicals Agency: ECHA, http://echa.europa.eu/ Access to European Union Law, http://eur-lex.europa.eu/ Threshold Limit Values, (AGCIH, 2014). 	
	ABBREVIATIONS AND ACRONYMS: List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:	
	REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. DRD: Determine Determine Directive.	
	 DPD: Dangerous Preparations Directive. GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. EINECS: European Inventory of Existing Commercial Chemical Substances. 	
	 ELINCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Service (Division of the American Chemical Society). UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials). 	
	 SVHC: Substances of Very High Concern. PBT: Persistent, bioaccumulable and toxic substances. vPvB: Very persistent and very bioaccumulable substances. VOC: Volatile Organic Compounds. 	
	 DREL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent. 	
	 LC50: Letal concentration, 50 percent. UN: United Nations Organisation. ADR: European agreement concerning the international carriage of dangeous goods by road. 	
	 RID: Regulations concerning the international transport of dangeous goods by rail. IMDG: International Maritime code for Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organization. 	
	MATERIAL SAFETY DATA SHEET REGULATIONS: Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation	(EU) No. 2015/830.
	HISTORY: Revision: Version: 5 20/07/2016 Version: 6 18/10/2016	
	Modifications with respect to the previous Material Safety Data Sheet: # The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version a	are highlighted in this
	Material Safety Data Sheet by a mark # in red and italic.	
The info	formation of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as	the users' working

conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.