MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

() Иасу	MATE ZIG-ZAS Code: 17604	
Version:	8 Revision: 09/01/2017 Previous revision: 22/06/2016	Date of printing: 09/01/201
SECTION	1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	
I.1 <u>PI</u>	RODUCT IDENTIFIER: MATE ZIG-ZAS Code: 17604	
	ELEVANT IDENTIFIED USES AND USES ADVISED AGAINST: [] Industrial itended uses (main technical functions): [] Industrial becorative paint. [] Industrial ectors of use: [] Consumer uses (SU21). ses advised against: [] Industrial Ione. As there is not classified as dangerous, this product can be used in ways other than the identified uses, but all us afety guidelines provided. estrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006: Iot restricted.	[X] Professional [X] Consumer
PI Ci Pi E-	ETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: INTURAS MACY, S.A. tra. Nacional 301, Km. 212,8 - E-02630 - La Roda (Albacete) hone: +34 967 440712 - Fax: +34 967 442819 -mail address of the person responsible for the safety data sheet: -mail: laborato102@pinturas-macy.com	
I.4 <u>EI</u>	MERGENCY TELEPHONE NUMBER: +34 967 440712 (8:00-13:00 / 16:00-20:00 h.) (working hours)	
SECTION	2 : HAZARDS IDENTIFICATION	
	LASSIFICATION OF THE SUBSTANCE OR MIXTURE: This product is not classified as dangerous. in accordance with Regulation (EC) No. 1272/2008~605/2014 (CLP) Note: When in section 3 a range of percentages is used, the health and environmental hazards describe the effects of the component, but below the maximum value.	0
ur	nder ordinary conditions, it should not present a physicochemical, health safety or environmental hazard. However, an ourtesy in response to a customer request.	MSDS can be provided as a
Hi No Pi Pi Pi Pi Pi El El El	This product does not require pictograms, in accordance with Regulation (EC) No. 1272/2008~605/2014 (CLP) azard statements: ione. recautionary statements: 102 Keep out of reach of children. 271 Use only outdoors or in a well-ventilated area. 280B Wear protective gloves and eye protection . 273 Avoid release to the environment. upplementary statements: UH208 UH201 Safety data sheet available on request. azardous ingredients: one.	ay produce an allergic reaction.
	THER HAZARDS: lazards which do not result in classification but which may contribute to the overall hazards of the mixture: ther physicochemical hazards: No other relevant adverse effects are known. ther adverse human health effects: # Prolonged exposure to vapours may produce transient drowsiness. In case of precome dry. ther negative environmental effects: Does not contain substances that fulfil the PBT/vPvB criteria.	rolonged contact, the skin may

Ø Aacy	MATE ZIG-ZAS Code: 17604	
ECTION 3	: COMPOSITION/INFORMATION ON INGREDIENTS	
	BSTANCES:	
.2 <u>MI)</u> Th <u>Ch</u> So HA	XTURES: is product is a mixture. emical description: lution of calcium carbonate in aqueous media. ZARDOUS INGREDIENTS: bstances taking part in a percentage higher than the exemption limit:	
	<1% Hydrocarbons, C9-C11, isoalkanes, cyclics, <2% aromatics (CAS: 64742-48-9), List No. 920-134-1 REACH: 01-2119480153-44 CLP: Danger: Flam. Liq. 3:H226 STOT SE (narcosis) 3:H336 Asp. Tox. 1:H304 Aquatic Chronic 2:H411 EUH066	Autoclassifie < REAC
Do	purities: es not contain other components or impurities which will influence the classification of the product.	
No	ference to other sections:	
SU	more information, see sections 8, 11, 12 and 16. BSTANCES OF VERY HIGH CONCERN (SVHC): List updated by ECHA on 20/06/2016.	
Sul No	bstances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: ne bstances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:	
Do	RSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: es not contain substances that fulfill the PBT/vPvB criteria.	

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mal.	4	MATE ZIG-ZA Code: 17604	S					
SECTION 4 : FIRST AID MEASURES								
4.1	DESC	RIPTION OF FIRS	ST-AID MEASURES:					
Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms medical attention. Never give anything by mouth to an unconscious person.								
	Route	of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures				
	<u>Inhala</u>	tion:	Normaly does not produce symptoms.	Should there be any symptoms, transfer the person affected to the open air.				
	<u>Skin:</u>		<i>#</i> In case of prolonged contact, the skin may become dry.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.				
	<u>Eyes:</u>		Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.				
	<u>Ingest</u>	ion:	If swallowed, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Rinse out the mouth with water.				
4.2			MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: d effects are indicated in sections 4.1 and 11					
4.3	Notes	to physician: Tre	MEDIATE MEDICAL ATTENTION AND SPECIAL TREATMEN eatment should be directed at the control of symptoms and the ications: Specific antidote not known.	NT NEEDED: clinical condition of the patient.				
SECTIO	ON 5 : F	FIRE-FIGHTING M	IEASURES					
5.1		IGUISHING MEDI case of fire in the	<u>A:</u> surroundings, all extinguishing agents are allowed.					
5.2	SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: Does not represent a serious fire danger. However, if it is located in a fire, may sustain combustion, decompose and give off toxic or irritant vapours.							
5.3	5.3 ADVICE FOR FIREFIGHTERS: Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. Other recommendations: Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, severs or water courses.							
SECTIO	ON 6 : A	ACCIDENTAL REI	LEASE MEASURES					
6.1			ONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROC this product. The floor may become slippery.	EDURES:				
6.2	ENVIRONMENTAL PRECAUTIONS: Avoid contamination of drains, surface or subterranean water and soil. In the case of large scale spills or when the product contaminates lakes, rivers or sewages, inform the appropriate authorities in accordance with local regulations.							
6.3	METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP: Contain and mop up spills with absorbent materials (sawdust, earth, sand, vermiculite, diatomaceous earth, etc). Avoid use of solvents. Keep the remains in a closed container.							
6.4	For co For in For ex	formation on safe posure controls a	In case of emergency, see section 1. handling, see section 7. nd personal protection measures, see section 8. lisposal, follow the recommendations in section 13.					

<u>(</u> Масу	MATE ZIG-ZAS Code: 17604	
SECTION 7 :	· HANDLING AND STORAGE	
Corr Gene Usu Kee Recc The is, s atmo of fir <u>Recc</u> Do r prote	ECAUTIONS FOR SAFE HANDLING: mply with the existing legislation on health and safety at work. neral recommendations: ual protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding ar ep the container tightly closed. commendations for the prevention of fire and explosion risks: e product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environr so it is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environr so it is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the environr so it is not included in the scope of Directive 94/9/EC concerning equipment and protective systems intended for use in potentially explosion. commendations for the prevention of toxicological risks: not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and p tection measures, see section 8. commendations for the prevention of environmental contamination: oid any spillage in the environment. In the case of accidental spillage, follow the instructions indicated in section 6.	ment in which it plosive I locals with risk
7.2 <u>CON</u> Kee cont <u>Clas</u> <u>Maxi</u> Tem Incol Kee <u>Type</u> Sea Limit	INDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: ep out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical pontainer tightly closed. For more information, see section 10. iss of store : ximum storage period : mperature interval : ompatible materials: ep away from acid products and strongly oxidizing agents. pe of packaging: aled containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. nit quantity (Seveso III): # Directive 2012/18/EU: No aplicable. ************************************	osition. Keep
7.3 SPE For 1	ECIFIC END USES: The use of this product do not exist particular recommendations apart from that already indicated.	

If a product contains ingredients with exposure limits, may be necessar of the ventilation or other control measures and/or the necessity to us and EN482 standard concerning methods for assesing the exposure b Reference should be also made to national guidance documents for m OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)	e respiratory protective equiproy inhalation to chemical agen	nent. Reference should be m ts, and exposure to chemical	ade to EN689, EN1
AGCIH 2014 Ye	ar TLV-TWA	TLV-STEL - Ceiling value.	Remarks
1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	ppm mg/m3 - 0.10 - 0.080	ppm mg/m3 - 0.060 - 0.23	Recommended Recommended
TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - : BIOLOGICAL LIMIT VALUES: Not stablished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered REACH. DNEL values may differ from a occupational exposure limit (0 company, a government regulatory agency or an organization of experi- process different of REACH.	d safe, derived from toxicity d DEL) for the same chemical. (DEL values may come recom	mended by a partic
Derived no-effect level, workers: - Systemic effects, acute and chronic: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m3 s/r (a) 871. (c) - (a) - (c) - (a) - (c)	- (a) - (c)	DNEL Oral mg/kg bw/d - (a) - (a) - (a)
Derived no-effect level, workers: - Local effects, acute and chronic: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m3 s/r (a) s/r (c) - (a) - (c) - (a) - (c)	- (a) - (c)	DNEL Eyes mg/cm2 - (a) - (a) - (a)
Derived no-effect level, general population: - Systemic effects, acute and chronic: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m3 s/r (a) 185. (c) - (a) - (c) - (a) - (c)	- (a) - (c)	DNEL Oral mg/kg bw/d s/r (a) 12 - (a) - (a)
Derived no-effect level, general population: - Local effects, acute and chronic: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DNEL Inhalation mg/m3 s/r (a) s/r (c) - (a) - (c) - (a) - (c)	- (a) - (c)	DNEL Eyes mg/cm2 - (a) - (a) - (a)
(a) - Acute, short-term exposure, (c) - Chronic, long-term or repeated e (-) - DNEL not available (without data of registration REACH). s/r - DNEL not derived (not identified hazard).	exposure.		
PREDICTED NO-EFFECT CONCENTRATION (PNEC):			1
Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC Fresh water mg/l - - -	PNEC Marine mg/l - -	PNEC Intermittent mg/I - - -
- Wastewater treatment plants (STP) and sediments in fresh- and marine water: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC STP mg/l - -	PNEC Sediments mg/kg dry weight - - -	PNEC Sediments mg/kg dry weight - - -
Predicted no-effect concentration, terrestrial organisms: - Air, soil and effects for predators and humans: Hydrocarbons C9-C11 isoalkanes and cyclics 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	PNEC Air mg/m3 s/r -	PNEC Soil mg/kg dry weight - - -	PNEC Oral mg/kg bw/d - - -

() Mar		TE ZIG-ZAS le: 17604					
8.2	EXPOSURE	CONTROLS:					
	ENGINEERING MEASURES:						
	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exigood general extraction.						
	Protection of respiratory system: Avoid the inhalation of vapours. Protection of eyes and face: Protection of hands and skin:						
	As a general correspondir	<u>VAL EXPOSURE CONTROLS</u> : Directive 89/686/EEC~96/58/EC: I measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the g EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the tion class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufacturers of PPE.					
	Mask: No, unless ventilation is insufficient. Use respiratory protection in spray applications. Image: Comparison of the spray application of						
	Goggles: Advisable.						
	Face shield:	No.					
	Gloves:	Advisable.					
	Boots:	No.					
	Apron:	No.					
	Clothing:	No.					
	Thermal haz Not applicab	ards: le (the product is handled at room temperature).					
	ENVIRONMI Avoid any sp	ENTAL EXPOSURE CONTROLS: pillage in the environment.					
	Spills on the	Prevent contamination of soil. Land contaminated with this product must be managed as hazardous and toxic residues.					
	- Water Cor	o not empty into drains. Do not allow to escape into drains, sewers or water courses. <u>et:</u> # Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la política de aguas, 2000/60/CE~2013/39/UE.					
	- <u>VOC (proc</u> de emisione 2004/42/CE	nosphere: Substance with very low volatility. <u>dy for use*):</u> <i>#</i> Es de aplicación la Directiva 2004/42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), relativa a la limitación mpuestos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la Directiva '9/UE (RD.227/2006~Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión a) Recubrimiento mate para paredes y techos acuosa. COV (producto listo al uso*) : 15. g/l* (COV máx. 30. g/l* a partir del 01.01.2010).					

0.1 REACTIVITY: Corrosivity to metals: Pyrophorical properties: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handlii dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.	
Appearance - Prysical state :: Louid. - Colour :: White. - Odour Threshold :: Not available (mixture). - Data of state :: 9.10.5 at 20°C - Melling point :: Not available - Initial boiling point :: Not available - Melling point :: Not available - Melling point :: Not available - Decomposition temperature :: Not available - Docomposition temperature :: Not available - Decomposition rate :: : # 000.1 ± 200.0 cps 20°C - Vapour pressure :: : # 0.5' mixtig at 20°C Relative wate - Statistic : : # 0.5' mixtig at 20°C Relative - Vapour pressure :: : # 0.5' mixtig at 20°C Relative - Vapour pressure :: : # 0.5' mixtig at 20°C Relative - Subolitify: :: : : : Relative - Autographility: :: : : : : : </th <th></th>	
 Physical state Colour C	
Not available. Oxidizing properties: Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. .2 OTHER INFORMATION: - Heat of combustion : # 628* Kcal/kg - VOC (supply) : # 19.1 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technic: of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and ECTION 10 : STABILITY AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals:. It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: It possible, avoid direct contact with sunlight. Air., The product is not affected by exposure to air, but should not be left the containers open. Pressure, M Not relevant. Shock., The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.	er
 2.2 OTHER INFORMATION: Heat of combustion YOC (supply) If a 19.1 gll The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technic: of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and section 10: STABILITY AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals:: It is not corrosive to metals. Pyrophorical properties:: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Ali:, # The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock:: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handlin dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 	
 VOC (supply) : # 19.1 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technic: of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and SECTION 10 : STABILITY AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat. Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 	
of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and SECTION 10 : STABILITY AND REACTIVITY 0.1 REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. 0.2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock:, # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.	
 0.2 <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditions. 0.3 <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. <u>Light:</u> If possible, avoid direct contact with sunlight. <u>Air:</u> # The product is not affected by exposure to air, but should not be left the containers open. <u>Pressure:</u> # Not relevant. <u>Shock:</u> # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handlin dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 	
 0.3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 0.4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handlindents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations. 	
Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air:_# The product is not affected by exposure to air, but should not be left the containers open. Pressure: # Not relevant. Shock: # The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handlindents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.	
	ling to avoid
0.5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.	
0.6 HAZARDOUS DECOMPOSITION PRODUCTS: No product of decomposition is dangerous if stored and handled properly.	

Code: 17604								
ION 11 : TOXICOLOGICAL INF								
perimental toxicological data on ation method of the Regulation (the preparation is available. The EC) No. 1272/2008~605/2014 (C	toxicolog CLP).	ical classification for these m	ixture has been carried out	by using the convention			
1 INFORMATION ON TOXICOLOGICAL EFFECTS:								
ACUTE TOXICITY:								
Dose and lethal concentration for individual ingredients : Hydrocarbons C9-C11 isoalka 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MI	nes and cyclics		<u>DL50</u> (OECD 401) mg/kg oral > 5000. Rat 1020. Rat 67. Rat	DL50 (OECD 402) mg/kg cutaneous > 5000. Rabbit > 2000. Rat 140. Rat	CL50 (OECD 403) mg/m3.4h inhalation > 8500. Rat > 2050. Rat > 1230. Rat			
No observed adverse effect le Not available Lowest observed adverse effe Not available								
INFORMATION ON LIKELY F								
Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/or	delayed				
Inhalation: Not classified	ATE > 20000 mg/m3	-	Not classified as a produc data, the classification crit	t with acute toxicity if inhale eria are not met).	ed (based on available			
Skin: Not classified ATE > 2000 mg/kg - Not classified as a product with acute toxicity in available data, the classification criteria are not Eyes: Not classified Not available - Not classified as a product with acute toxicity by								
				t with acute toxicity by eye	y eye contact (lack of data).			
Ingestion: Not classified	ATE > 5000 mg/kg	kg - Not classified as a product with acute toxicity if swalle data, the classification criteria are not met).			wed (based on available			
CORROSION / IRRITATION /	CORROSION / IRRITATION / SENSITISATION :							
Danger class	Target organs	Cat.	Main effects, acute and/or	delayed				
Respiratory corrosion/irritation	<u>n</u> -	-	Not classified as a produc data, the classification crit	t corrosive or irritant by inheria are not met).	alation (based on availal			
Skin corrosion/irritation: Not classified	-	-		t corrosive or irritant in con cation criteria are not met).	nt in contact with skin (based on not met).			
Serious eye damage/irritation: Not classified		-		ified as a product corrosive or irritant in contact with eyes (data, the classification criteria are not met).				
Respiratory sensitisation: Not classified	-	-	Not classified as a product sensitising by inhalation (based on ava the classification criteria are not met).					
<u>Skin sensitisation:</u> Not classified	-	-	Not classified as a produc data, the classification crit	t sensitising by skin contac eria are not met).	t (based on available			
Contains 1,2-benzisothiazol-3	(2H)-one, mixture CIT EC 247-5(00-7 MIT	EC 220-239-6 (3:1). May proc	duce an allergic reaction.				
ASPIRATION HAZARD:			- I					
Danger class	Target organs	Cat.	Main effects, acute and/or	delayed				
Aspiration hazard: Not classified	-	-	Not classified as a produc the classification criteria a	t hazardous by aspiration (l re not met).	based on available data,			
Not classified as a dangerous	S TOXICITY (STOT): Single expo product for target organs (based considered as a carcinogenic pro	d on avail) <u>and/or Repeated exposure (</u> able data, the classification c	' <u>RE):</u> riteria are not met).				

() Ma <u>cu</u>	MATE ZIG-ZAS Code: 17604							
	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: # May be absorbed by inhalation of vapour, through the skin and by ingestion. Short-term exposure: # May irritate the eyes and skin. Long-term or repeated exposure: # Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. INTERACTIVE EFFECTS: Not available. INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION: Dermal absorption: Not available. Basic toxicokinetics: Not available. ADDITIONAL INFORMATION:							
	Not available.							
No experin the conve	mental ecotoxicological data on the preparation as such is available. The entional calculation method of the Regulation (EC) No. 1272/2008~605/2	e ecotoxicological classifica 014 (CLP).	tion for these mixture has be	een carried out by using				
12.1 <u>T</u>	OXICITY:							
fc H 1 M	Acute toxicity in aquatic environment or individual ingredients : lydrocarbons C9-C11 isoalkanes and cyclics ,2-benzisothiazol-3(2H)-one dixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	CL50 (OECD 203) mg/l.96hours 3.6 Fishes 1.2 Fishes 0.19 Fishes	CE50 (OECD 202) mg/l.48hours 22. Daphnia 0.85 Daphnia 0.16 Daphnia	CE50 (OECD 201) mg/l.72hours > 1000. Algae 0.37 Algae 0.018 Algae				
	lot available							
12.2 <u>P</u>	PERSISTENCE AND DEGRADABILITY: lot available.							
fc H 1	<u>Verobic biodegradation</u> or individual ingredients : lydrocarbons C9-C11 isoalkanes and cyclics ,2-benzisothiazol-3(2H)-one <i>I</i> ixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DQO mgO2/g	%DBO/DQO 5 days 14 days 28 days 53.	Biodegradability Inherently Not easy Inherently				
	BIOACCUMULATIVE POTENTIAL: lot available.			1				
fc H 1	Sioaccumulation or individual ingredients : lydrocarbons C9-C11 isoalkanes and cyclics ,2-benzisothiazol-3(2H)-one <i>I</i> ixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	5.60 0.640 -0.830	BCF L/kg > 100. (calculated) 3.2 (calculated) 3.2 (calculated)	Potential Low Unlikely, low No bioaccumulable				
	<u>IOBILITY IN SOIL:</u> Not available.							
12.5 <u>R</u>	RESULTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulati Does not contain substances that fulfill the PBT/vPvB criteria.	on (EC) no. 1907/2006:						
	OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available. Photochemical ozone creation potential: Not available. Earth global warming potential: Not available. Endocrine disrupting potential: Not available.							
SECTION	SECTION 13 : DISPOSAL CONSIDERATIONS							
T d c E h C s P	 13.1 WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8. Disposal of empty containers: # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, jin accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself. Procedures for neutralising or destroying the product: Authorised landfill in accordance with local regulations. 							

MATERIAL SAFETY DATA SHEET (REACH)

() Mai		with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830 MATE ZIG-ZAS Code: 17604
SECTI	ON 14	: TRANSPORT INFORMATION
14.1	UN N	IUMBER: Not applicable
14.2		PROPER SHIPPING NAME: Not applicable
14.3		NSPORT HAZARD CLASS(ES) AND PACKING GROUP:
14.4	Trans Trans	sport by road (ADR 2015) and sport by rail (RID 2015): eglamented
	Trans Not re	eglamented
	Not re	sport by air (ICAO/IATA 2015): eglamented
	Trans Free.	sport by inland waterways (ADN):
14.5	ENVI Not a	IRONMENTAL HAZARDS: applicable (not classified as hazardous for the environment).
14.6	# Ens	CIAL PRECAUTIONS FOR USER: sure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are in a vertical tion and sure. Ensure adequate ventilation.
14.7		NSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: applicable.
SECTI	ON 15	: REGULATORY INFORMATION
15.1	EU S	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: regulations applicable to this product generally are listed throughout this material safety data sheet.
		rictions on manufacture, placing on market and use: See section 1.2
		rol of the risks inherent in major accidents (Seveso III):See section 7.2
		le warning of danger: Not applicable (the classification criteria are not met).
	voc	<u>I safety protection:</u> Not applicable (the classification criteria are not met). <u>information on the label:</u> Intains VOC max. 16. g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30. g/l (2010).
	OTHE	ER REGULATIONS: available
15.2		MICAL SAFETY ASSESSMENT: his mixture has not been carried out a chemical safety assessment.

the product's properties.

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mar <u></u>	у	MATE ZIG-ZAS Code: 17604					
SECTIC	ON 16 :	OTHER INFORMATION					
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: <u>Hazard statements according the Regulation (EC) No. 1272/2008~605/2014 (CLP), Annex III:</u> H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. H411 Toxic to aqua						
	life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:						
	It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.						
	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA: • European Chemicals Agency: ECHA, http://echa.europa.eu/						
	 Indus 	ss to European Union Law, http://eur-lex.europa.eu/ trial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970). shold Limit Values, (AGCIH, 2014).					
		EVIATIONS AND ACRONYMS:					
	 REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. DPD: Dangerous Preparations Directive. 						
	· CLP: · EINE	Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. CS: European Inventory of Existing Commercial Chemical Substances. CS: European List of Notified Chemical Substances.					
	· CAS · UVC · SVH	Chemical Abstracts Service (Division of the American Chemical Society). 3: Substances of Unknown or Variable composition, complex reaction products or biological materials). 2: Substances of Very High Concern.					
	· vPvE · VOC	Persistent, bioaccumulable and toxic substances. : Very persistent and very bioaccumulable substances. : Volatile Organic Compounds.					
	 DNEL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent. LC50: Letal concentration, 50 percent. 						
	· UN: I · ADR	Inited Nations Organisation. European agreement concerning the international carriage of dangeous goods by road. Regulations concerning the international transport of dangeous goods by rail.					
	\cdot IATA	a: International Maritime code for Dangerous Goods. : International Air Transport Association. :: International Civil Aviation Organization.					
		RIAL SAFETY DATA SHEET REGULATIONS: al Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU)	No. 2015/830.				
	HISTO Versio Versio	n: 7 22/06/2016					
	Modifi # The	cations with respect to the previous Material Safety Data Sheet: possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are hig	hlighted in this				
	Mater	al Safety Data Sheet by a mark # in red and italic.					
The info	ormatio	n of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the us	sers' working				
conditio instructi	ns are on. It is	beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and leg his Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered	g written handling gislation. The				