MATERIAL SAFETY DATA SHEET (REACH)

	MATE LAS DUNAS Code: 15228		
/ersion: 8	Revision: 10/01/2017	Previous revision: 10/01/2017	Date of printing: 10/01/201
ECTION 1 : I	DENTIFICATION OF THE SUBST	ANCE/MIXTURE AND OF THE COMPANY/UNDERT	AKING
.1 <u>PROE</u>	DUCT IDENTIFIER:	MATE LAS DUNAS Code: 15228	
Intence Decon Secto Consu Uses None safety Restri	y guidelines provided.	-	[_] Industrial [X] Professional [X] Consumer e identified uses, but all uses have to be consistent with th on (EC) No. 1907/2006:
PINTU Ctra. I Phone <u>E-mai</u>	ILS OF THE SUPPLIER OF THE S. JRAS MACY, S.A. Nacional 301, Km. 212,8 - E-02630 e: +34 967 440712 - Fax: +34 967 il address of the person responsible I: laborato102@pinturas-macy.com	- La Roda (Albacete) 442819	
.4 <u>EMEF</u>	GENCY TELEPHONE NUMBER: 4	-34 967 440712 (8:00-13:00 / 16:00-20:00 h.) (working	g hours)
ECTION 2 : I	HAZARDS IDENTIFICATION		
	SIFICATION OF THE SUBSTANCE product is not classified as dangerou	OR MIXTURE: us. in accordance with Regulation (EC) No. 1272/200	8~605/2014 (CLP)
	When in section 3 a range of perce onent, but below the maximum valu		s describe the effects of the highest concentration of each
under	This product does not require a ma ordinary conditions, it should not pr esy in response to a customer reque	resent a physicochemical, health safety or environme	ulation (EC) no. 2015/830. When used as recommended ntal hazard. However, an MSDS can be provided as a
Hazar None. Preca P102 P271 P2806 P273 <u>Suppl</u> EUH2 EUH2	at statements: iutionary statements: Keep out of read Use only outdoo B Wear protective Avoid release to ementary statements: 208 Contains 1,2-be 10 Safety data she cdous ingredients:	ors or in a well-ventilated area. gloves and eye protection . o the environment.	·605/2014 (CLP) IT EC 220-239-6 (3:1). May produce an allergic reaction.
Hazar Other Other	physicochemical hazards: No othe adverse human health effects: No	ion but which may contribute to the overall hazards of er relevant adverse effects are known. other relevant adverse effects are known. Does not contain substances that fulfil the PBT/vPvB	

() Mal	MATE LAS DUNAS Code: 15228
SECTI	ON 3 : COMPOSITION/INFORMATION ON INGREDIENTS
3.1	SUBSTANCES: Not applicable (mixture).
3.2	MIXTURES: This product is a mixture. Chemical description:
	Mixture of pigments, extenders, resins and additives in aqueous media. HAZARDOUS INGREDIENTS: Substances taking part in a percentage higher than the exemption limit:
	None <u>Impurities:</u> Does not contain other components or impurities which will influence the classification of the product.
	Stabilizers: None
	Reference to other sections: For more information, see sections 8, 11 and 12.
	SUBSTANCES OF VERY HIGH CONCERN (SVHC): List updated by ECHA on 20/06/2016. Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
	None <u>Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:</u> None
	PERSISTENT. BIOACCUMULABLE AND TOXIC PBT. OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: Does not contain substances that fulfill the PBT/vPvB criteria.

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

SECT			
	ION 4 : FIRST AID ME		
4.1	Symp	IRST-AID MEASURES: toms may occur after exposure, so that in case of direct expos al attention. Never give anything by mouth to an unconscious	ure to the product, when in doubt, or when symptoms persist, seek person.
	Route of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures
	Inhalation:	Normaly does not produce symptoms.	Should there be any symptoms, transfer the person affected to the open air.
	<u>Skin:</u>	Normaly does not produce symptoms.	Remove contaminated clothing. Wash thoroughly the affected area with plenty of cold or lukewarm water and neutral soap, or use a suitable skin cleanser. Do not use solvents or thinners.
	<u>Eyes:</u>	Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation with plenty of clean, fresh water, holding the eyelids apart. If irritation persists, consult a physician.
	Ingestion:	If swallowed, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Rinse out the mouth with water.
4.2	MOST IMPORTANT The main symptoms	SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: and effects are indicated in sections 4.1 and 11	
4.3	Notes to physician:	Y IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREAT Treatment should be directed at the control of symptoms and indications: Specific antidote not known.	
SECT	ION 5 : FIRE-FIGHTING	G MEASURES	
5.1	EXTINGUISHING ME In the case of fire in	EDIA: the surroundings, all extinguishing agents are allowed.	
5.2		ARISING FROM THE SUBSTANCE OR MIXTURE: a serious fire danger. However, if it is located in a fire, may sus	tain combustion, decompose and give off toxic or irritant vapours.
5.3	apparatus, gloves, p sheltered position or Other recommendation	<u>uipment:</u> Depending on magnitude of fire, heat-proof protect rotective glasses or face masks and boots. If the fire-proof pro at a safe distance. The standard EN469 provides a basic leve	ve clothing may be required, appropriate independent breathing tective equipment is not available or not used, combat fire from a I of protection for chemical incidents. sources of heat or fire. Bear in mind the direction of the wind. Do not
SECT		RELEASE MEASURES	
6.1		UTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PR with this product. The floor may become slippery.	OCEDURES:
6.1	Avoid direct contact ENVIRONMENTAL F Avoid contamination	with this product. The floor may become slippery. PRECAUTIONS:	OCEDURES: of large scale spills or when the product contaminates lakes, rivers or
	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA	with this product. The floor may become slippery. <u>PRECAUTIONS:</u> of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. <u>TERIAL FOR CONTAINMENT AND CLEANING UP:</u> spills with absorbent materials (sawdust, earth, sand, vermicu	
5.2 5.3	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container.	of large scale spills or when the product contaminates lakes, rivers or
5.2 5.3	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container. HER SECTIONS: on in case of emergency, see section 1. afe handling, see section 7. s and personal protection measures, see section 8.	of large scale spills or when the product contaminates lakes, rivers or
5.2 5.3	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container. HER SECTIONS: on in case of emergency, see section 1. afe handling, see section 7. s and personal protection measures, see section 8.	of large scale spills or when the product contaminates lakes, rivers or
5.2 5.3	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container. HER SECTIONS: on in case of emergency, see section 1. afe handling, see section 7. s and personal protection measures, see section 8.	of large scale spills or when the product contaminates lakes, rivers or
5.2	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container. HER SECTIONS: on in case of emergency, see section 1. afe handling, see section 7. s and personal protection measures, see section 8.	of large scale spills or when the product contaminates lakes, rivers or
5.2 5.3	Avoid direct contact ENVIRONMENTAL F Avoid contamination sewages, inform the METHODS AND MA Contain and mop up remains in a closed of REFERENCE TO OT For contact informati For information on sa For exposure control	with this product. The floor may become slippery. PRECAUTIONS: of drains, surface or subterranean water and soil. In the case appropriate authorities in accordance with local regulations. TERIAL FOR CONTAINMENT AND CLEANING UP: spills with absorbent materials (sawdust, earth, sand, vermicu container. HER SECTIONS: on in case of emergency, see section 1. afe handling, see section 7. s and personal protection measures, see section 8.	of large scale spills or when the product contaminates lakes, rivers of

Ma <u>ci</u>	MATE LAS DUNAS Code: 15228	
SECTIO	N 7 : HANDLING AND STORAGE	
	PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. General recommendations: Usual protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding Keep the container tightly closed. Recommendations for the prevention of fire and explosion risks: The product is not liable to ignite, deflagrate or explode, and does not sustain the combustion reaction by oxygen from air in the envir is, so it is not included in the scope of Directive 94/9/EC concerning equipment and protective systems intended for use in potentially atmospheres. Also they are not applicable the provisions of the ITC MIE BT-29 on the detailed requirements for electrical installations of fire or explosion. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls ar protection measures, see section 8. Recommendations for the prevention of environmental contamination: Avoid any spillage in the environment. In the case of accidental spillage, follow the instructions indicated in section 6.	onment in which it explosive s in locals with risk
[CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertica container tightly closed. For more information, see section 10. Class of store : According to current legislation. Maximum storage period : 2. years Temperature interval : min: 5. °C, max: 30. °C (recommended). Incompatible materials: Keep away from acid products and strongly oxidizing agents. Type of packaging: Sealed containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. Limit quantity (Seveso III): Directive 2012/18/EU: No aplicable.	position. Keep
7.3	SPECIFIC END USES. For the use of this product do not exist particular recommendations apart from that already indicated.	

Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - 0.80 - 0.23 Recomme TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. BIOLOGICAL LIMIT VALUES: Not stabilished - 0.80 - 0.23 Recomme Derived no-effect level. (DNEL): Derived no-effect level. (DNEL): a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL values may other recommended by company, a government regulatory along alexposure limit (OEL) for the same chemical. OEL values may come recommended by company, a government regulatory along alexposure inmit (OEL) for the same chemical. OEL values may come recommended by company, a government regulatory along alexposure limit (OEL) for the same chemical. OEL values are dem process different of REACH. DNEL Chancous mg/sg bw/d - (a) - (c) INEL OR - (a) - (c) <th></th> <th>E LAS DUNAS : 15228</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>		E LAS DUNAS : 15228							
CONTROL PARAMETERS: If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the of the ventilation or other control measures and/or the necessary a personnel monitoring, work place or biological, to determine the to EN and EN482 standard concerning methods for assessing the exposure by inhalation to chemical agents, and exposure to chemical and biolog Reference should be also made to national guidance documents for methods for the determination of dangerous substances. OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV). AGCIH 2014 Year TLV-TWA ppm TLV-STER- Celling value. Remarks ppm ngm3 0.060 Recomme Multure CIT EC 247-500-7 MIT EC 220-239-6 (3:1) 0.080 0.023 Recomme Recomme Methods for the same chemical. OEL values may offer from a occupational exposure limit (DEL) for the same chemical. OEL values may come recommended by portany, a government regulatory agency or an organization of exposure that is considered safe, derived from toxicity data according to specific guidances inclin REACH, DNEL values may differ from a occupational exposure limit (DEL) for the same chemical. OEL values may come recommended by portany, a government regulatory agency or an organization of exposure limit (DEL) for the same chemical. OEL values may come recommended by portany. A government regulatory agency or an organization of exposure limit (DEL) for the same chemical. OEL values may come recommended by portany. A government regulatory agency or an organization of exposure direct level, ONCEL values are dem process different of REACH. DNEL Cutaneous DNEL Cutaneous DNEL Cutaneous Megncm agency Col (C)		IBE CONTROL S/PERSONA							
If a product contains imgredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the: of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to ENK Reference should be also made to national guidance documents for methods for the determination of dangerous substances. OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV) AGCIH 2014 Year 1,2-benzisothiazol-3(2H)-one TLV-TWA pm mg/m3 pm mg/m3 pice 247-500-7 MIT EC 220-239-6 (3:1) 0.080 TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. BIOLOGICAL LIMIT VALUES: Not stabilished Not stabilished 0.080 Derived no-effect level (DNEL): Not stabilished Derived no-effect level, Note:: NEL Inhalation mg/m3 c(a) c(b) process different of REACH. DNEL Inhalation Derived no-effect level, Note:: DNEL Inhalation - Systemic effects, acute and chronic: mg/m3 - Local effects, acute and chronic: mg/m3 - Local effects, acute and chronic: mg/m3 - Local effects, acute and chronic: m									
AGCH 2014 Year TLV-TWA pm TLV-TWA pm TLV-STBL - Celling value. Remarks 1.2-benzisothiazol-3(2H)-one mg/m3 0.10 0.060 Recomme TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. DOCOGICAL LIMIT VALUES: Recomme Not stabilished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu Recommended by company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are derived no-effect level, workers: DNEL Inhalation mg/m6 bwd DNEL Cutaneous mg/m6 bwd Mg/m6 bwd mg/m2 bwd mg/m2 bwd mg/m6 bwd mg/m6 bwd mg/m2 bwd	a product co the ventilat id EN482 st	ontains ingredients with exposion or other control measures andard concerning methods	s and/or the necessity to use for assesing the exposure by	respiratory prote inhalation to che	ective equipm emical agents	ent. Reference sho s, and exposure to c	uld be mae chemical a	de to EN689, E	N14042
ppm mg/m3 ppm mg/m3 ecomme 1.2-benzisothiazol-3(2H)-one 0.060 ecomme 0.023 Recomme TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. BIOLOGICAL LIMIT VALUES: Not stabilished Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL values may different or a occupational exposure limit (OEL) for the same chemical. OEL values are gent process different of REACH. DNEL Inhalation mg/m3 mg/m3 (mg/kg/guidances) Derived no-effect level, workers: DNEL Inhalation mg/kg/guidances DNEL Or (a) - (c) - (a) - (c	CCUPATIO	VAL EXPOSURE LIMIT VALL	JES (TLV)						
1,2-benzisothiaz0-3(2H)-one - 0.10 - 0.060 - 0.23 Recommed Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - 0.080 - 0.23 Recommed TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL - Short Term Exposure Limit. BIOLOGICAL LIMIT VALUES: Not stabilished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL Values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are deriver process different of REACH. Derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL Cutaneous mg/m3 mg/m3 - Local effects, acute and chronic: -	GCIH 2014		<u>Yea</u>		na/m3	-	-	<u>Remarks</u>	
BIOLOGICAL LIMIT VALUES: Not stabilished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL values may come recommended by company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are deriv process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 1,2-benzisothiazol-3(2H)-one DNEL Inhalation mg/m3 DNEL Cutaneous mg/m3 bw/d DNEL Cutaneous mg/m3			9-6 (3:1)	-	0.10	- 0.0	060 F	Recommended Recommended	
Not stablished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are deriv process different of REACH. Derived no-effect level, workers: - Systemic effects, acute and chronic: 1,2-berzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) - Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) DNEL Inhalation mg/m3 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m3 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m3 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m3 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m3 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m2 DNEL Cutaneous mg/m3 C(C) - (a) - (c) <t< td=""><td>V - Thresho</td><td>old Limit Value, TWA - Time V</td><td>Veighted Average, STEL - SI</td><td>nort Term Expos</td><td>ure Limit.</td><td></td><td></td><td></td><td></td></t<>	V - Thresho	old Limit Value, TWA - Time V	Veighted Average, STEL - SI	nort Term Expos	ure Limit.				
Derived no-effect level (DNEL) is a level of exposure that is considered safe, derived from toxicity data according to specific guidances inclu REACH. DNEL values may differ from a occupational exposure limit (OEL) for the same chemical. OEL values may come recommended by company, a government regulatory agency or an organization of experts. Although considered protective of health, the OEL values are deriver of REACH. Derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL Cutaneous mg/kg bw/d DNEL organization of experts. Although considered protective of health, the OEL values are derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL organization of experts. Although considered protective of health, the OEL values are derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL organization of experts. Although considered protective of health, the OEL values are derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL organization of experts. Although considered protective of health, the OEL values are derived no-effect level, workers: DNEL Inhalation mg/m3 DNEL organization of experts. Although considered protective of health, the OEL values are derived no-effect level, general population: DNEL Inhalation mg/m3 DNEL organization of experts. Although considered protective of experts. Although consistent and chronic: DNEL Inhalation mg/m3 DNEL Cutaneous mg/m3 DNEL organization of experts. Although consistent and chronic: DNEL Inhalation mg/m3 DNEL organization of experts. Although consistent and chronic: DNEL organization of experts. Although consistentance of experts. Although consistent and chronic:									
- Systemic effects, acute and chronic: mg/m3 mg/kg bw/d - (a) - (c) - Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) DEL Linhalation DNEL Linhalation mg/m2 - (a) - (c) - - (a) - (c) -	erived no-ef EACH. DNE mpany, a g	fect level (DNEL) is a level of L values may differ from a oc overnment regulatory agency	cupational exposure limit (OB	EL) for the same	chemical. Ol	EL values may com	ie recomm	ended by a par	ticular
1.2-benzisothiazol-3(2H)-one - (a) - (c)	erived no-ef	tect level, workers:			ion	DNEL Cutaneous		DNEL Oral	
- Local effects, acute and chronic: mg/m3 mg/cm2 ing/cm2 1,2-benzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) Derived no-effect level, general population: DNEL Inhalation DNEL Cutaneous mg/kg bw/d - Systemic effects, acute and chronic: - (a) - (c) - (a) - (c) 1,2-benzisothiazol-3(2H)-one - (a) - (c) - (a) - (c) Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - (a) - (c) - (a) - (c) Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - (a) - (c) - (a) - (c) - Local effects, acute and chronic: - (a) - (c) - (a) - (c) - (a) - Local effects, acute and chronic: - (a) - (c)	2-benzisothi	azol-3(2H)-one	9-6 (3:1)	- (a)	- (c) - (c)	- (a)	- (c)	ng/kg bw/d - (a) - (a)	-
1,2-benzisothiazol-3(2H)-one - (a) - (c) - (c) - (a) - (c) <					<u>ion</u>			ONEL Eyes	
- Systemic effects, acute and chronic: mg/m3 mg/kg bw/d mg/kg bw/d 1,2-benzisothiazol-3(2H)-one - (a) - (c) - (c) - (a) - (c) - (c) - (c) - (c) - (a) - (c) - (c) <t< td=""><td>2-benzisothi</td><td>azol-3(2H)-one</td><td>9-6 (3:1)</td><td>- (a)</td><td>- (c) - (c)</td><td>- (a)</td><td>- (c)</td><td>ng/cm2 - (a) - (a)</td><td>-</td></t<>	2-benzisothi	azol-3(2H)-one	9-6 (3:1)	- (a)	- (c) - (c)	- (a)	- (c)	ng/cm2 - (a) - (a)	-
1,2-benzisothiazol-3(2H)-one - (a) - (c) - (c) - (a) - (c) - (c) - (c) - (a) - (c) <			<u></u>		<u>ion</u>			DNEL Oral	
- Local effects, acute and chronic: mg/m3 mg/cm2 .	2-benzisothi	azol-3(2H)-one	9-6 (3:1)	- (a)		- (a)	- (c)	пg/кg bw/d - (a) - (a)	-
1,2-benzisothiazol-3(2H)-one - (a) - (c) <					<u>ion</u>			DNEL Eyes	
PREDICTED NO-EFFECT CONCENTRATION (PNEC): Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - Wastewater treatment plants (STP) and sediments in fresh- and marine water:	2-benzisothi	azol-3(2H)-one	9-6 (3:1)	- (a)		- (a)	- (c)	ng/cm2 - (a) - (a)	-
Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release: 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - Wastewater treatment plants (STP) and sediments in fresh- and marine water:									
- Fresh water, marine water and intermitent release: mg/l mg/l 1,2-benzisothiazol-3(2H)-one - - Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - - - Wastewater treatment plants (STP) and sediments in fresh- and marine water: PNEC STP mg/l PNEC Sediments mg/kg dry weight PNEC Sediments mg/kg dry weight	REDICTED	NO-EFFECT CONCENTRAT	ION (PNEC):						
1,2-benzisothiazol-3(2H)-one - - - - Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) - - - - - Wastewater treatment plants (STP) and sediments in fresh- and marine water: PNEC STP mg/l PNEC Sediments mg/kg dry weight PNEC Sediments mg/kg dry weight					water			PNEC Intermitte	<u>ent</u>
marine water: mg/l mg/kg dry weight mg/kg dry weight	2-benzisothi	azol-3(2H)-one			-	-		-	
			sediments in fresh- and					PNEC Sedimen	<u>ts</u>
1,2-benzisothiazol-3(2H)-one	2-benzisothi	azol-3(2H)-one	9-6 (3:1)	mg/I	-	mg/kg dry weight - -	r	ng/kg dry weight - -	
				PNEC Air		PNEC Soil	Ē	PNEC Oral	
- Air, soil and effects for predators and humans: 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1) 	2-benzisothi	azol-3(2H)-one		mg/m3	-	mg/kg dry weight - -	r	ng/kg bw/d - -	
(-) - PNEC not available (without data of registration REACH).									

Ø Mar	<u> </u>	MATE LAS DUNAS Code: 15228					
8.2	EXPO	SURE CONTROLS:					
	ENGI	NEERING MEASURES:					
		Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exh good general extraction.	aust ventilation and				
	Protec	ction of respiratory system: Avoid the inhalation of vapours.					
	Protection of eyes and face: Protection of hands and skin:						
	OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufacturers of PPE.						
	Mask:						
	<u>Goggl</u>	es: Advisable.					
	Face :	shield: No.					
	Glove	s: Advisable.					
	Boots	<u>.</u> No.					
	<u>Apron</u>	<u>.</u> No.					
	<u>Clothi</u>	ng: No.					
	Not a	nal hazards: pplicable (the product is handled at room temperature).					
		RONMENTAL EXPOSURE CONTROLS: any spillage in the environment.					
	<u>Spills</u>	on the soil: Prevent contamination of soil. Land contaminated with this product must be managed as hazardous and toxic resid	lues.				
	- <u>Wat</u>	<u>in water:</u> Do not empty into drains. Do not allow to escape into drains, sewers or water courses. ter Control Act: Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la polí n la Directiva 2000/60/CE~2013/39/UE.	tica de aguas,				
	- <u>VO(</u> emisio 2004/	<u>sions to the atmosphere:</u> Substance with very low volatility. <u>C (product ready for use*):</u> Es de aplicación la Directiva 2004/42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), relationes de compuestos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la Dire42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión a) Recubrimiento mate para pores, en base acuosa. COV (producto listo al uso*) : 10. g/l* (COV máx. 30. g/l* a partir del 01.01.2010).	ectiva				

(Č) Mac	MATE LAS DUNAS Code: 15228
SECTIO	ON 9 : PHYSICAL AND CHEMICAL PROPERTIES
9.1	INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:
5.1	Appearance - Physical state : Liquid. - Colour : White. - Odour threshold : Not available (mixture). PH-value : 9. ± 0.5 at 20°C - pH : 9. ± 0.5 at 20°C Chanace of state : > 100* °C at 760 mmHg - Initial boiling point : > 100* °C at 760 mmHg - Relative density : # 1.549* at 20/4°C Relative water Stability : # 7000. ± 2000. cps 20°C Relative water • Not available : * 1500. mm2/s at 40°C Relative water • Stability: : : 40.5* nBuAc=100 25°C Relative • Vapour pressure : 17.5* mmHg at 20°C Relative • Vapour pressure : 12.3* kPa at 50°C Solubility in water: • Solubility in water: : Miscible Not available (mixture untested).
	Flammability: - - Flash point - Autoignition temperature - Autoignition temperature Explosive properties: Not applicable (do not support combustion). Not available. Oxidizing properties: Not classified as oxidizing product. To the balance balance balance balance balance balance balance
	*Estimated values based on the substances composing the mixture.
9.2	OTHER INFORMATION: - Heat of combustion : # 258* Kcal/kg
	- VOC (supply) : # 0.4 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data sheet of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12.
SECTIO	ON 10 : STABILITY AND REACTIVITY
10.1	REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric.
10.2	CHEMICAL STABILITY: Stable under recommended storage and handling conditions.
10.3	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis.
10.4	CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: The product is not affected by exposure to air, but should not be left the containers open. Pressure: Not relevant. Shock: The product is not sensitive to shocks, but as a recommendation of a general nature should be avoided bumps and rough handling to avoid dents and breakage of packaging, especially when the product is handled in large quantities, and during loading and download operations.
10.5	INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.
10.6	HAZARDOUS DECOMPOSITION PRODUCTS: No product of decomposition is dangerous if stored and handled properly.

MATERIAL SAFETY DATA SHEET (REACH)

	MATE LAS DUNAS Code: 15228								
TION 11	: TOXICOLOGICAL INFORMA	TION							
perimer lation me	ntal toxicological data on the pre ethod of the Regulation (EC) No	paration is available. The 0. 1272/2008~605/2014 (C	toxicologio LP).	cal classification for these n	nixture has been carried out	t by using the conventional			
	DRMATION ON TOXICOLOGIC	AL EFFECTS:							
<u>ACU</u>	TE TOXICITY:								
			DL50 (OECD 401) mg/kg oral 1020. Rat 67. Rat	<u>DL50</u> (OECD 402) mg/kg cutaneous > 2000. Rat 140. Rat	<u>CL50</u> (OECD 403) mg/m3.4h inhalation > 2050. Rat > 1230. Rat				
Not a Lowe Not a	bserved adverse effect level available est observed adverse effect leve available DRMATION ON LIKELY ROUTE	_	toxicity:						
	es of exposure	Acute toxicity	Cat.	Main effects, acute and/c	r delayed				
Not classified		ATE > 20000 mg/m3	-	Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).					
		ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).					
Eyes Not c	<u>s:</u> classified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).					
	stion: classified	ATE > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).					
COR	CORROSION / IRRITATION / SENSITISATION :								
Dang	ger class	Target organs	Cat.	Main effects, acute and/c	or delayed				
	<u>piratory corrosion/irritation:</u> classified	-	-	Not classified as a produ data, the classification cr	ct corrosive or irritant by inh iteria are not met).	sive or irritant by inhalation (based on available e not met).			
	corrosion/irritation: classified	-	-		ct corrosive or irritant in cor fication criteria are not met)				
	ous eye damage/irritation: classified	-	-	Not classified as a produ available data, the classi	ct corrosive or irritant in cor fication criteria are not met)	ntact with eyes (based on			
	piratory sensitisation: classified	-	-	Not classified as a produ the classification criteria	ct sensitising by inhalation (are not met).	based on available data,			
	sensitisation: classified	-	-	Not classified as a produ data, the classification cr	ct sensitising by skin contac	ct (based on available			

Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction.

ASPIRATION HAZARD:

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.

<u>Genotoxicity:</u> Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Do not harm fertility. Do not harm the fetus developping. <u>Effects via lactation:</u> Not classified as a hazardous product for children breast-fed.

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

() Mac	y	MATE LAS DUNAS Code: 15228								
	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: Not available. Short-term exposure: Not available. Long-term or repeated exposure: Not available. INTERACTIVE EFFECTS: Not available. Not available. INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION: Dermal absorption: Not available. Basic toxicokinetics: Not available.									
		TIONAL INFORMATION: vailable.								
SECTIO	ON 12 :	ECOLOGICAL INFORMATION								
No expe the con	eriment vention	tal ecotoxicological data on the preparation as such is available. The lal calculation method of the Regulation (EC) No. 1272/2008~605/20	e ecotoxicological classificat 014 (CLP).	ion for these mixture has be	een carried out by using					
12.1	<u>TOXIC</u>			[
	for inc 1,2-be Mixtur	toxicity in aquatic environment lividual ingredients : enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	CL50 (OECD 203) mg/l.96hours 1.2 0.19 Fishes	CE50 (OECD 202) mg/l.48hours 0.85 Daphnia 0.16 Daphnia	CE50 (OECD 201) mg/l.72hours 0.37 Algae 0.018 Algae					
	Not av	served effect concentration /ailable <u>st observed effect concentration</u> /ailable								
12.2		ISTENCE AND DEGRADABILITY: vailable.								
12.3		CCUMULATIVE POTENTIAL: /ailable.								
	for ind 1,2-be	<u>cumulation</u> lividual ingredients : enzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	logPow 0.640 -0.830	BCF L/kg 3.2 (calculated) 3.2 (calculated)	Potential Unlikely, low No bioaccumulable					
12.4		LITY IN SOIL: vailable.								
12.5		ILTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulation not contain substances that fulfill the PBT/vPvB criteria.	on (EC) no. 1907/2006:							
12.6	Ozone Photo Earth	R ADVERSE EFFECTS: <u>a depletion potential:</u> Not available. <u>chemical ozone creation potential:</u> Not available. <u>global warming potential:</u> Not available. <u>prine disrupting potential:</u> Not available.								
SECTIO	ON 13 :	DISPOSAL CONSIDERATIONS								
13.1	WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8. Disposal of empty containers: Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification,)in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.									
		dures for neutralising or destroying the product: rised landfill in accordance with local regulations.								

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

	[MATE LAS DUNAS Code: 15228	
	_ (TRANSPORT INFORMATION	
14.1	<u>UN NI</u>	UMBER: Not applicable	
14.2	<u>UN PF</u>	ROPER SHIPPING NAME: Not applicable	
14.3 14.4	TRAN	ISPORT HAZARD CLASS(ES) AND PACKING GROUP:	
	Trans	port by road (ADR 2015) and port by rail (RID 2015): glamented	
	<u>Trans</u> Not re	port by sea (IMDG 37-14): glamented	
	Trans Not re	port by air (ICAO/IATA 2015): glamented	
	Trans Free.	port by inland waterways (ADN):	
14.5	ENVIF Not ap	RONMENTAL HAZARDS: oplicable (not classified as hazardous for the environment).	
14.6	Ensur	HAL PRECAUTIONS FOR USER: The that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that a on and sure.	are in a vertical
14.7		ISPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: oplicable.	
SECTIO	ON 15 :	REGULATORY INFORMATION	
15.1	EU SA The re	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: egulations applicable to this product generally are listed throughout this material safety data sheet.	
	Restri	ctions on manufacture, placing on market and use: See section 1.2	
	Contro	ol of the risks inherent in major accidents (Seveso III):See section 7.2	
	Tactile	e warning of danger: Not applicable (the classification criteria are not met).	
	Child s	safety protection: Not applicable (the classification criteria are not met).	
	<u>VOC i</u> Conta	information on the label: ins VOC max. 11. g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30. g/l (2010).	
		REGULATIONS: vailable	
15.2		IICAL SAFETY ASSESSMENT: is mixture has not been carried out a chemical safety assessment.	

Γ

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mac	MATE LAS DUNAS Code: 15228	
SECTIC	TION 16 : OTHER INFORMATION	
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Not applicable.	
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to pro understanding and interpretation of material safety data sheets and labelling of products as well.	vide
	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:	
	European Chemicals Agency: ECHA, http://echa.europa.eu/ Access to European Union Law, http://eur-lex.europa.eu/	
	Threshold Limit Values, (AGCIH, 2014). ABBREVIATIONS AND ACRONYMS:	
	List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:	
	 REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. DPD: Dangerous Preparations Directive. 	
	• GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. • CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures.	
	 EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Service (Division of the American Chemical Society). 	
	 UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials). SVHC: Substances of Very High Concern. PBT: Persistent, bioaccumulable and toxic substances. 	
	vPvB: Very persistent and very bioaccumulable substances. VOC: Volatile Organic Compounds.	
	DNEL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent.	
	 LC50: Letal concentration, 50 percent. UN: United Nations Organisation. ADR: European agreement concerning the international carriage of dangeous goods by road. 	
	RID: Regulations concerning the international transport of dangeous goods by rail. IMDG: International Maritime code for Dangerous Goods.	
	IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.	
	MATERIAL SAFETY DATA SHEET REGULATIONS: Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No.	2015/830.
	HISTORY: Revision: Version: 7 10/01/2017 Version: 8 10/01/2017	
	Modifications with respect to the previous Material Safety Data Sheet: # The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are highlight	hted in this
	Material Safety Data Sheet by a mark # in red and italic.	
The info conditio	nformation of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users tions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining wr	' working itten handling

instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.