<i>©</i> Macy	ANTICO BIZANCIO Code: 81264	
	3 Revision: 28/09/2016 Previous revision: 25/02/2016	Date of printing: 28/09/2016
SECTION 1	: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY	//UNDERTAKING
I.1 <u>PR</u>	ODUCT IDENTIFIER: ANTICO BIZANCIO Code: 81264	
Inte Dec Sec # C Use Nor safe Res	LEVANT IDENTIFIED USES AND USES ADVISED AGAINST: ended uses (main technical functions): corative paint. ctors of use: Consumer uses (SU21). es advised against: ne. As there is not classified as dangerous, this product can be used in ways oth ety guidelines provided. strictions on manufacture, placing on market and use, according to Annex XVII of t restricted.	
PIN Ctra Pho E-m	TAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: ITURAS MACY, S.A. a. Nacional 301, Km. 212,8 - E-02630 - La Roda (Albacete) one: +34 967 440712 - Fax: +34 967 442819 nail address of the person responsible for the safety data sheet: nail: laborato102@pinturas-macy.com	
I.4 <u>EM</u>	ERGENCY TELEPHONE NUMBER: +34 967 440712 (8:00-13:00 / 16:00-20:00	h.) (working hours)
SECTION 2	: HAZARDS IDENTIFICATION	
This Not com Not und	ASSIFICATION OF THE SUBSTANCE OR MIXTURE: is product is not classified as dangerous. in accordance with Regulation (EC) No. te: When in section 3 a range of percentages is used, the health and environmen nponent, but below the maximum value. te: This product does not require a material safety data sheet (MSDS) according fer ordinary conditions, it should not present a physicochemical, health safety or irtesy in response to a customer request.	tal hazards describe the effects of the highest concentration of each to the Regulation (EC) no. 2015/830. When used as recommended c
# 7 Haz Nor Pre P10 P27 P28 P27 Sup EUI EUI EUI EUI	Continue of statements:D2Keep out of reach of children.D3Use only outdoors or in a well-ventilated area.B0BWear protective gloves and eye protection .	zisothiazol-3(2H)-one. May produce an allergic reaction.
Haz Oth Oth bec	HER HAZARDS: zards which do not result in classification but which may contribute to the overall her physicochemical hazards:. No other relevant adverse effects are known. her adverse human health effects: Prolonged exposure to vapours may produce come dry. her negative environmental effects: Does not contain substances that fulfil the F	transient drowsiness. In case of prolonged contact, the skin may

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (FC) No. 1907/2006 and F

accordance (CO)	ce with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830
lăcy	Code: 81264
ECTION	3 : COMPOSITION/INFORMATION ON INGREDIENTS
.1 <u>SI</u> N	UBSTANCES: lot applicable (mixture).
.2 M	IIXTURES:
T C	his product is a mixture. hemical description:
Μ	lixture of pigments, extenders, resins and additives in aqueous media.
H. S	AZARDOUS INGREDIENTS: Substances taking part in a percentage higher than the exemption limit:
	1 < 2 % 2-(2-butoxyethoxy)ethanol CAS: 112-34-5 , EC: 203-961-6 Index No. 603-096-00
	CAS: 112-34-5 , EC: 203-961-6 Index No. 603-096-00 CLP: Warning: Eye Irrit. 2:H319 < CLP(
l <u>n</u> D	npurities: loes not contain other components or impurities which will influence the classification of the product.
	tabilizers: one
	eference to other sections:
Fo	or more information, see sections 8, 11, 12 and 16.
<u>SI</u> #	UBSTANCES OF VERY HIGH CONCERN (SVHC): List updated by ECHA on 20/06/2016.
S	ubstances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: one
	ubstances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: one
D	ERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: oes not contain substances that fulfill the PBT/vPvB criteria.

Mar <u></u>	y	ANTICO BIZAI Code: 81264	NCIO								
SECTIC	SECTION 4 : FIRST AID MEASURES										
4.1	4.1 DESCRIPTION OF FIRST-AID MEASURES:										
	# Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.										
	Route	of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures							
	<u>Inhala</u>	<u>tion:</u>	# Normaly does not produce symptoms.	# Should there be any symptoms, transfer t the open air.	he person affected to						
	<u>Skin:</u>		<i>#</i> In case of prolonged contact, the skin may become dry.	# Remove contaminated clothing. Wash the area with plenty of cold or lukewarm water a use a suitable skin cleanser. Do not use so	and neutral soap, or						
	Eyes:		Contact with the eyes produces redness and pain.	# Remove contact lenses. Rinse eyes copic with plenty of clean, fresh water, holding the irritation persists, consult a physician.							
	Ingest	<u>ion:</u>	<i># If swallowed in high doses, may cause gastrointestinal disturbances.</i>	If swallowed, seek immediate medical atten vomiting, due to the risk of aspiration. Keep							
4.2			MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: I effects are indicated in sections 4.1 and 11								
4.3	Notes	to physician: Tre	IMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT atment should be directed at the control of symptoms and the c cations: Specific antidote not known.	T NEEDED: linical condition of the patient.							
SECTIC	ON 5 : I	FIRE-FIGHTING M	EASURES								
5.1		GUISHING MEDIA case of fire in the	<u>A:</u> surroundings, all extinguishing agents are allowed.								
5.2	As co	nsequence of com	ISING FROM THE SUBSTANCE OR MIXTURE: bustion or thermal decomposition, hazardous products may be p sition products may be a hazard to health.	produced: carbon monoxide, carbon dioxide.	Exposure to						
5.3	Specia appar shelte Other	atus, gloves, prote red position or at a recommendations	TERS: <u>ment:</u> Depending on magnitude of fire, heat-proof protective cluctive glasses or face masks and boots. If the fire-proof protective safe distance. The standard EN469 provides a basic level of p Cool with water the tanks, cisterns or containers close to source to enter drains, sewers or water courses.	re equipment is not available or not used, cor rotection for chemical incidents.	nbat fire from a						
SECTIC	ON 6 : /	ACCIDENTAL REL	EASE MEASURES								
6.1	PERS Avoid	ONAL PRECAUTION	DNS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCE this product. The floor may become slippery.	DURES:							
6.2	Avoid		CAUTIONS: Irains, surface or subterranean water and soil. In the case of lar ropriate authorities in accordance with local regulations.	ge scale spills or when the product contamina	ates lakes, rivers or						
6.3	Conta		IAL FOR CONTAINMENT AND CLEANING UP: Is with absorbent materials (sawdust, earth, sand, vermiculite, d ainer.	liatomaceous earth, etc). Avoid use of solve	nts. Keep the						
6.4	For co For in For ex	formation on safe I posure controls ar	R SECTIONS: n case of emergency, see section 1. handling, see section 7. hd personal protection measures, see section 8. sposal, follow the recommendations in section 13.								

Macy	ANTICO BIZANCIO Code: 81264
SECTION 7	/ : HANDLING AND STORAGE
Co <u>Ge</u> Ave Atti <u>Ree</u> Do pro Ree	IECAUTIONS FOR SAFE HANDLING: ineral recommendations: oid any type of leakage or escape. Keep the container tightly closed. commendations for the prevention of fire and explosion risks: hough due its low flammability does not represent a serious risk of fire, all type of measures should be taken in order to avoid any possibility of ignition commendations for the prevention of toxicological risks: not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal botection measures, see section 8. commendations for the prevention of environmental contamination: s not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6.
Foi ord Cla Ma Ier Inc Ke Tyr Acc Lim	DNDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: rbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In der to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. ass of store : According to current legislation. ximum storage period : # 24 months mperature interval : min: 5. °C, max: 30. °C (recommended). compatible materials: : eo of packaging: teording to current legislation. : nin: 5. °C, max: 30. °C (recommended). of packaging: : cording to current legislation. int quantity (Seveso III): # Directive 2012/18/EU: No aplicable. : way from oxidizing agents.
	ECIEC END USES! The use of his product do not exist particular recommendations apart from that already indicated.

-4	ANTICO BIZANCIO Code: 81264							
								_
ON 8 : E	EXPOSURE CONTROLS/PERSONAL PROTECTION							
If a pr of the and E	<u>CONTROL PARAMETERS:</u> If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assesing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.							
OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)								
AGCI	H 2014	<u>Year</u>	TLV-TWA	_	TLV-STEL - Ceiling		Remarks	
4,5-dio 1,2-be	utoxyethoxy)ethanol chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- 0. - 0	3 00. 060).10 080	- 0.0	.10	Recommended Internal value Recommended Recommended	
TLV -	Threshold Limit Value, TWA - Time Weighted Average, STEL	Sho	rt Term Exposure	Limit.				
Not st DERIN Derive REAC compa	DGICAL LIMIT VALUES: ablished <u>VED NO-EFFECT LEVEL (DNEL):</u> ed no-effect level (DNEL) is a level of exposure that is conside CH. DNEL values may differ from a occupational exposure limi any, a government regulatory agency or an organization of ex ss different of REACH.	it (OEL) for the same che	mical. Of	EL values may come	e recom	mended by a partic	icul
	ed no-effect level, workers:		DNEL Inhalation		DNEL Cutaneous		DNEL Oral	
4,5-dio 1,2-be	temic effects, acute and chronic: chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		mg/m3 - (a) - (a) - (a)	- (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a)	- (C) - (C) - (C)	mg/kg bw/d - (a) - (a) - (a)	
Derive	ed no-effect level, workers:		DNEL Inhalation		DNEL Cutaneous		DNEL Eyes	
4,5-dio 1,2-be	al effects, acute and chronic: chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		mg/m3 - (a) - (a) - (a)	- (C) - (C) - (C)	mg/cm2 - (a) - (a) - (a)	- (C) - (C) - (C)	mg/cm2 - (a) - (a) - (a)	
Derive - Sys 4,5-dio 1,2-be	e CIT EC 247 500 7 MIT EC 220 200 0 (0.1) ed no-effect level, general population: temic effects, acute and chronic: chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		DNEL Inhalation mg/m3 - (a) - (a) - (a)	- (C) - (C) - (C)	DNEL Cutaneous mg/kg bw/d - (a) - (a) - (a)	- (C) - (C) - (C)	DNEL Oral mg/kg bw/d - (a) - (a) - (a)	
Derive	ed no-effect level, general population:		DNEL Inhalation		DNEL Cutaneous		DNEL Eyes	
- Loca 4,5-dio	al effects, acute and chronic: chloro-2-octyl-2H-isothiazol-3-one		mg/m3 - (a)	- (C)	mg/cm2 - (a)	- (c)	mg/cm2 - (a)	
	enzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- (a) - (a)	- (C) - (C)	- (a) - (a)	- (c) - (c)	- (a) - (a)	
	NEL not available (without data of registration REACH).							
- Free	cted no-effect concentration, aquatic organisms: sh water, marine water and intermitent release: chloro-2-octyl-2H-isothiazol-3-one		PNEC Fresh wate	<u>ir</u>	PNEC Marine mg/l		PNEC Intermitten	<u>nt</u>
1,2-be	enzisothiazoĺ-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		-		-		-	
4,5-dic 1,2-be	stewater treatment plants (STP) and sediments in fresh- and e water: chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		PNEC STP mg/l		PNEC Sediments mg/kg dry weight		PNEC Sediments mg/kg dry weight	<u>3</u>
Predic - Air, 4,5-dio	sted no-effect concentration, terrestrial organisms: soil and effects for predators and humans: chloro-2-octyl-2H-isothiazol-3-one		PNEC Air mg/m3		PNEC Soil mg/kg dry weight		PNEC Oral mg/kg bw/d	
1 2-he	enzisothiazol-3(2H)-one		-		-		-	
Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		-		-		-	

<u>Ø</u> Mar	y	ANTICO BIZANCIO Code: 81264	
8.2	EXPO	DSURE CONTROLS:	
	<u>ENGI</u>	NEERING MEASURES:	
	Law	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exposed general extraction.	khaust ventilation and
	Protect Protect help to	<u>ction of respiratory system</u> : Avoid the inhalation of vapours. <u>ction of eyes and face</u> : Dispose of water taps, sources or eyewash bottles with clean water close to the working area. <u>ction of hands and skin</u> : It is recommended to dispose of water taps or sources with clean water close to the working area. B to protect the exposed areas of the skin. Barrier creams should not be applied once exposure has occurred.	arrier creams may
	As a g corres	PATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC: general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment sponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufact	characteristics of the
	Mask:	No, unless ventilation is insufficient. Use respiratory protection in spray applications. Use respiratory prote danger of exposure to high concentrations of emanations.	ction if there is a
	<u>Goggl</u>	les: Advisable.	
	Face s	shield: No.	
	<u>Glove</u>	Advisable. The gloves should be immediately replaced when any sign of degradation is noted.	
	Boots:	<u></u> No.	
	Apron	<u>n.</u> No.	
	<u>Clothi</u>	ing: No.	
	Not a ENVIE Avoid Spills Spills - Wat segúr Emiss atmos - VOC de en 2004/	nal hazards: pplicable (the product is handled at room temperature). RONMENTAL EXPOSURE CONTROLS: d any spillage in the environment. Avoid any release into the atmosphere. on the soil: Prevent contamination of soil. in water: Do not allow to escape into drains, sewers or water courses. ter Control Act.# Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la n la Directiva 2000/60/CE-2013/9J/UE. sions to the atmosphere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any rele sphere. C (product ready for use'): # Es de aplicación la Directiva 2004/42/CE-2010/79/UE (RD.227/2006-Orden PRE/1665/2012), r misions de compuestos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la /42/CE-2010/79/UE (RD.227/2006-Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión I) Recubrimiento de efectos sa. COV (producto listo al uso*) : 12.6* g/I* (COV máx. 200. g/I* a partir del 01.01.2010).	ease into the elativa a la limitación a Directiva

() Mac	ANTICO BIZANCIO Code: 81264	
SECTIO	DN 9 : PHYSICAL AND CHEMICAL PROPERTIES	
9.1	INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERT	IES:
	Appearance Physical state Colour Odour threshold pH-value pH Change of state Melting point Initial boiling point Density Relative density Stability Decomposition temperature Viscosity: Dynamic viscosity Volatility: Vapour pressure Vapour pressure Solubility(ies) Solubility Flash point Autoignition temperature Exposive properties: Not available. Oxidizing properties: Not classified as oxidizing product.	 Paste. # See the colour in the package. Characteristic Not available (mixture). 8.6 ± 0.5 at 20°C Not applicable (mixture). # > 100* °C at 760 mmHg # 1.111* at 20/4°C Relative water # 320* °C 2000. ± 500. Poise 20°C # 17.5* mmHg at 20°C # 12.2* kPa at 50°C Miscible Not available (mixture untested). Not applicable (do not support combustion).
	*Estimated values based on the substances composing the mixture.	
	OTHER INFORMATION: - Heat of combustion - VOC (supply) The values indicated do not always coincide with product specification	: # 1579* Kcal/kg : # 12.6 g/l ons. The data for the product specifications can be found in the technical data sheet mical properties related to safety and environment, see sections 7 and 12.
SECTIO	DN 10 : STABILITY AND REACTIVITY	
	REACTIVITY:	
	<u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric.	
	CHEMICAL STABILITY: Stable under recommended storage and handling conditions.	
	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing agents.	
	CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como reco abolladuras y roturas de envases y embalajes, en especial cuando s descarga.	recomienda no dejar los recipientes abiertos. omendación de tipo general se deben evitar golpes y manejos bruscos, para evitar se manipula el producto en grandes cantidades, y durante las operaciones de carga y
	INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline and strongly	y acid materials.
10.6	HAZARDOUS DECOMPOSITION PRODUCTS: As consequence of thermal decomposition, hazardous products may	y be produced: carbon monoxide.

MATERIAL SAFETY DATA SHEET (REACH)

) CY	ANTICO BIZANCIO Code: 81264							
10N 11	: TOXICOLOGICAL INFORMA	TION						
	tal toxicological data on the pre			cal classification for these m	ixture has been carried out	by using the conventiona		
Ilation method of the Regulation (EC) No. 1272/2008~605/2014 (CLP).								
	RMATION ON TOXICOLOGIC	AL EFFECTS:						
	<u>FE TOXICITY:</u>							
for inc 2-(2-b 4,5-di 1,2-be	and lethal concentrations dividual ingredients : putoxyethoxy)ethanol ichloro-2-octyl-2H-isothiazol-3-c enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 2			DL50 (OECD 401) mg/kg oral 3384. Rat 756. Rat 1020. Rat 67. Rat	DL50 (OECD 402) mg/kg cutaneous 2764. 680. Rabbit > 2000. Rat 140. Rat	CL50 (OECD 403) mg/m3.4h inhalation > 6000. Rat > 290. Rat > 2050. Rat > 1230. Rat		
No observed adverse effect level Not available Lowest observed adverse effect level Not available								
<u>INFO</u>	RMATION ON LIKELY ROUTE	S OF EXPOSURE: Acute	toxicity:					
Route	es of exposure	Acute toxicity	Cat.	Main effects, acute and/or	delayed			
					Not classified as a product with acute toxicity if inhaled (based on available data, the classification criteria are not met).			
<u>Skin:</u> Not cl	lassified	ATE > 2000 mg/kg	-	 Not classified as a product with acute toxicity in contact with skin (b available data, the classification criteria are not met). Not classified as a product with acute toxicity by eye contact (lack o 				
Eves: Not c	lassified	Not available	-					
Inges Not c	<u>tion:</u> lassified	ATE > 5000 mg/kg	-	Not classified as a produc data, the classification cri	et with acute toxicity if swall teria are not met).	owed (based on available		
	ROSION / IRRITATION / SENS	ITISATION :						
Dang	er class	Target organs	Cat.	Main effects, acute and/or	delayed			
	iratory corrosion/irritation: lassified	-	-	Not classified as a product data, the classification cri	t corrosive or irritant by inh teria are not met).	alation (based on availab		
	corrosion/irritation: lassified	-	-		et corrosive or irritant in con ication criteria are not met)			
	us eye damage/irritation: lassified	-	-		et corrosive or irritant in con ication criteria are not met)			
	iratory sensitisation: lassified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).				
	sensitisation: lassified	-	-	# Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).				
	ains 4,5-dichloro-2-octyl-2H-isot	thiazol-3-one, 1,2-benzisot	hiazol-3(2	H)-one. May produce an alle	ergic reaction.			
	er class	Target organs	Cat.	Main effects, acute and/or				

Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Aspiration hazard: Not classified	-	-	Not applicable (paste).

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS: Carcinogenic effects: Is not considered as a carcinogenic product. Genotoxicity: Is not considered as a mutagenic product. Toxicity for reproduction: Do not harm fertility. Do not harm the fetus developping. Effects via lactation: Not classified as a hazardous product for children breast-fed.

Mac	4	ANTICO BIZANCIO Code: 81264							
Mar	Code: 81264 DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE: Routes of exposure: May be absorbed by inhalation of vapour, through the skin and by ingestion. Short-term exposure: May irritate the eyes and skin. Long-term or repeated exposure: Repeated or prolonged contact may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. INTERACTIVE EFFECTS: Not available. INFORMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRIBUTION: Dermal absorption: Not available. Basic toxicokinetics: Not available.								
		TIONAL INFORMATION: vailable.							
		ECOLOGICAL INFORMATION							
		tal ecotoxicological data on the preparation as such is available. Th nal calculation method of the Regulation (EC) No. 1272/2008~605/2		tion for these mixture has be	een carried out by using				
12.1	TOXI	CITY:							
	for inc 2-(2-b 4,5-di 1,2-be Mixtu	toxicity in aquatic environment dividual ingredients : putoxyethoxy)ethanol chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	CL50 (OECD 203) mg/l.96hours 1300. 0.0078 Fishes 1.2 Fishes 0.19 Fishes	CE50 mg/l.48hoursOECD 202)> 100.Daphnia0.0097Daphnia0.85Daphnia0.16Daphnia	CE50 (OECD 201) mg/l.72hours > 100. 0.025 Algae 0.37 Algae 0.018 Algae				
	Not a Lowes	perved effect concentration vailable st observed effect concentration vailable							
12.2		SISTENCE AND DEGRADABILITY: vailable.							
	for inc 2-(2-b 4,5-di 1,2-be	<u>bic biodegradation</u> Jividual ingredients : putoxyethoxy)ethanol chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	DQO mgO2/g 2080.	<pre>%DBO/DQO 5 days 14 days 28 days ~ 5. ~ 54. ~ 85.</pre>	Biodegradability Easy Not easy Not easy Inherently				
12.3		CCUMULATIVE POTENTIAL: vailable.	1		1				
	for inc 2-(2-b 4,5-di 1,2-be	<u>cumulation</u> dividual ingredients : putoxyethoxy)ethanol chloro-2-octyl-2H-isothiazol-3-one enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	0.910 3.59 0.640 -0.830	BCF L/kg 3.2 (calculated) 108. (calculated) 3.2 (calculated) 3.2 (calculated) 3.2 (calculated)	Potential No bioaccumulable High Unlikely, Iow No bioaccumulable				
12.4		LITY IN SOIL: vailable.							
12.5		JLTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulati not contain substances that fulfill the PBT/vPvB criteria.	on (EC) no. 1907/2006:						
12.6	OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available. Photochemical ozone creation potential: Not available. Earth global warming potential: Not available. Endocrine disrupting potential: Not available.								
SECTIO	ON 13 :	DISPOSAL CONSIDERATIONS							
13.1	13.1 WASTE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8. Disposal of empty containers: # Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification,)in accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.								
		dures for neutralising or destroying the product: prised landfill in accordance with local regulations.							

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mau		ANTICO BIZANCIO Code: 81264							
SECTI	ON 14 :	TRANSPORT INFORMATION							
14.1	14.1 UN NUMBER: Not applicable								
14.2	UN PROPER SHIPPING NAME: Not applicable								
14.3 14.4	TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:								
	Trans	port by road (ADR 2015) and port by rail (RID 2015): glamented							
	<u>Trans</u> Not re	port by sea (IMDG 37-14): glamented							
	<u>Trans</u> Not re	port by air (ICAO/IATA 2015): glamented							
	Trans Free.	port by inland waterways (ADN):							
14.5		RONMENTAL HAZARDS:							
14.6	Ensu	HAL PRECAUTIONS FOR USER: re that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that a on and sure. Ensure adequate ventilation.	are in a vertical						
14.7		ISPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: oplicable.							
SECTI	ON 15 :	REGULATORY INFORMATION							
15.1	EU SA The re	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: egulations applicable to this product generally are listed throughout this material safety data sheet.							
	<u>Restri</u>	ctions on manufacture, placing on market and use: See section 1.2							
	Contro	ol of the risks inherent in major accidents (Seveso III):See section 7.2							
	Tactile	e warning of danger: Not applicable (the classification criteria are not met).							
	<u>Child</u>	safety protection: Not applicable (the classification criteria are not met).							
		information on the label:							
		REGULATIONS: vailable							
15.2	CHEN For th	<u>AICAL SAFETY ASSESSMENT:</u> is mixture has not been carried out a chemical safety assessment.							

Mac <u>i</u>	ANTICO BIZANCIO Code: 81264	
SECTIO	ON 16 : OTHER INFORMATION	
	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Hazard statements according the Regulation (EC) No. 1272/2008~605/2014 (CLP), Annex III: H319 Causes serious eye irritation. ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS:	
	It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to p understanding and interpretation of material safety data sheets and labelling of products as well.	provide
!	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA: • European Chemicals Agency: ECHA, http://echa.europa.eu/	
	 Access to European Union Law, http://eur-lex.europa.eu/ Industrial Solvents Handbook, Ibert Mellan (Noyes Data Co., 1970). Threshold Limit Values, (AGCIH, 2014). 	
	ABBREVIATIONS AND ACRONYMS: List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:	
	 REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. DPD: Dangerous Preparations Directive. GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. 	
	 EINECS: European Inventory of Existing Commercial Chemical Substances. ELINCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Service (Division of the American Chemical Society). UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials). SVHC: Substances of Very High Concern. PBT: Persistent, bioaccumulable and toxic substances. 	
	 vPvB: Very persistent and very bioaccumulable substances. VOC: Volatile Organic Compounds. DNEL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent. 	
· · ·	 LC50: Letal concentration, 50 percent. UN: United Nations Organisation. ADR: European agreement concerning the international carriage of dangeous goods by road. RID: Regulations concerning the international transport of dangeous goods by rail. IMDG: International Maritime code for Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organization. 	
	MATERIAL SAFETY DATA SHEET REGULATIONS: Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No.	o. 2015/830.
,	HISTORY: Revision: Version: 2 25/02/2016 Version: 3 28/09/2016	
	Modifications with respect to the previous Material Safety Data Sheet: # The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are highly Material Safety Data Sheet by a mark # in red and italic.	ighted in this
The infor	ormation of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the use	rs' working
condition	ons are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining	written handling

instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.