
MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mar		MACY-ELASTIC ANTIGOTE Code: 70410	ERAS	2010/000		
Versic	on: 4	Revision: 24/10/2016	Previous revision:	12/03/2015	Date of p	printing: 24/10/2016
SECTIO	ON 1 : I	DENTIFICATION OF THE SUBS	ANCE/MIXTURE AND OF	THE COMPANY/UNDERT	AKING	
1.1	PROD	UCT IDENTIFIER:	MACY-ELAS Code: 70410	TIC ANTIGOTERAS		
1.2	Intend Pintur Secto # Cor Uses None safety Restri	VANT IDENTIFIED USES AND U ed uses (main technical functions a para suelos 1 componente al ag sof use: sumer uses (SU21). advised against: As there is not classified as dang guidelines provided. ctions on manufacture, placing on stricted.): jua. jerous, this product can be u		[_] Industrial [X] Profession e identified uses, but all uses have to be on (EC) No. 1907/2006:_	
1.3	DETA PINTU Ctra. I Phone E-mai	ILS OF THE SUPPLIER OF THE JRAS MACY, S.A. Nacional 301, Km. 212,8 - E-0263 :: +34 967 440712 - Fax: +34 96 address of the person responsib : laborato102@pinturas-macy.cor	0 - La Roda (Albacete) 7 442819 e for the safety data sheet:			
1.4	EMEF	GENCY TELEPHONE NUMBER:	+34 967 440712 (8:00-13:0	0 / 16:00-20:00 h.) (workir	ng hours)	
SECTIO	ON 2 : I	AZARDS IDENTIFICATION				
2.1	This p Note: compo Note: under	onent, but below the maximum va This product does not require a m	ous. in accordance with Reg entages is used, the health ue. aterial safety data sheet (MS present a physicochemical, I	and environmental hazard	08~605/2014 (CLP) Is describe the effects of the highest con gulation (EC) no. 2015/830. When used ental hazard. However, an MSDS can be	as recommended or
2.2	# This Hazar None. Preca P102 P271 P280E P273 Supple EUH2 EUH2	utionary statements: Keep out of re Use only outd Use only outd Wear protectiv Avoid release ementary statements: Contains 1,2-b	ach of children. bors or in a well-ventilated a re gloves and eye protection to the environment.	rea.	08~605/2014 (CLP) 11T EC 220-239-6 (3:1). May produce ar	allergic reaction.
2.3	Hazar Other Other	R HAZARDS: ds which do not result in classifica physicochemical hazards: No ot adverse human health effects: N negative environmental effects:	ner relevant adverse effects o other relevant adverse eff	are known. ects are known.		

() ac	MACY-ELASTIC ANTIGOTERAS Code: 70410
ЕСТІС	ON 3 : COMPOSITION/INFORMATION ON INGREDIENTS
.1	SUBSTANCES: Not applicable (mixture).
.2	MIXTURES:
	This product is a mixture. Chemical description:
	Solution of calcium carbonate in aqueous media.
	HAZARDOUS INGREDIENTS: Substances taking part in a percentage higher than the exemption limit:
	None
	Impurities: Does not contain other components or impurities which will influence the classification of the product.
	Stabilizers:
	None Reference to other sections:
	For more information, see sections 8, 11 and 12.
	SUBSTANCES OF VERY HIGH CONCERN (SVHC): # List updated by ECHA on 20/06/2016.
	Substances SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006: None
	Substances SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006: None
	PERSISTENT, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: Does not contain substances that fulfill the PBT/vPvB criteria.
	Does not contain substances that fulfill the PBT/vPvB criteria.

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830



 MATERIAL SAFETY DATA SHEET (REACH)

 # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mac	MACY-ELASTIC ANTIGOTERAS Code: 70410
SECTIO	N 7 : HANDLING AND STORAGE
	PRECAUTIONS FOR SAFE HANDLING: Comply with the existing legislation on health and safety at work. <u>General recommendations:</u> Avoid any type of leakage or escape. Keep the container tightly closed. <u>Recommendations for the prevention of fire and explosion risks:</u> Although due its low flammability does not represent a serious risk of fire, all type of measures should be taken in order to avoid any possibility of ignition. <u>Recommendations for the prevention of toxicological risks:</u> Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. <u>Recommendations for the prevention of environmental contamination:</u>
7.2	It is not considered a danger to the environment. In the case of accidental spillage, follow the instructions indicated in section 6. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Forbid the entry to unauthorized persons. Keep out of reach of children. Keep away from sources of heat. If possible, avoid direct contact with sunlight. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. For more information, see section 10. Class of store : According to current legislation. Maximum storage period : # 24 months Temperature interval : min: 5. °C, max: 30. °C (recommended). Incompatible materials: Keep away from sxifting agents, from strongly alkaline and strongly acid materials. Type of packaging: According to current legislation. Limit quantity (Seveso III): # Directive 2012/18/EU: # No aplicable.
7.3	SPECIFIC END USES: For the use of this product do not exist particular recommendations apart from that already indicated.

CLJ	MACY-ELASTIC ANTIGOTERAS Code: 70410									
_ (
ION 8 : E	EXPOSURE CONTROLS/PERSONAL PROTECTION									
If a pr of the and E	CONTROL PARAMETERS: a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness f the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assesing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.									
OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)										
1,2-be	H 2014	Year TLV-TWA ppm -	mg/m3 0.10 0.080	F	TLV-STEL - opm - -	Ceiling value. mg/m3 0.060 0.23	. <u>Remarks</u> Recommende Recommende			
TLV -	Threshold Limit Value, TWA - Time Weighted Average, STEL	- Short Term Exp	osure Limi	it.						
BIOLO	DGICAL LIMIT VALUES: ablished	F								
Derive REAC compa	VED NO-EFFECT LEVEL (DNEL): ad no-effect level (DNEL) is a level of exposure that is consider CH. DNEL values may differ from a occupational exposure limit any, a government regulatory agency or an organization of exp ss different of REACH.	(OEL) for the same	ne chemic	al. OEl	L values ma	y come recon	nmended by a p	particula		
Derive	ed no-effect level, workers:	DNEL Inhal	lation		DNEL Cutar	eous	DNEL Oral			
1,2-be	temic effects, acute and chronic: enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	mg/m3 - (a - (a		- (c) - (c)	mg/kg bw/d - (a - (a) - (c)) - (c)				
	ed no-effect level, workers: al effects, acute and chronic:	DNEL Inhal	lation		DNEL Cutar	eous	DNEL Eyes			
1,2-be	er CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	mg/m3 - (a - (a		- (c) - (c)	mg/cm2 - (a - (a) - (c)) - (c)				
Derive	ed no-effect level, general population: temic effects, acute and chronic:	DNEL Inhal	lation	<u>I</u>	DNEL Cutar	eous	DNEL Oral			
1,2-be	enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	mg/m3 - (a - (a		- (c) - (c)	mg/kg bw/d - (a - (a) - (c)) - (c)				
Derive	ed no-effect level, general population: al effects, acute and chronic:	DNEL Inhal	lation		DNEL Cutar	ieous	DNEL Eyes			
1,2-be	ar effects, acute and chronic: enzisothiazol-3(2H)-one re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	mg/m3 - (a - (a		- (c) - (c)	mg/cm2 - (a - (a		mg/cm2 - (a) - (a)			
(-) - D	NEL not available (without data of registration REACH).									
PRED	ICTED NO-EFFECT CONCENTRATION (PNEC):									
	cted no-effect concentration, aquatic organisms:	PNEC Fres	<u>h water</u>	1	PNEC Marin	e	PNEC Interm	ittent		
	sh water, marine water and intermitent release: enzisothiazol-3(2H)-one	mg/l	-	r	mg/l	-	mg/l	-		
Mixtur	re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		-			-		-		
	stewater treatment plants (STP) and sediments in fresh- and e water:	PNEC STP mg/l	,		PNEC Sedin mg/kg dry wei		PNEC Sedim			
	enzisothiazol-3(2H)-one	ing/i	-	'	ing/kg ury wei	-		-		
1,2-be			-			-		-		
1,2-be Mixtur	re CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			1	PNEC Soil		PNEC Oral			
1,2-be Mixtur <u>Predic</u> - Air,	cted no-effect concentration, terrestrial organisms: soil and effects for predators and humans:	PNEC Air mg/m3			mg/kg dry wei	ght	mg/kg bw/d			
1,2-be Mixtur Predic - Air, 1,2-be	cted no-effect concentration, terrestrial organisms:		-			ght - -		-		

-

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

٦

<u>Wac</u>	MACY-ELAS Code: 70410	TIC ANTIGOTERAS	
8.2	EXPOSURE CONTROL	.S:	
	ENGINEERING MEASU	JRES:	
		Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exigood general extraction.	haust ventilation and
	Protection of eyes and f Protection of hands and	<u>x system:</u> Avoid the inhalation of vapours. <u>iace:</u> Dispose of water taps, sources or eyewash bottles with clean water close to the working area. <u>I skin:</u> It is recommended to dispose of water taps or sources with clean water close to the working area. Ba used areas of the skin. Barrier creams should not be applied once exposure has occurred.	rrier creams may
	As a general measure of corresponding EC mark	SURE CONTROLS: Directive 89/686/EEC~96/58/EC: on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (ing. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and c marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufactu	haracteristics of the
	Mask:	No, unless ventilation is insufficient. Use respiratory protection in spray applications. Use respiratory protect danger of exposure to high concentrations of emanations.	tion if there is a
	<u>Goggles:</u>	Advisable.	
	Face shield:	No.	
	<u>Gloves:</u>	Advisable. The gloves should be immediately replaced when any sign of degradation is noted.	
	Boots:	No.	
	Apron:	No.	
	Clothing:	No.	
	ENVIRONMENTAL EXP	duct is handled at room temperature). <u>POSURE CONTROLS:</u> e environment. Avoid any release into the atmosphere.	
	, , , , , , , , , , , , , , , , , , ,	rent contamination of soil.	
	Spills in water: Do not - Water Control Act: # según la Directiva 2000	allow to escape into drains, sewers or water courses. Este producto no contiene ninguna sustancia incluida en la lista de sustancias prioritarias en el ámbito de la p //60/CE~2013/39/UE.	oolítica de aguas,
	atmosphere. - <u>VOC (product ready fr</u> <i>de emisiones de compu</i> 2004/42/CE~2010/79/L	phere: Because of volatility, emissions to the atmosphere while handling and use may result. Avoid any relea or use*): # Es de aplicación la Directiva 2004/42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), re uestos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la JE (RD.227/2006~Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión i) Recubrimiento de un compo acuosa. COV (producto listo al uso*) : 10. g/l* (COV máx. 140. g/l* a partir del 01.01.2010).	elativa a la limitación Directiva

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

/e/	Code: 70410				
SECTI	FION 9 : PHYSICAL AND CHEMICAL PROPERTIES				
).1	INFORMATION ON BASIC PHYSICAL AND CHEMICAL Appearance - Physical state - Colour - Odour - Odour threshold	PROPERTIES:	Viscous liquid. See the colour in the Characteristic, faint. Not available (mixtu		
	<u>pH-value</u> - pH	:	8.5 ± 0.5	,	
	<u>Change of state</u> - Melting point - Initial boiling point	:	Not available # > 100*	ºC at 760 mmHg	
	Density - Relative density Stability	:	1.258	at 20/4ºC	Relative water
	- Decomposition temperature Viscosity:	:	# > 200*		
	 Dynamic viscosity Kinematic viscosity Volatility: 		12000. ± 3000. 3200.	cps 20ºC mm2/s at 40ºC	
	 Evaporation rate Vapour pressure Vapour pressure 	:	# 17.5*	nBuAc=100_25ºC mmHg_at 20ºC kPa at 50ºC	Relative
	<u>Solubility(ies)</u> - Solubility in water:	:	Miscible		
	 Liposolubility Flammability: Flash point Autoignition temperature 	:	Not available (mixtu <i>Ininflamable*</i>	,	
	Explosive properties: Not available. Oxidizing properties:				
	Not classified as oxidizing product.				
.2	*Estimated values based on the substances composing t	the mixture.			
	OTHER INFORMATION:		* 1957*	Kool/ka	
	 Heat of combustion VOC (supply) The values indicated do not always coincide with product 		# 0.2 The data for the produ	uct specifications can be	
ECTI	 Heat of combustion VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic 	: specifications.	# 0.2 The data for the produ	g/l uct specifications can be	
	 Heat of combustion VOC (supply) The values indicated do not always coincide with product 	: specifications.	# 0.2 The data for the produ	g/l uct specifications can be	
0.1	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic FION 10 : STABILITY AND REACTIVITY <u>REACTIVITY:</u> <u>Corrosivity to metals:</u> It is not corrosive to metals.	: cal and chemica	# 0.2 The data for the produ	g/l uct specifications can be	
SECTI 0.1 0.2 0.3	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic FION 10 : STABILITY AND REACTIVITY <u>REACTIVITY: Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u>	: cal and chemica	# 0.2 The data for the produ	g/l uct specifications can be	
0.1	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic FION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi POSSIBILITY OF HAZARDOUS REACTIONS:	: specifications. cal and chemica ions. re, pero se recc	# 0.2 The data for the produ al properties related to mienda no dejar los re ndación de tipo genera	g/l uct specifications can be safety and environment, cipientes abiertos. al se deben evitar golpes	see sections 7 and 12.
0.1	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic FION 10 : STABILITY AND REACTIVITY REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric. CHEMICAL STABILITY: Stable under recommended storage and handling conditi POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with acids. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vs ensible a los choques, perce abolladuras y roturas de envases y embalajes, en especial	re, pero se recc como recome ial cuando se n	# 0.2 The data for the produ al properties related to mienda no dejar los re ndación de tipo genera nanipula el producto en	g/l uct specifications can be safety and environment, cipientes abiertos. al se deben evitar golpes	see sections 7 and 12.
0.1	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic FION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>REACTIVITY: Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with acids. <u>CONDITIONS TO AVOID:</u> Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no es sensible a los choques, perce abolladuras y roturas de envases y embalajes, en especie descarga. INCOMPATIBLE MATERIALS:	: specifications. cal and chemica ions. re, pero se recc o como recome ial cuando se n and strongly ac	# 0.2 The data for the produ al properties related to pomienda no dejar los re ndación de tipo genera nanipula el producto en id materials.	g/l uct specifications can be safety and environment, ecipientes abiertos. al se deben evitar golpes in grandes cantidades, y c	see sections 7 and 12.
0.1 0.2 0.3 0.4 0.5	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic IION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with acids. <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: <i># El producto no se vé afectado por exposición al air</i> Pressure: <i># Not relevant.</i> Shock: <i># El producto no es sensible a los choques, perce abolladuras y roturas de envases y embalajes, en especie descarga.</i> INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline a HAZARDOUS DECOMPOSITION PRODUCTS:	: specifications. cal and chemica ions. re, pero se recc o como recome ial cuando se n and strongly ac	# 0.2 The data for the produ al properties related to pomienda no dejar los re ndación de tipo genera nanipula el producto en id materials.	g/l uct specifications can be safety and environment, ecipientes abiertos. al se deben evitar golpes in grandes cantidades, y c	see sections 7 and 12.
0.1 0.2 0.3 0.4 0.5	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic IION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with acids. <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: <i># El producto no se vé afectado por exposición al air</i> Pressure: <i># Not relevant.</i> Shock: <i># El producto no es sensible a los choques, perce abolladuras y roturas de envases y embalajes, en especie descarga.</i> INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline a HAZARDOUS DECOMPOSITION PRODUCTS:	: specifications. cal and chemica ions. re, pero se recc o como recome ial cuando se n and strongly ac	# 0.2 The data for the produ al properties related to pomienda no dejar los re ndación de tipo genera nanipula el producto en id materials.	g/l uct specifications can be safety and environment, ecipientes abiertos. al se deben evitar golpes in grandes cantidades, y c	see sections 7 and 12.
0.1 0.2 0.3 0.4 0.5	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic IION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with acids. <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: <i># El producto no se vé afectado por exposición al air</i> Pressure: <i># Not relevant.</i> Shock: <i># El producto no es sensible a los choques, perce abolladuras y roturas de envases y embalajes, en especie descarga.</i> INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline a HAZARDOUS DECOMPOSITION PRODUCTS:	: specifications. cal and chemica ions. re, pero se recc o como recome ial cuando se n and strongly ac	# 0.2 The data for the produ al properties related to pomienda no dejar los re ndación de tipo genera nanipula el producto en id materials.	g/l uct specifications can be safety and environment, ecipientes abiertos. al se deben evitar golpes in grandes cantidades, y c	see sections 7 and 12.
0.1	- Heat of combustion - VOC (supply) The values indicated do not always coincide with product of the same. For additional information concerning physic IION 10 : STABILITY AND REACTIVITY REACTIVITY: <u>Corrosivity to metals:</u> It is not corrosive to metals. <u>Pyrophorical properties:</u> It is not pyrophoric. <u>CHEMICAL STABILITY:</u> Stable under recommended storage and handling conditi <u>POSSIBILITY OF HAZARDOUS REACTIONS:</u> Possible dangerous reaction with acids. <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: <i># El producto no se vé afectado por exposición al air</i> Pressure: <i># Not relevant.</i> Shock: <i># El producto no es sensible a los choques, perce abolladuras y roturas de envases y embalajes, en especie descarga.</i> INCOMPATIBLE MATERIALS: Keep away from oxidixing agents, from strongly alkaline a HAZARDOUS DECOMPOSITION PRODUCTS:	: specifications. cal and chemica ions. re, pero se recc o como recome ial cuando se n and strongly ac	# 0.2 The data for the produ al properties related to promienda no dejar los re ndación de tipo genera nanipula el producto en id materials.	g/l uct specifications can be safety and environment, ecipientes abiertos. al se deben evitar golpes in grandes cantidades, y c	see sections 7 and 12.

MATERIAL SAFETY DATA SHEET (REACH)

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

		· · · · · · · · · · · · · · · · · · ·								
o acy	MACY-ELASTIC ANTIGO Code: 70410	DTERAS								
TION 11	: TOXICOLOGICAL INFORMA	TION								
	ntal toxicological data on the pre ethod of the Regulation (EC) No			al classification for these n	nixture has been carried out	t by using the conventional				
<u>INFC</u>	NFORMATION ON TOXICOLOGICAL EFFECTS:									
<u>ACU</u>	ACUTE TOXICITY:									
for in 1,2-b	and lethal concentrations dividual ingredients : enzisothiazol-3(2H)-one ure CIT EC 247-500-7 MIT EC 2	20-239-6 (3:1)		DL50 (OECD 401) mg/kg oral 1020. Rat 67. Rat	<u>DL50</u> (OECD 402) mg/kg cutaneous > 2000. Rat 140. Rat	<u>CL50</u> (OECD 403) mg/m3.4h inhalation > 2050. Rat > 1230. Rat				
Not a Lowe Not a	bserved adverse effect level available est observed adverse effect leve available DRMATION ON LIKELY ROUTE	_	oxicity:							
	es of exposure	Acute toxicity	Cat.	Main effects, acute and/c	or delayed					
	<u>ation:</u> classified	ATE > 20000 mg/m3	-	Not classified as a produ data, the classification cr	ct with acute toxicity if inhal- iteria are not met).	ed (based on available				
<u>Skin:</u> Not c	lassified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based or available data, the classification criteria are not met).						
Eyes Not c	: classified	Not available	-	Not classified as a produ	ct with acute toxicity by eye	contact (lack of data).				
	stion: classified	ATE > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).						
COR	ROSION / IRRITATION / SENS	ITISATION :								
Dang	ger class	Target organs	Cat.	Main effects, acute and/c	or delayed					
	<u>piratory corrosion/irritation:</u> classified	-	-	Not classified as a produ data, the classification cr	ct corrosive or irritant by inh iteria are not met).	alation (based on availabl				
	corrosion/irritation:_ classified	-	-		ct corrosive or irritant in cor fication criteria are not met)	`				
	ous eye damage/irritation: classified	-	-	Not classified as a produ available data, the classi	ct corrosive or irritant in cor fication criteria are not met)	ntact with eyes (based on				
	biratory sensitisation: classified	-	-	Not classified as a produ the classification criteria	ct sensitising by inhalation (are not met).	based on available data,				

Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction.

ASPIRATION HAZARD:

Skin sensitisation:

Not classified

	1	1	
Danger class	Target organs	Cat.	Main effects, acute and/or delayed
Aspiration hazard: Not classified	-	-	Not classified as a product hazardous by aspiration (based on available data, the classification criteria are not met).

Not classified as a product sensitising by skin contact (based on available

data, the classification criteria are not met).

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: Is not considered as a carcinogenic product.

<u>Genotoxicity:</u> Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Do not harm fertility. Do not harm the fetus developping. <u>Effects via lactation:</u> Not classified as a hazardous product for children breast-fed.

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

🔇 lacy	MACY-ELASTIC ANTIGOTERAS Code: 70410							
Rout Shor	AYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFEC tes of exposure: Not available. 1-term exposure: Not available.	TS FROM SHORT AND LC	NG-TERM EXPOSURE:					
INTE	<u>a-term or repeated exposure:</u> Not available. <u>ERACTIVE EFFECTS:</u> available.							
Dern	DRMATION ABOUT TOXICOCINETICS, METABOLISM AND DISTRI nal absorption: Not available. c toxicokinetics: Not available.	IBUTION:						
	<u>ITIONAL INFORMATION:</u> available.							
ECTION 12	: ECOLOGICAL INFORMATION							
o experime e conventio	ntal ecotoxicological data on the preparation as such is available. The preparation as such is available. The preparation (EC) No. 1272/2008~605/2	e ecotoxicological classifica 014 (CLP).	tion for these mixture has be	een carried out by using				
2.1 <u>TOX</u>	ICITY:	1						
for in 1,2-b	<u>e toxicity in aquatic environment</u> ndividual ingredients : penzisothiazol-3(2H)-one ure CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	CL50 (OECD 203) mg/l.96hours 1.2 Fishes 0.19 Fishes	CE50 (OECD 202) mg/l.48hours 0.85 Daphnia 0.16 Daphnia	CE50 (OECD 201) mg/l.72hours 0.37 Algae 0.018 Algae				
Not a	bserved effect concentration available est observed effect concentration available							
	SISTENCE AND DEGRADABILITY: available.							
	BIOACCUMULATIVE POTENTIAL: Not available.							
for in 1,2-t	<u>ccumulation</u> dividual ingredients : penzisothiazol-3(2H)-one ure CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	0.640 -0.830	BCF L/kg 3.2 (calculated) 3.2 (calculated)	Potential Unlikely, low No bioaccumulable				
	BILITY IN SOIL: available.			1				
_	ULTS OF PBT AND VPVB ASSESMENT: Annex XIII of Regulations of a source of the Annex XIII of Regulations of the Annex XIII of Regulati	on (EC) no. 1907/2006:						
Ozor Phot Eart	IER ADVERSE EFFECTS: ne depletion potential: Not available. tochemical ozone creation potential: Not available. h global warming potential: Not available. porine disrupting potential: Not available.							
ECTION 13	: DISPOSAL CONSIDERATIONS							
Take disc curre Disp Emp haze Cha sam Proc	STE TREATMENT METHODS: # Directive 2008/98/EC~Regulation (e all necessary measures to prevent the production of waste whenever harge into drains or the environment, dispose of at an authorised was ent local and national regulations. For exposure controls and personal cosal of empty containers: # Directive 94/62/EC~2005/20/EC, Decis bited containers and packaging should be disposed of in accordance ardous waste will depend on the degree of empting of the same, being pter 15 01 of Decision 2000/532/EC, and forwarding to the appropriative measures as for the product in itself.	er possible. Analyse possib ste collection point. Waste s al protection measures, see <i>ion 2000/532/EC~2014/955</i> with currently local and nati g the holder of the residue r	should be handled and dispo section 8. :/ <i>EU:</i> onal regulations. The classific responsible for their classific	sed of in accordance wi ication of packaging as ation,)in accordance wi				
Autr	norised landfill in accordance with local regulations.							

MATERIAL SAFETY DATA SHEET (REACH)

		MACY-ELASTIC ANTIGOTERAS Code: 70410
SECTI	ON 14 :	TRANSPORT INFORMATION
14.1	<u>UN NI</u>	UMBER: Not applicable
14.2	<u>UN P</u>	ROPER SHIPPING NAME:_ Not applicable
14.3 14.4	TRAN	SPORT HAZARD CLASS(ES) AND PACKING GROUP:
14.4	Trans	port by road (ADR 2015) and port by rail (RID 2015): glamented
	Trans Not re	port by sea (IMDG 37-14): glamented
	Not re	port by air (ICAO/IATA 2015): glamented
	Trans Free.	port by inland waterways (ADN):
14.5	ENVIE Not ap	RONMENTAL HAZARDS: oplicable (not classified as hazardous for the environment).
14.6	Ensur	IAL PRECAUTIONS FOR USER: re that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are in a vertical on and sure.
14.7	TRAN Not ap	SPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: oplicable.
SECTI	ON 15 :	REGULATORY INFORMATION
15.1	The re	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: agulations applicable to this product generally are listed throughout this material safety data sheet.
	<u>Restri</u>	ctions on manufacture, placing on market and use: See section 1.2
	Contro	ol of the risks inherent in major accidents (Seveso III):See section 7.2
		e warning of danger: Not applicable (the classification criteria are not met).
	Child :	safety protection: Not applicable (the classification criteria are not met).
	VOC i # Cor	<u>nformation on the label:</u> tains VOC max. 11. g/l - The limit value 2004/42/CE-IIA cat. i) for the product ready for use is VOC max. 140. g/l (2010).
	OTHE Not av	IR REGULATIONS: vailable
15.2	CHEN # For	IICAL SAFETY ASSESSMENT: this mixture has not been carried out a chemical safety assessment.

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mac	MACY-ELASTIC ANTIGOTERAS Code: 70410	
SECTIO	TION 16 : OTHER INFORMATION	
16.1	TEXT OF THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: Not applicable.	
	ADVICES ON ANY TRAINING APPROPRIATE FOR WORKERS: It is recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to provide understanding and interpretation of material safety data sheets and labelling of products as well.	
	MAIN LITERATURE REFERENCES AND SOURCES FOR DATA:	
	 European Chemicals Agency: ECHA, http://echa.europa.eu/ Access to European Union Law, http://eur-lex.europa.eu/ Threshold Limit Values, (AGCIH, 2014). 	
	ABBREVIATIONS AND ACRONYMS: List of abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet:	
	 REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. DSD: Dangerous Substances Directive. DPD: Dangerous Preparations Directive. 	
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. CLP: European regularion on Classificatin, Labelling amd Packaging of substances and chemical mixtures. EINECS: European Inventory of Existing Commercial Chemical Substances.	
	 ELINCS: European List of Notified Chemical Substances. CAS: Chemical Abstracts Service (Division of the American Chemical Society). UVCB: Substances of Unknown or Variable composition, complex reaction products or biological materials). 	
	SVHC: Substances of Very High Concern. PBT: Persistent, bioaccumulable and toxic substances. vPvB: Very persistent and very bioaccumulable substances. VOVB: Very persistent and very bioaccumulable substances.	
	 VOC: Volatile Organic Compounds. DNEL: Derived No-Effect Level (REACH). PNEC: Predicted No-Effect Concentration (REACH). LD50: Letal dose, 50 percent. 	
	LC50: Letal cose, so percent. LC50: Letal concentration, 50 percent. UN: United Nations Organisation.	
	ADR: European agreement concerning the international carriage of dangeous goods by road. RID: Regulations concerning the international transport of dangeous goods by rail. IMDG: International Maritime code for Dangerous Goods.	
	IATA: International Air Transport Association. ICAO: International Civil Aviation Organization.	
	MATERIAL SAFETY DATA SHEET REGULATIONS: # Material Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and Annex of Regulation (EU) No. 20	15/830.
	HISTORY: Revision: Version: 3 12/03/2015 Version: 4 24/10/2016	
	Modifications with respect to the previous Material Safety Data Sheet: # The possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are highlighted in Material Safety Data Sheet by a mark # in red and italic.	in this
The info	nformation of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the users' worl	king

conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product and it is not to be considered as a guarantee of the product's properties.