MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (FC) No. 1907/2006 and F

d Regulation (ELI) No. 2015/830

🚫 Mai		MATE PALOM Code: 80100	A					
Versio	on: 8	Revision: 21/	10/2016 Previous r	evision: 21/1	0/2016	Da	ate of printing: 21/10/2016	
SECTI	ON 1 : I	DENTIFICATION (OF THE SUBSTANCE/MIXTURE A	AND OF THE	COMPANY/UNDERTAKING	3		
1.1	1 PRODUCT IDENTIFIER: MATE PALOMA Code: 80100							
1.2	Intended uses (main technical functions): [] Industrial [X] Professional [X] Consumers Decorative paint. Sectors of use: Consumer uses (SU21). Uses advised against: This product is not recommended for any use or sector of use industrial, professional or consume other than those previously listed as 'Intended or identified uses'. Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:							
1.3	Not restricted. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: PINTURAS MACY, S.A. Ctra. Nacional 301, Km. 212,8 - E-02630 - La Roda (Albacete) Phone: +34 967 440712 - Fax: +34 967 442819 E-mail address of the person responsible for the safety data sheet: e-mail: laborato102@pinturas-macy.com							
1.4	EMER	GENCY TELEPHO	<u>DNE NUMBER:</u> +34 967 440712 (8	3:00-13:00 / 16	6:00-20:00 h.) (working hou	s)		
SECTI	ON 2 : I	AZARDS IDENTI	FICATION					
2.1	CLAS	SIFICATION OF T	HE SUBSTANCE OR MIXTURE:					
		fication in accordation in accordatitation in accordation in accordation in accordation in accor	nce with Regulation (EC) No. 1272	/2008~605/20	14 (CLP):			
	Dange	er class	Classification of the mixture	Cat.	Routes of exposure	Target organs	Effects	
		cochemical: assified	Aquatic Chronic 3:H412	Cat.3	-	-	-	
		<u>n health:</u> assified						
	Enviro	onment:						
	Note:		nents mentioned is indicated in sec a range of percentages is used, th e maximum value.		environmental hazards desc	ribe the effects of the high	est concentration of each	
2.2	LABEL ELEMENTS: This product does not require pictograms, in accordance with Regulation (EC) No. 1272/2008~605/2014 (CLP) Hazard statements: H412 Harmful to aquatic life with long lasting effects. Precautionary statements: If medical advice is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P273-P501a Avoid release to the environment. Dispose of contents/container in accordance with local regulations. Supplementary statements: Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction. EUB174 Contains a preservative/slimicide to protect the film. See information supplied by the manufacturer. Hazardous ingredients: None in a percentage equal to or higher than the limit for the name.							
2.3	Hazar <u>Other</u> <u>Other</u>	physicochemical h adverse human he	sult in classification but which may azards: No other relevant advers alth effects: No other relevant adv ental effects: Does not contain s	e effects are k verse effects a	known. are known.			

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

		on (EC) No. 1907/2006 and Regulation (EO) No. 2015/830	
🔇 Aacy	MATE F Code: 80	ALOMA 1100	
ECTION 3 :	COMPOSIT	ION/INFORMATION ON INGREDIENTS	
	STANCES: applicable (m	nivturo)	
This	<u>FURES:</u> product is a		
	nical descrip tion of calciu	<u>tion:</u> m carbonate in aqueous media.	
		GREDIENTS:	
Subs	stances takir	g part in a percentage higher than the exemption limit:	
	< 0,05 %	Isoproturon	
		CAS: 34123-59-6, EC: 251-835-4 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410	Index No. 006-044-00-7 < CLP00
	< 0,015 %	3-iodo-2-propynyl butylcarbamate	
(CAS: 55406-53-6 , EC: 259-627-5 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (oral) 4:H302 Eye Dam. 1:H318 Skin	Index No. 616-212-00-7 < ATP06
		Sens. 1:H317 STOT RE 1:H372i Aquatic Acute 1:H400 Aquatic Chronic 1:H410	
	< 0,01 %	1,2-benzisothiazol-3(2H)-one	
		CAS: 2634-33-5 , EC: 220-120-9 REACH: Biocide CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens.	Index No. 613-088-00-6 < CLP00
		1A:H317 Aquatic Acute 1:H400	
	0,0015 %	Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one CAS: 55965-84-9. List No. 611-341-5 REACH: Biocide	e [EC 220-239-6] (3:1) Index No. 613-167-00-5
		CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410	< CLP00
Impu	irities:		
		other components or impurities which will influence the classification of the product.	
	ilizers:		
None	•		
	rence to othe nore informa	er sections:_ tion on hazardous ingredients, see sections 8, 11, 12 and 16.	
SUB	STANCES C	F VERY HIGH CONCERN (SVHC):	
List u	updated by E	CHA on 20/06/2016. C subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:	
None)	C candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:	
None			
PERS	SISTENT, BIO	ACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: substances that fulfill the PBT/vPvB criteria.	
Does	s not contain	substances that fulfill the PBT/VPVB chiefia.	

Macy		MATE PALOM Code: 80100	A						
SECTION	I 4 : FIRS	ST AID MEASU	IRES						
4.1 <u>D</u>	ESCRIP	TION OF FIRS	T-AID MEASURES:						
	Symptoms may occur after exposure, so that in case of direct exposure to the product, when in doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.								
R	Route of e	exposure	Symptoms and effects, acute and delayed	Description of first-aid measures					
<u>In</u>	nhalation	1	Normaly does not produce symptoms.	Should there be any symptoms, transfer the person affected the open air.	to				
<u>S</u>	<u>Skin:</u>		Normaly does not produce symptoms.	Remove contaminated clothing. Wash thoroughly the affecte area with plenty of cold or lukewarm water and neutral soap, use a suitable skin cleanser. Do not use solvents or thinners.	or				
E	<u>Eyes:</u>		Contact with the eyes produces redness and pain.	Remove contact lenses. Rinse eyes copiously by irrigation wi plenty of clean, fresh water, holding the eyelids apart. If irritat persists, consult a physician.					
<u>In</u>	ngestion:		If swallowed, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediately and show container or label. Rinse out the mouth with water.					
			MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: effects are indicated in sections 4.1 and 11						
N	lotes to p	ohysician: Tre	IMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT atment should be directed at the control of symptoms and the c cations: Specific antidote not known.						
SECTION	1 5 : FIRE	E-FIGHTING M	EASURES						
		IISHING MEDIA se of fire in the	<u>A:</u> surroundings, all extinguishing agents are allowed.						
			ISING FROM THE SUBSTANCE OR MIXTURE: rious fire danger. However, if it is located in a fire, may sustain c	combustion, decompose and give off toxic or irritant vapours.					
S a s O	5.3 ADVICE FOR FIREFIGHTERS: Special protective equipment: Depending on magnitude of fire, heat-proof protective clothing may be required, appropriate independent breathing apparatus, gloves, protective glasses or face masks and boots. If the fire-proof protective equipment is not available or not used, combat fire from a sheltered position or at a safe distance. The standard EN469 provides a basic level of protection for chemical incidents. <u>Other recommendations:</u> Cool with water the tanks, cisterns or containers close to sources of heat or fire. Bear in mind the direction of the wind. Do not allow fire-fighting residue to enter drains, sewers or water courses.								
SECTION	I 6 : ACC	DENTAL REL	EASE MEASURES						
6.1 <u>P</u> A	PERSON	AL PRECAUTIO	ONS. PROTECTIVE EQUIPMENT AND EMERGENCY PROCE this product. The floor may become slippery.	DURES:					
A	Avoid cor	IMENTAL PRE Itamination of c inform the app	CAUTIONS: Irains, surface or subterranean water and soil. In the case of lar ropriate authorities in accordance with local regulations.	ge scale spills or when the product contaminates lakes, rivers	or				
C	Contain a		IAL FOR CONTAINMENT AND CLEANING UP: Is with absorbent materials (sawdust, earth, sand, vermiculite, d ainer.	liatomaceous earth, etc). Avoid use of solvents. Keep the					
F F	For conta For inforn For expos	nation on safe h sure controls ar	R SECTIONS: n case of emergency, see section 1. handling, see section 7. hd personal protection measures, see section 8. sposal, follow the recommendations in section 13.						

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mac	<u>.</u>	MATE PALOMA Code: 80100	
SECTIO	ON 7 : H	HANDLING AND STORAGE	
7.1	Comp Gener Usual Keep Recon Not ap Recon Do no protec	CAUTIONS FOR SAFE HANDLING: Day with the existing legislation on health and safety at work. ral recommendations: protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding the container tightly closed. <u>mmendations for the prevention of fire and explosion risks:</u> pplicable. <u>mmendations for the prevention of toxicological risks:</u> to eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and ction measures, see section 8. <u>mmendations for the prevention of environmental contamination:</u> any spillage in the environment. In the case of accidental spillage, follow the instructions indicated in section 6.	
7.2	Keep contai <u>Class</u> <u>Maxim</u> <u>Tempe</u> <u>Incom</u> Keep <u>Type o</u> Seale Limit o	DITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical iner tightly closed. For more information, see section 10. of store : According to current legislation. num storage period : 24 months erature interval : min: 5. °C, max: 30. °C (recommended). upatible materials: away from acid products and strongly oxidizing agents. of packaging: . . id containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. . quantity (Seveso III): Directive 2012/18/EU: .	position. Keep
7.3	SPEC For th	IFIC END USES.	

<i>©</i> Ma <u>c</u>	y [MATE PALOMA Code: 80100									
SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION											
	CONTROL PARAMETERS: If a product contains ingredients with exposure limits, may be necessary a personnel monitoring, work place or biological, to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to EN689, EN14042 and EN482 standard concerning methods for assesing the exposure by inhalation to chemical agents, and exposure to chemical and biological agents. Reference should be also made to national guidance documents for methods for the determination of dangerous substances.										
<u>(</u>	<u>occu</u>	PATIONAL EXPOSURE LIMIT VALUES (TLV)									
ŀ	AGCI	12014 <u>Year</u>	TLV-1	<u>TWA</u>	mg/m3		TLV-STE	<u>L - Ceiling</u> mg/m3		Remarks	
		nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	ppm	-	0.1 0.08		-	0.0)60 .23	Recommended Recommended	-
r	TLV - ⁻	Threshold Limit Value, TWA - Time Weighted Average, STEL - Sho	ort Terr	n Exp	osure Lir	mit.					
		OGICAL LIMIT VALUES: ablished									
[F c	Derive REAC compa	<u>VED NO-EFFECT LEVEL (DNEL):</u> d no-effect level (DNEL) is a level of exposure that is considered s H. DNEL values may differ from a occupational exposure limit (OEI uny, a government regulatory agency or an organization of experts. is different of REACH.	_) for th	ne san	ne chem	ical. OE	EL values r	nay com	e recomi	mended by a pa	articular
	Derive	d no-effect level, workers:	DNEL	Inha	ation		DNEL Cu	taneous		DNEL Oral	
-	- Syst Isopro	emic effects, acute and chronic:	mg/m			- (c)	mg/kg bw/o		- (c)	mg/kg bw/d - (a)	- (c)
3	3-iodo	-2-propynyl butylcarbamate		- (a	a)	- (c)	-	(a)	- (c)	- (a)	- (c)
N	1,2-be Mixtur	nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- (a - (a		- (c) - (c)		(a) (a)	- (c) - (c)	- (a) - (a)	- (C) - (C)
-	- Loca	d no-effect level, workers: al effects, acute and chronic:	DNEL mg/m3	3			DNEL Cu mg/cm2			DNEL Eyes mg/cm2	
	Isopro 3-iodo	turon -2-propynyl butylcarbamate		- (a - (a		- (C) - (C)		(a) (a)	- (c) - (c)	- (a) - (a)	- (C) - (C)
1	1,2-be	nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- (a - (a		- (c) - (c)		(a) (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)
		d no-effect level, general population: emic effects, acute and chronic:	DNEL mg/m3		ation		DNEL Cu mg/kg bw/o			<u>DNEL Oral</u> mg/kg bw/d	
1	Isopro	turon	ing/inc	- (a		- (c)	-	(a)	- (c)	- (a)	- (c)
1	1,2-be	-2-propynyl butylcarbamate nzisothiazol-3(2H)-one		- (a - (a	,	- (c) - (c)		(a) (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)
N	Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- (a	a)	- (c)	-	(a)	- (c)	- (a)	- (c)
C		d no-effect level, general population:		<u>Inhal</u>	ation		DNEL Cu			DNEL Eyes	
	Isopro		mg/m3	3 - (a	a)	- (C)	mg/cm2 -	(a)	- (C)	mg/cm2 - (a)	- (c)
		-2-propynyl butylcarbamate nzisothiazol-3(2H)-one		- (a - (a		- (C) - (C)		(a) (a)	- (c) - (c)	- (a) - (a)	- (C) - (C)
N	Mixtur	e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		- (8		- (c)		(a) (a)	- (c)	- (a)	- (c)
((-) - DI	NEL not available (without data of registration REACH).									
E	PRED	ICTED NO-EFFECT CONCENTRATION (PNEC):									
-	- Fres	ted no-effect concentration, aquatic organisms: h water, marine water and intermitent release:	PNEC mg/l	<u>C Fres</u>	<u>h water</u>		<u>PNEC Ma</u> mg/l	arine		PNEC Intermit	tent
3		-2-propynyl butylcarbamate			-			-			-
		nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			-			-			-
-	- Was	stewater treatment plants (STP) and sediments in fresh- and e water:	PNEC mg/l	C STP			PNEC Se			PNEC Sedime	
1	Isopro	turon			-			-			-
1	1,2-be	-2-propynyl butylcarbamate nzisothiazol-3(2H)-one e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			-			-			- -
		ted no-effect concentration, terrestrial organisms: soil and effects for predators and humans:	PNEC mg/m3				PNEC So	_		PNEC Oral mg/kg bw/d	
1	Isopro	turon	ing/inc		-		ing/ng ury			mg/ng uw/u	-
1	1,2-be	-2-propynyl butylcarbamate nzisothiazol-3(2H)-one			-			-			-
		e CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			-			-			-
((-) - PI	NEC not available (without data of registration REACH).									

() Mar	y	MATE PALON Code: 80100	MA							
8.2	EXPO	EXPOSURE CONTROLS:								
	ENGINEERING MEASURES:									
	Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation good general extraction.									
	Protection of respiratory system: Avoid the inhalation of vapours. Protection of eyes and face: Protection of hands and skin:									
	OCUPATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC: As a general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (PPE), with the corresponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and characteristics of the PPE, protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufacturers of PPE.									
	Mask: No, unless ventilation is insufficient. Use respiratory protection in spray applications.									
	Goggl	<u>es:</u>	Advisable.							
	Face	shield:	No.							
	Glove	<u>s:</u>	Advisable.							
	<u>Boots</u>	-	No.							
	<u>Apron</u>	Ŀ	No.							
	<u>Clothi</u>	<u>ng:</u>	No.							
	ENVIF Avoid Spills - Wat segúr Emiss - VOO emisio 2004/	<u>RONMENTAL EXF</u> any spillage in th on the soil: Prev in water: Do not er Control Act: Es la Directiva 2000 ions to the atmos C (product ready f ones de compues 42/CE~2010/79/L	duct is handled at room temperature). POSURE CONTROLS: le environment. vent contamination of soil. Land contaminated with this product must be managed as hazardous and toxic resi t empty into drains. Do not allow to escape into drains, sewers or water courses. Iste producto contiene las siguientes sustancias incluidas en la lista de sustancias prioritarias en el ámbito de l)/60/CE-2013/39/UE: Isoproturón, Terbutrina. uphere: Substance with very low volatility. for use1): Es de aplicación la Directiva 2004/42/CE-2010/79/UE (RD.227/2006-Orden PRE/1665/2012), rela tos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la Dir DE (RD.227/2006-Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión a) Recubrimiento mate para p osa. COV (producto listo al uso*) : 20. g/l* (COV máx. 30. g/l* a partir del 01.01.2010).	a política de aguas, tiva a la limitación de rectiva						

Mar <u>o</u>	MATE PALOMA Code: 80100							
SECTIO	DN 9 : PHYSICAL AND CHEMICAL PROPERTIES					3		
9.1	INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIE	S:						
	Appearance - Physical state - Colour - Odour - Odour - Odour threshold pH-value	:	Viscous liquid. See the colour in the Characteristic, faint. Not available (mixtu	re).				
	- pH <u>Change of state</u> - Melting point	:	8. Not available	at 20ºC				
	- Initial boiling point Density	:		ºC at 760 mmHg				
	- Relative density <u>Stability</u>	:		at 20/4ºC	Relativ	e water		
	- Decomposition temperature <u>Viscosity:</u> Dynamic viscosity	:	Not available	cps 20ºC				
	 Dynamic viscosity Kinematic viscosity Volatility: 	:	8000. ± 2000. 1700.	mm2/s at 40°C				
	 Evaporation rate Vapour pressure Vapour pressure 	:	17.5*	nBuAc=100 25ºC mmHg at 20ºC kPa at 50ºC	Relativ	e		
	Solubility(ies) - Solubility in water: - Liposolubility Flammability:		Miscible Not available (mixtu	re untested).				
	 Flash point Autoignition temperature Explosive properties: 	:	Ininflamable* Not applicable (do n	² C ot support combustion).				
	Not available. <u>Oxidizing properties:</u> Not classified as oxidizing product.							
	*Estimated values based on the substances composing the mixture.							
9.2	OTHER INFORMATION: - Heat of combustion - VOC (supply)	:	797* 20.0	Kcal/kg				
	The values indicated do not always coincide with product specification of the same. For additional information concerning physical and chem	ns. T nical	he data for the produ	uct specifications can be fo	und in the t ee sections	echnical data sheet 7 and 12.		
SECTIO	DN 10 : STABILITY AND REACTIVITY							
10.1	REACTIVITY: Corrosivity to metals: It is not corrosive to metals. Pyrophorical properties: It is not pyrophoric.							
10.2	CHEMICAL STABILITY: Stable under recommended storage and handling conditions.							
10.3	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong	alkal	is.					
10.4	4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: Not relevant. Shock: El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga y descarga.							
10.5	INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.							
10.6	HAZARDOUS DECOMPOSITION PRODUCTS: No product of decomposition is dangerous if stored and handled prop	erly.						

MATERIAL SAFETY DATA SHEET (REACH)

	MATE PALOMA Code: 80100								
FION 11	: TOXICOLOGICAL INFORMA	TION							
perimen	ital toxicological data on the pro	eparation is available. The 5. 1272/2008~605/2014 (C	toxicologic LP).	al classification for these m	ixture has been carried out	by using the conventional			
	INFORMATION ON TOXICOLOGICAL EFFECTS:								
ACUT	TE TOXICITY:				T				
for individual ingredients :mg/kg oralmg/kg cutaneousmg/m3.4h inhalatioIsoproturon> 2000. Rat> 2000. Rat> 2000. Rat> 1950. Rat3-iodo-2-propynyl butylcarbamate1470. Rat> 2000. Rat> 6890. Rat1,2-benzisothiazol-3(2H)-one1020. Rat> 2000. Rat> 2050. Rat					<u>CL50</u> (OECD 403) mg/m3.4h inhalation > 1950. Rat > 6890. Rat > 2050. Rat > 1230. Rat				
No observed adverse effect level Not available Lowest observed adverse effect level Not available INFORMATION ON LIKELY ROUTES OF EXPOSURE: Acute toxicity:									
	es of exposure	Acute toxicity	Cat.	Main effects, acute and/or	r delaved				
Inhala	·	ATE > 20000 mg/m3	-		t with acute toxicity if inhale	ed (based on available			
<u>Skin:</u> Not c	lassified	ATE > 2000 mg/kg	-	Not classified as a product with acute toxicity in contact with skin (based on available data, the classification criteria are not met).					
Eyes: Not c	lassified	Not available	-	Not classified as a product with acute toxicity by eye contact (lack of data).					
Inges Not c	tion:_ lassified	ATE > 5000 mg/kg	-	Not classified as a product with acute toxicity if swallowed (based on available data, the classification criteria are not met).					
CORI	ROSION / IRRITATION / SENS	SITISATION :							
Dang	er class	Target organs	Cat.	Main effects, acute and/or	r delayed				
<u>Resp</u> Not c	iratory corrosion/irritation: lassified	-	-	Not classified as a produc data, the classification crit	t corrosive or irritant by inh teria are not met).	alation (based on availab			
	corrosion/irritation: lassified	-	-		et corrosive or irritant in con ication criteria are not met)				
<u>Serio</u> Not c	us eye damage/irritation: lassified	-	-	Not classified as a product corrosive or irritant in contact with eyes (based on available data, the classification criteria are not met).					
	iratory sensitisation: lassified	-	-	Not classified as a product sensitising by inhalation (based on available data, the classification criteria are not met).					
	sensitisation: lassified	-	- Not classified as a product sensitising by skin contact (based on available data, the classification criteria are not met).						
	ains 1,2-benzisothiazol-3(2H)-o	ne, mixture CIT EC 247-50	00-7 MIT E	С 220-239-6 (3:1). Мау рго	duce an allergic reaction.				
		Target organs	Cat.	Main effects, acute and/or	r delayed				
- 3	Danger class Target organs Cat. Main effects, acute and/or delayed								

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

Not classified as a product hazardous by aspiration (based on available data,

the classification criteria are not met).

Aspiration hazard:

Not classified

<u>CMR EFFECTS:</u> <u>Carcinogenic effects:</u> Is not considered as a carcinogenic product.

<u>Genotoxicity:</u> Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> Do not harm fertility. Do not harm the fetus developping.

Effects via lactation: Not classified as a hazardous product for children breast-fed.

	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRO Routes of exposure: Not available.	NIC EFFECTS FROM SHORT AND L	ONG-TERM EXPOSURE:				
	Short-term exposure: Not available. Long-term or repeated exposure: Not available.						
	INTERACTIVE EFFECTS: Not available.						
	INFORMATION ABOUT TOXICOCINETICS, METABOLISM A	AND DISTRIBUTION:					
	Dermal absorption: Not available. Basic toxicokinetics: Not available.						
	ADDITIONAL INFORMATION: Not available.						
CTI	ON 12 : ECOLOGICAL INFORMATION						
exp	perimental ecotoxicological data on the preparation as such is a nventional calculation method of the Regulation (EC) No. 1272/	vailable. The ecotoxicological classific	cation for these mixture has b	een carried out by using			
.1							
	Acute toxicity in aquatic environment for individual ingredients :	CL50 (OECD 203)	<u>CE50</u> (OECD 202)	<u>CE50</u> (OECD 201)			
	Isoproturon 3-iodo-2-propynyl butylcarbamate	mg/l.96hours 30. Fishes 0.067 Fishes	mg/l.48hours 5.3 Daphnia 0.16 Daphnia	mg/l.72hours 0.030 Algae 0.022 Algae			
	1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	1.2 Fishes 0.19 Fishes	0.85 Daphnia 0.16 Daphnia	0.37 Algae 0.018 Algae			
	No observed effect concentration		•	, č			
	Not available Lowest observed effect concentration Not available						
.2	PERSISTENCE AND DEGRADABILITY: Not available.						
	Aerobic biodegradation	DQO	%DBO/DQO	Biodegradability			
	for individual ingredients : Isoproturon 3-iodo-2-propynyl butylcarbamate	mgO2/g 3490.	5 days 14 days 28 days ~ 30.	Not easy			
	1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	1148.		Not easy Not easy Inherently			
.3	BIOACCUMULATIVE POTENTIAL: Not available.						
	Bioaccumulation for individual ingredients :	logPow	BCF L/kg	Potential			
	Isoproturon 3-iodo-2-propynyl butylcarbamate	2.87 2.81	36. (calculated) 26. (calculated)	Low Low			
	1,2-benzisothíazól-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	0.640 -0.830	3.2 (calculated) 3.2 (calculated)	Unlikely, low No bioaccumulable			
.4	MOBILITY IN SOIL: Not available.						
.5	RESULTS OF PBT AND VPVB ASSESMENT: Annex XIII Does not contain substances that fulfill the PBT/vPvB criteria	l of Regulation (EC) no. 1907/2006:					
.6	OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available. Photochemical ozone creation potential: Not available. Earth global warming potential: Not available.						
	Endocrine disrupting potential: Not available.						
	ON 13 : DISPOSAL CONSIDERATIONS						
.1	WASTE TREATMENT METHODS: Directive 2008/98/EC~Regulation (EU) no. 1357/2014: Take all necessary measures to prevent the production of waste whenever possible. Analyse possible methods for revaluation or recycling. Do not discharge into drains or the environment, dispose of at an authorised waste collection point. Waste should be handled and disposed of in accordance with current local and national regulations. For exposure controls and personal protection measures, see section 8.						
	Disposal of empty containers: Directive 94/62/EC~2005/20/EC, Decision 2000/532/EC~2014/955/EU: Emptied containers and packaging should be disposed of in accordance with currently local and national regulations. The classification of packaging as hazardous waste will depend on the degree of empting of the same, being the holder of the residue responsible for their classification, jin accordance with Chapter 15 01 of Decision 2000/532/EC, and forwarding to the appropriate final destination. With contaminated containers and packaging, adopt the same measures as for the product in itself.						
	Procedures for neutralising or destroying the product: Authorised landfill in accordance with local regulations.						

accord	HAL S dance v	SAFETY DATA SHEET (REACH) with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830	Revision: 21/10/2016	Page 10 / 1
Ø Nau		MATE PALOMA Code: 80100		
SECTI	ON 14	: TRANSPORT INFORMATION		
4.1	UN N	IUMBER: Not applicable		
4.2	UN P	PROPER SHIPPING NAME: Not applicable		
4.3		NSPORT HAZARD CLASS(ES) AND PACKING GROUP:		
14.4		sport by road (ADR 2015) and		
	Trans	sport by rail (RID 2015): eglamented		
	Not re	sport by sea (IMDG 37-14): eglamented		
	Not re	sport by air (ICAO/IATA 2015): eglamented		
	Free.			
4.5		IRONMENTAL HAZARDS: applicable.		
14.6	Ensu	CIAL PRECAUTIONS FOR USER: Ire that persons transporting the product know what to do in case of accident or spill. Always transport in clo ion and sure.	osed containers that are i	n a vertical
14.7		NSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: applicable.		
ECTI	ON 15	: REGULATORY INFORMATION		
15.1	The r	AFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: regulations applicable to this product generally are listed throughout this material safety data sheet.		
		rictions on manufacture, placing on market and use: See section 1.2		
		rol of the risks inherent in major accidents (Seveso III):See section 7.2		
	Tacti	le warning of danger: Not applicable (the classification criteria are not met).		
	<u>Child</u>	safety protection: Not applicable (the classification criteria are not met).		
	VOC Cont	information on the label: ains VOC max. 21. g/l - The limit value 2004/42/CE-IIA cat. a) for the product ready for use is VOC max. 30). g/l (2010).	
	OTH Not a	ER REGULATIONS:available		
15.2	CHE For th	MICAL SAFETY ASSESSMENT:		

MATERIAL SAFETY DATA SHEET (REACH) In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Mac	y	MATE PALOMA Code: 80100								
SECTIO	SECTION 16 : OTHER INFORMATION									
SECTIO 16.1	Code: 80100 ECTION 16 : OTHER INFORMATION									
	Mater		No. 2015/830.							
	Modifi	n: 8 21/10/2016 cations with respect to the previous Material Safety Data Sheet:								
		possible legislative, contextual, numerical, methodological and normative changes with respect to the previous version are hig al Safety Data Sheet by a mark # in red and italic.	nlighted in this							
The info	rmatio	n of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the us	sers' working							

conditions are beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining written handling instruction. It is always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and legislation. The information in this Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered as a guarantee of the product's properties.