() Mac	y	SATINADO RE Code: 80085	ENO					
Versio	n: 2	Revision: 21/	10/2016	Previous revis	ion: 16/05	5/2012	Da	ate of printing: 21/10/2016
SECTIO	ON 1 : I	DENTIFICATION	OF THE SUBSTANCE/M	IXTURE AND	OF THE (COMPANY/UNDERTAKING	i	
1.1	PROE	OUCT IDENTIFIER:	<u>.</u>	SATINAL Code: 80	DO RENC 0085)		
1.2	1.2 RELEVANT IDENTIFIED USES AND USES ADVISED AGAINST: Intended uses (main technical functions): Decorative paint. # Sectors of use: # Consumer uses (SU21). Uses advised against: # This product is not recommended for any use or sector of use industrial, professional or consume other than those previously listed as 'Intended or identified uses'. Restrictions on manufacture, placing on market and use, according to Annex XVII of Regulation (EC) No. 1907/2006:							
1.3	DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET: PINTURAS MACY, S.A. Ctra. Nacional 301, Km. 212,8 - E-02630 - La Roda (Albacete) Phone: +34 967 440712 - Fax: +34 967 442819 E-mail: address of the person responsible for the safety data sheet: e-mail: laborato102@pinturas-macy.com							
1.4	EMEF	RGENCY TELEPHO	<u>DNE NUMBER:</u> +34 967	440712 (8:00-	-13:00 / 16	:00-20:00 h.) (working hours	5)	
SECTIO	ON 2 : I	HAZARDS IDENTI	FICATION					
2.1	# <u>Cla</u>		HE SUBSTANCE OR M dance with Regulation (I		2008~605/2	2014 (CLP):		
		er class	Classification of the mi	xture	Cat.	Routes of exposure	Target organs	Effects
	Physi	cochemical: assified	Aquatic Chronic 3:H41		Cat.3	-	-	-
		in health: assified						
	Enviro	onment:						
	Note:					nvironmental hazards descr	ibe the effects of the high	est concentration of each
2.2	LABEL ELEMENTS: # This product does not require pictograms, in accordance with Regulation (EC) No. 1272/2008~605/2014 (CLP) Hazard statements: H412 Harmful to aquatic life with long lasting effects. Precautionary statements: If medical advice is needed, have product container or label at hand. P101 If medical advice is needed, have product container or label at hand. P102 Read label before use. P273-P501a Avoid release to the environment. Dispose of contents/container in accordance with local regulations. Supplementary statements: Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction. EUB174 Contains a preservative/slimicide to protect the film. See information supplied by the manufacturer. Hazardous ingredients: None in a percentage equal to or higher than the limit for the name.							
2.3	Hazaı <u>Other</u> Other	physicochemical h adverse human he	azards: # No other released to the teleased and the strength of the second seco	evant adverse r relevant adve	effects are erse effects			

SUBSTANC Not applica MIXTURES # This prod Chemical de # Solution of Substances < 0,00 < 0,0015 < 0,00 < 0,0015 < 0,0015	ble (mixture). iuct is a mixture. escription: of copolimero acetato de vinilo-versatato de vinilo in aqueous media. US INGREDIENTS: is taking part in a percentage higher than the exemption limit: 5% Isoproturon CAS: 34123-59-6 , EC: 251-835-4 REACH: Biocide Index No. 006-044-00 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 < CLP 1% 1,2-benzisothiazol-3(2H)-one REACH: Biocide CAS: 2634-33-5 , EC: 220-120-9 REACH: Biocide Index No. 613-088-00 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 < CLP 1% 1,2-benzisothiazol-3(2H)-one REACH: Biocide Index No. 613-088-00 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. < CLP 1A:H317 Aquatic Acute 1:H400 Skin Corr. 1:H417 Aquatic Acute 1:H400 Index No. 613-088-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 < CLP Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product.
Not applica # This prod Chemical de # This prod Chemical de # Solution de < 0,015 < 0,0016 < 0,0017 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 < 0,0018 </th <th>ble (mixture): iut is a mixture. scription: of copolimero acetato de vinilo-versatato de vinilo in aqueous media. JS INGREDIENTS: taking part in a percentage higher than the exemption limit: 5% Isoproturon CAS: 34123-59-6, EC: 251-835-4 CAS: 2634-33-5, EC: 251-835-4 CAS: 2634-33-5, EC: 220-120-9 CAS: 25965-84-9, List No. 611-341-5 CAS: 55965-84-9, List No. 612-84 CAS: 55965-84-9, Li</th>	ble (mixture): iut is a mixture. scription: of copolimero acetato de vinilo-versatato de vinilo in aqueous media. JS INGREDIENTS: taking part in a percentage higher than the exemption limit: 5% Isoproturon CAS: 34123-59-6, EC: 251-835-4 CAS: 2634-33-5, EC: 251-835-4 CAS: 2634-33-5, EC: 220-120-9 CAS: 25965-84-9, List No. 611-341-5 CAS: 55965-84-9, List No. 612-84 CAS: 55965-84-9, Li
 MIXTURES # This prod Chemical de # Solution of Substances < 0,05 < 0,01 < 0,011 < 0,0015 < 0,0015<	Luct is a mixture. Escription. Joi copolimero acetato de vinilo-versatato de vinilo in aqueous media. JS INGREDIENTS: Staking part in a percentage higher than the exemption limit: S S S Isoproturon CAS: 34123-59-6, EC: 251-835-4 REACH: Biocide Index No. 006-044-00 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. 1A:H317 Aquatic Acute 1:H400 CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (oral) 3:H301 Index No. 613-167-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (inh.) 3:H311 Acute Tox. (inh.) 4:H302 Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. CEP: Danger: Acute Singer Sing
 # This prod Chemical de # Solution of Substances < 0,05 < 0,015 < 0,0015 <	Fuel is a mixture. escription: of copolimero acetato de vinilo-versatato de vinilo in aqueous media. JS INGREDIENTS: is taking part in a percentage higher than the exemption limit:
# Solution of HAZARDOL Substances < 0,05	opplimero acetato de vinilo-versatato de vinilo in aqueous media. US INGREDIENTS: s taking part in a percentage higher than the exemption limit: 5% Isoproturon CAS: 34123-59-6, EC: 251-835-4 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 7 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. 7 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. 7 1,4:H317 Aquatic Acute 1:H400 7 Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) CAS: 55965-84-9, List No. 611-341-5 CLP: Danger: Acute Tox. (inh) 3:H331 Acute Tox. (skin) 3:H301 Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. . . to other sections: formation on hazardous ingredients, see sections 8, 11, 12 and 16. 2ES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. ESVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006;
Substances < 0,05 < 0,01 < 0,011 < 0,0015 < 0,00	a taking part in a percentage higher than the exemption limit: 5% Isoproturon CAS: 34123-59-6, EC: 251-835-4 REACH: Biocide Index No. 006-044-00 1% 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. Index No. 613-088-00 1% 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. Index No. 613-088-00 5% Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide Index No. 613-088-00 Index No. 613-0167-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. . 0 other sections: formation on hazardous ingredients, see sections 8, 11, 12 and 16. 2ES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. ESVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
 < 0,011 < 0,0015 < 0,	CAS: 34123-59-6, EC: 251-835-4 REACH: Biocide Index No. 006-044-00 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 < CLP 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 REACH: Biocide Index No. 613-088-00 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. < CLP 1:H317 Aquatic Acute 1:H400 5:W Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide Index No. 613-167-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. CES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
 < 0,011 < 0,0015 < 0,	CAS: 34123-59-6, EC: 251-835-4 REACH: Biocide Index No. 006-044-00 CLP: Warning: Carc. 2:H351 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 < CLP 1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5, EC: 220-120-9 REACH: Biocide Index No. 613-088-00 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. 1A:H317 Aquatic Acute 1:H400 5% Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide Index No. 613-167-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. contain other components or impurities which will influence the classification of the product. CES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
 < 0,0015 < 0,0015 <	 CAS: 2634-33-5, EC: 220-120-9 REACH: Biocide Index No. 613-088-00 CLP: Danger: Acute Tox. (oral) 4:H302 Skin Irrit. 2:H315 Eye Dam. 1:H318 Skin Sens. A:H317 Aquatic Acute 1:H400 Reaction mass of 5-chloro-2-methyl-2H-isothiazolin-3-one [EC 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC 220-239-6] (3:1) CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide Index No. 613-088-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 CAS: 55965-84-9, List No. 611-341-5 REACH: Biocide Index No. 613-167-00 CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 Contain other components or impurities which will influence the classification of the product. contain other components or impurities which will influence the classification of the product. Contain on hazardous ingredients, see sections 8, 11, 12 and 16. CES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
Impurities: # Does not Stabilizers: None Reference t For more in SUBSTANC # List updat Substances None Substances None PERSISTEN	CLP: Danger: Acute Tox. (inh.) 3:H331 Acute Tox. (skin) 3:H311 Acute Tox. (oral) 3:H301 Skin Corr. 1B:H314 Skin Sens. 1A:H317 Aquatic Acute 1:H400 Aquatic Chronic 1:H410 contain other components or impurities which will influence the classification of the product. o other sections: formation on hazardous ingredients, see sections 8, 11, 12 and 16. CES OF VERY HIGH CONCERN (SVHC):: ted by ECHA on 20/06/2016. SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
# Does not Stabilizers: None Reference t For more in SUBSTANC # List updat Substances None Substances None PERSISTEN	to other sections: formation on hazardous ingredients, see sections 8, 11, 12 and 16. CES OF VERY HIGH CONCERN (SVHC): ted by ECHA on 20/06/2016. s SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
None <u>Reference t</u> For more in <u>SUBSTANC</u> <i># List upda</i> <u>Substances</u> None <u>Substances</u> None <u>PERSISTEN</u>	to other sections:_ formation on hazardous ingredients, see sections 8, 11, 12 and 16. CES OF VERY HIGH CONCERN (SVHC):_ ted by ECHA on 20/06/2016. s SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:_
For more in <u>SUBSTANC</u> <i># List upda</i> <u>Substances</u> None <u>Substances</u> None <u>PERSISTEN</u>	formation on hazardous ingredients, see sections 8, 11, 12 and 16. <u>CES OF VERY HIGH CONCERN (SVHC):</u> ted by ECHA on 20/06/2016. <u>SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:</u>
# List upda Substances None Substances None PERSISTEN	ted by ECHA on 20/06/2016. SVHC subject to authorisation, included in Annex XIV of Regulation (EC) no. 1907/2006:
Substances None PERSISTEN	SVHC candidate to be included in Annex XIV of Regulation (EC) no. 1907/2006:
PERSISTEN	
	T, BIOACCUMULABLE AND TOXIC PBT, OR VERY PERSISTENT AND VERY BIOACCUMULABLE VPVB SUBSTANCES: ontain substances that fulfill the PBT/vPvB criteria.
1	

Mac <u>u</u>		SATINADO RE Code: 80085	ENO		
SECTIO	ON 4 : I	FIRST AID MEASU	JRES		
4.1	DESC	RIPTION OF FIRS	ST-AID MEASURES:		
			oms may occur after exposure, so that in case of direct exposure attention. Never give anything by mouth to an unconscious perso		otoms persist, seek
	Route	of exposure	Symptoms and effects, acute and delayed	Description of first-aid measures	
	Inhala	<u>tion:</u>	# Normaly does not produce symptoms.	Should there be any symptoms, transfer the the open air.	erson affected to
	<u>Skin:</u>		# Normaly does not produce symptoms.	# Remove contaminated clothing. Wash the area with plenty of cold or lukewarm water a use a suitable skin cleanser. Do not use so	and neutral soap, or
	Eyes:		Contact with the eyes produces redness and pain.	# Remove contact lenses. Rinse eyes copic with plenty of clean, fresh water, holding the irritation persists, consult a physician.	
	Ingest	<u>ion:</u>	If swallowed, may cause gastrointestinal disturbances.	If swallowed, seek medical advice immediat container or label. Rinse out the mouth with	
4.2	MOST The m	IMPORTANT SYI	MPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED: d effects are indicated in sections 4.1 and 11		
4.3	Notes	to physician: # 7	MEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT Freatment should be directed at the control of symptoms and the cations: # Specific antidote not known.		
SECTIO	ON 5 : I	FIRE-FIGHTING M	EASURES		
5.1		GUISHING MEDIA	A:		
5.2			ISING FROM THE SUBSTANCE OR MIXTURE: rious fire danger. However, if it is located in a fire, may sustain o	combustion, decompose and give off toxic or	irritant vapours.
5.3	Specia appar shelte Other	atus, gloves, prote pred position or at a recommendations	ITERS: ment: # Depending on magnitude of fire, heat-proof protective active glasses or face masks and boots. If the fire-proof protective a safe distance. The standard EN469 provides a basic level of p <u>C</u> ool with water the tanks, cisterns or containers close to source to enter drains, sewers or water courses.	ve equipment is not available or not used, con protection for chemical incidents.	mbat fire from a
SECTIO	ON 6 : /	ACCIDENTAL REL	EASE MEASURES		
6.1			ONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCE this product. The floor may become slippery.	DURES:	
6.2	Avoid		CAUTIONS: drains, surface or subterranean water and soil. In the case of lar propriate authorities in accordance with local regulations.	ge scale spills or when the product contamina	ates lakes, rivers or
6.3	Conta		RIAL FOR CONTAINMENT AND CLEANING UP: Ils with absorbent materials (sawdust, earth, sand, vermiculite, c tainer.	liatomaceous earth, etc). Avoid use of solve	ents. Keep the
6.4	For co For in For ex	formation on safe l posure controls ar	R SECTIONS: in case of emergency, see section 1. handling, see section 7. nd personal protection measures, see section 8. isposal, follow the recommendations in section 13.		

Section 7: HANDLING AND STORAGE 7.1 Patical Transmissions for handling demicule must be adopted. Handle and open container with care, avoiding any discharge. Keep the container split/open container with care, avoiding any discharge. Keep the container split/open contai	Mac		SATINADO RENO Code: 80085	
Comply with the existing legislation on health and safety at work. General recommendations: Usual protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding any discharge. Keep the container tightly closed. Recommendations for the prevention of fire and explosion risks: Not applicable. Recommendations for the prevention of toxicological risks: Do not eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls and personal protection measures, see section 8. Recommendations for the prevention of environmental contamination: Avoid any spillage in the environment. In the case of accidental spillage, follow the instructions indicated in section 6. 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Keep container tightly closed. For more information, see section 10. Class of store Maximum Storage period :: # 24 months Temperature interval Incompatible materials: Keep aud of products and strongly oxidizing agents. Type of packaging: Sealed containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. Limit quantity (Seveso IIII): # Directive 2012/18/EU: # No aplicable. 7.3 SPECIFIC END USES:	SECTIO	ON 7 : I	HANDLING AND STORAGE	
Keep out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertical position. Keep container tightly closed. For more information, see section 10. Class of store : According to current legislation. Maximum storage period : # 24 months Temperature interval : min: 5. °C, max: 30. °C (recommended). Incompatible materials: Keep away from acid products and strongly oxidizing agents. Type of packaging: Sealed containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. Limit quantity (Seveso III): # Directive 2012/18/EU: # No aplicable. 7.3	7.1	Comp Gener Usual Keep <u>Recor</u> Not ap <u>Recor</u> Do no proteo <u>Recor</u>	ly with the existing legislation on health and safety at work. <u>al recommendations:</u> protection measures for handling chemicals must be adopted. Handle and open container with care. Handle with care, avoiding the container tightly closed. <u>mmendations for the prevention of fire and explosion risks:</u> oplicable. <u>mmendations for the prevention of toxicological risks:</u> t eat, drink or smoke in application and drying areas. After handling, wash hands with soap and water. For exposure controls ar tion measures, see section 8. <u>mmendations for the prevention of environmental contamination</u> :	
	7.2	Keep conta <u>Class</u> <u>Maxim</u> Temp Incom Keep <u>Type o</u> Seale Limit o	out of reach of children. In order to avoid leakages, the containers, after use, should be closed carefully and placed in a vertica ner tightly closed. For more information, see section 10. <u>of store</u> : According to current legislation. <u>ium storage period</u> : # 24 months <u>patible materials:</u> away from acid products and strongly oxidizing agents. <u>of packaging:</u> d containers. The use of unsuitable materials (eg. iron, aluminium, etc) may cause the product to darken. <u>juantity (Seveso III)</u> : # Directive 2012/18/EU:	position. Keep
	7.3			

Code: 80085						_
ON 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION						
CONTROL PARAMETERS: # If a product contains ingredients with exposure limits, may be necess of the ventilation or other control measures and/or the necessity to use and EN482 standard concerning methods for assesing the exposure b Reference should be also made to national guidance documents for m	e respiratory protective by inhalation to chemic	e equipm al agent	ent. Reference shouss, and exposure to c	uld be n chemica	nade to EN689, EN	14
OCCUPATIONAL EXPOSURE LIMIT VALUES (TLV)					1	
AGCIH 2014 Ye	ar TLV-TWA		TLV-STEL - Ceiling	y value.	Remarks	
1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)		3 .10)80	ppm mg/m3 - 0.0 - 0.		Recommended Recommended	
TLV - Threshold Limit Value, TWA - Time Weighted Average, STEL -	Short Term Exposure I	imit			1	
BIOLOGICAL LIMIT VALUES: Not stablished DERIVED NO-EFFECT LEVEL (DNEL): Derived no-effect level (DNEL) is a level of exposure that is considered REACH. DNEL values may differ from a occupational exposure limit (C company, a government regulatory agency or an organization of exper process different of REACH.	DEL) for the same cher	mical. O	EL values may come	e recom	mended by a partic	cul
Derived no-effect level, workers:	DNEL Inhalation		DNEL Cutaneous		DNEL Oral	
- Systemic effects, acute and chronic: Isoproturon 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	mg/m3 - (a) - (a) - (a)	- (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a) - (a)	- (c) - (c) - (c)	mg/kg bw/d - (a) - (a) - (a)	
		- (0)		- (0)		
Derived no-effect level, workers: - Local effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Isoproturon 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a) - (a) - (a)	- (C) - (C) - (C)	- (a) - (a) - (a)	- (c) - (c) - (c)	- (a) - (a) - (a)	
Derived no-effect level, general population:	DNEL Inhalation		DNEL Cutaneous		DNEL Oral	
- Systemic effects, acute and chronic: Isoproturon	mg/m3 - (a)	- (c)	mg/kg bw/d - (a)	- (c)	mg/kg bw/d - (a)	
1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a) - (a)	- (c) - (c)	- (a) - (a)	- (c) - (c)	- (a) - (a)	
		- (0)		- (0)		
Derived no-effect level, general population: - Local effects, acute and chronic:	DNEL Inhalation mg/m3		DNEL Cutaneous mg/cm2		DNEL Eyes mg/cm2	
Isoproturon 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	- (a) - (a) - (a)	- (C) - (C) - (C)	- (a) - (a) - (a)	- (C) - (C) - (C)	- (a) - (a) - (a)	
(-) - DNEL not available (without data of registration REACH).	L					
PREDICTED NO-EFFECT CONCENTRATION (PNEC):					1	
Predicted no-effect concentration, aquatic organisms: - Fresh water, marine water and intermitent release:	PNEC Fresh water	<u>r</u>	PNEC Marine		PNEC Intermitten	<u>it</u>
Isoproturon	mg/l		mg/l		mg/l	
1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-		-		-	
- Wastewater treatment plants (STP) and sediments in fresh- and	PNEC STP		PNEC Sediments		PNEC Sediments	
marine water:	mg/l		mg/kg dry weight		mg/kg dry weight	•
Isoproturon 1,2-benzisothiazol-3(2H)-one	-				-	
Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-		-		-	
Predicted no-effect concentration, terrestrial organisms:	PNEC Air		PNEC Soil		PNEC Oral	
- Air, soil and effects for predators and humans: Isoproturon	mg/m3 -		mg/kg dry weight -		mg/kg bw/d -	
1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-					
	I		I		1	

	· • · · · · · · · · · · · · · · · · · ·		
In accordance with Regulation	(EC) No. 190	7/2006 and Regulation	(EU) No. 2015/830

٦

🔇 acy	SATINADO RENO Code: 80085			
.2 <u>EXPC</u>	SURE CONTROLS:			
ENGI	NEERING MEASURES:			
	<i>#</i> Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local e and good general extraction.	exhaust ventilation		
Prote	ction of respiratory system: # Avoid the inhalation of vapours. ction of eyes and face: ction of hands and skin:			
As a corres	PATIONAL EXPOSURE CONTROLS: Directive 89/686/EEC~96/58/EC: general measure on prevention and safety in the work place, we recommend the use of a basic personal protection equipment (sponding EC marking. For more information on personal protective equipment (storage, use, cleaning, maintenance, type and c protection class, marking, category, CEN norm, etc), you should consult the informative brochures provided by the manufactu	haracteristics of the		
Mask	Mask: No, unless ventilation is insufficient. Use respiratory protection in spray applications.			
Gogg	Advisable.			
Face	shield: No.			
Glove	<u>s:</u> Advisable.			
Boots	<u>:</u> No.			
Apror	No.			
<u>Clothi</u>	ng: # No.			
ENVI Avoid Spills - Wa agua Emiss - <u>VO</u> de er 2004.	applicable (the product is handled at room temperature). RONMENTAL EXPOSURE CONTROLS: any spillage in the environment. on the soil: Prevent contamination of soil. Land contaminated with this product must be managed as hazardous and toxic resi in water: Do not empty into drains. Do not allow to escape into drains, sewers or water courses. ter Control Act. # Este producto contiene las siguientes sustancias incluidas en la lista de sustancias prioritarias en el ámbito d s, según la Directiva 2000/60/CE~2013/39/UE: Isoproturón, Terbutrina. tions to the atmosphere: Substance with very low volatility. C (product ready for use*): # Es de aplicación la Directiva 2004/42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), re nisiones de compuestos orgánicos volátiles debidas al uso de disolventes orgánicos: PINTURAS Y BARNICES (definidos en la 42/CE~2010/79/UE (RD.227/2006~Orden PRE/1665/2012), Anexo I.1): Subcategoría de emisión b) Recubrimiento brillante par pres, en base acuosa. COV (producto listo al uso*) : 40. g/I* (COV máx. 100. g/I* a partir del 01.01.2010).	e la política de elativa a la limitación Directiva		

Construction PHYSICAL AND CHEMICAL PROPERTIES INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES: Advancement Viscous liquid. Advancement See the colour in the package. - Oborn Colour - Oborn See the colour in the package. - Oborn Colour in the package. - Maing point S.5.0.5 at 20% - Maing point - 9.100° "C at 760 mmHg - Maing point - 9.100° "C at 760 mmHg - Maing point - 9.100° "C at 760 mmHg - Relative density : 1.319 at 20.4°C - Relative density : 200. mm2/s at 40°C - Mannable viscosity : 200. mm2/s at 40°C - Vapour presence : 7.25° mmHg at 20°C - Solubility in water: : 40.4° mBuAc=100 25°C - Solubility in water: : Missible (mature unlested). - Solubility in water: : Initianable "0" - Solubility in water: : Initianable "10"	ĒΓ	SATINADO RENO Code: 80085					
Accession 2000 Viscous liquid. - Physical state : - Octour :: - Octour :: - Other threshold :: - Physical state :: - Physical state <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
- Physical state :: Viscous liquid. - Odour :: See the coolur in the package. - Odour :: Otheracteristic, pleasant. - Odour :: Otheracteristic, pleasant. - Odour :: Not available - Mating point :: :: Not available - Instate of state :: :: :: :: - Baccomposition temperature :: :: :: :: :: :: - Baccomposition temperature ::	1	INFORMATION ON BASIC PHYSICAL AND CHEMIC	AL PROPERTIES:				
 Colour Colo				Viscous lia	ıid		
 Odour threshold Not available (mixture). PH B.5 ± 0.5 ± 0.20°C Observed Listen Not available Not available Not available Not available Not available Not available Stability Betalive density Stability 		- Colour		See the col	our in the	e package.	
PH : 8.5 ± 0.5 al 20°C ····································			-	Characteris	tic, pleas	ant.	
Change of state : Not available · Meling point : 1.319 at 204°C Relative water · Deschow : 0.319 at 204°C Relative water · Deschow : 0.320°C Relative water · Deschow : 0.320°C Relative water · Deschow : 0.200°C Relative water · Deschow : 0.200°C : 0.200°C · Manne viscosity : 1.319 at 204°C · Dynamic viscosity : 1.200 : 0.200°C · Vapour Pessure :		pH-value		NUL AVAIIAU		le).	
 Not available In the local point In the local point In the local properties Bulgitude density Bulgitude density Bulg			1	8	.5 ± 0.5	at 20ºC	
Pressive Stability : 1.319 at 20/4°C Relative water Stability : 0.200 mpc8tion temperature : 320° °C . : 0.200 mpc8tion temperature : 320° °C . : : 0.200 mm2/s at 40°C Relative water . : : : 0.200 mm2/s at 40°C Relative . : : : : 0.200 mm2/s at 40°C Relative . : : : : 0.25°C Relative . : : : : 0.25°C Relative . : : : : 12.3° Keality : : . :		- Melting point	:	# Not avail			
 Relative density 1.319 at 204°C Relative water Stability Decomposition temperature 320° °C Stability Decomposition temperature \$5000. ± 2000. cps 20°C Function of the stability Yapper pressure Apport pressure \$1200 Apport pressure \$1230 Apport pressure<!--</td--><td></td><td>- Initial boiling point</td><td>:</td><td>#</td><td>> 100*</td><td>ºC at 760 mmHg</td><td></td>		- Initial boiling point	:	#	> 100*	ºC at 760 mmHg	
Decomposition temperature if a 220° °C Subality: Portamic viscosity South is a second of the second of the second of the second of the same second of the same second of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CON 10: STABILITY OF MAZAROUS EACTIVITY Recommended storage and handling conditions. Prosible dangerous reaction with oxidizing materials, acids or strong alkalis. Prostible and productions of the same sources of		- Relative density	:		1.319	at 20/4ºC	Relative water
Necosity: 5000. ± 2000. cps 20°C • Dynamic viscosity 1200. mm2/s at 40°C • Relative 40.4* nBLAC=100. 28°C • Relative 7.5* mmHg at 20°C • Vapour pressure 7.5* mmHg at 20°C • Vapour pressure 7.25* mmHg at 20°C • Solubity in water: 7.25* kPa at 50°C • Solubity in water: * • Dosolubity * • Autoinfulne temperature * • Autoinfulne temperature * • Autoinfulne temperature * • Molaring and able *Color or obustion). • Molaring and able *Color or obustion). • Molaring and able * Not available • Molaring and able		- Decomposition temperature	:	#	320*	°C	
 Knomatic viscosity Knomatic viscosit		Viscosity:		5000	+ 2000	20°C	
 Evaporation rate Evaporation rate Vapour pressure 17.5^o mmHg at 20^oC Relative Vapour pressure 17.5^o mmHg at 20^oC Solubility in water: Liposolubility Miscible Miscible Miscible Not available (mixture untested). Emamability. Flash point Autoignition temperature Vot available (mixture untested). Emamability. Flash point Autoignition temperature Not available (do not support combustion). Distribution temperature Not available (a properties). Not available (a properties). Not available as oxidizing product. *Estimated values based on the substances composing the mixture. OTHER INFORMATION: Heat of combustion YoC (supply) YoC (supply) YoC (supply) YoC (supply) YoC (supply) YoC statistics. YoC (supply) YoC (su		- Kinematic viscosity		5000.			
 Apport pressure Vapour Vapour Pressure Vapour Vapour Vap				#	40 4*	nBu∆c=100_25℃	Belative
Solubility in water: :		- Vapour pressure			17.5*	mmHg at 20°C	Toldive
 Solubility in water: : / Miscible Liposolubility : water: : / Miscible Liposolubility : water: : / Miscible Not available (mixture untested). Flaamability: - Flaash point : / Ininflamable* *C Autoignition temperature : Not available. Ordiczing properties: / Not classified as oxidizing product. * Estimated values based on the substances composing the mixture. OrtHER INFORMATION: / 0.2 gil The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10: STABILITY AND REACTIVITY REACTIVITY: Corrosivity to metals. / It is not corrosive to metals. Propohorical properties: / It is not corrosive to metals. Prosbile dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: // HazaRDOUS REACTIONS: Prosbile dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: // HazaRDOUS REACTIONS: Prossible avoid direct contact with sunlight. Ari, '' El producto no se via alkalas, especial cuando se manipula el product en grandes cantidades, y durante las operaciones de carge activation sensible a los choques, pero como recommendación de tipo general se deben evitar golpes y manejos bruscos, para evitar aboldadavis y roturas de envases y embalajes, en especial cuando se manipula el product en grandes cantidades, y durante las operaciones de carge decarga. INC		- Vapour pressure Solubility(ies)	:	#	12.3*	kPa at 50ºC	
Hammability: - Fiels point :: Ininflamable* °C - Fiels point - Autoignition temperature :: Not applicable (do not support combustion). Explosive properties: * Not available. : Not available. Odditing properties: * Not available. : Not classified as oxidizing product. * Estimated values based on the substances composing the mixture. : 1832* Kcallkg OTHER INFORMATION: : * 0.2 gil The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10: STABILITY AND REACTIVITY 1 REACTIVITY: Corrossivity to metals: * It is not corrosive to metals. Prophorical properties: * It is not corrosive to metals. Prophorical properties: * It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID:		- Solubility in water:	:			4	
 Flash point Autointo temperature Available. Not applicable (do not support combustion). <i>Not applicable (do not support combustion).</i> <i>Not classified as oxidizing product.</i> <i>Testimated values based on the substances composing the mixture.</i> OTHER INFORMATION: Heat of combustion <i>1832</i>* Koal/kg <i>VoC (supply)</i> <i>1832</i>* Koal/kg <i>VoC (supply)</i> <i>1832</i>* to <i>applicable (do not support combustion).</i> <i>The values indicate do not always coincide with product specifications.</i> The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CHEMICAL STABILITY AND REACTIVITY BEACTIVITY: Stable Under recommended storage and handling conditions. Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Labit: If posisible, avoid cirect on		Flammability:	:	# Not avail	able (mix	ture untested).	
 Field Standards Fie		- Flash point	÷			-	
Oxidizing properties: * Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. OTHER INFORMATION: - Heat of combustion : # 1832* Kcal/kg · VOC (supply) : Heat of combustion : # 0.2 gli The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10 : STABILITY AND REACTIVITY 1 BEACTIVITY: Corrosivity to metals:: # It is not corrosive to metals. Prophorical properties: # It is not pyrophoric. 2 CHEMICAL STABILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Light: If possible, avoid direct contact with sunlight. Light: If possible any out direct contact with sunlight. Light: If possible, avoid direct contact with sunlight. Light: If possible any out direct contact with sunlight. Light: If possible any out direct conta		Explosive properties:		Not applica	bie (do n	of support compusiton).	
 Not classified as oxidizing product. *Estimated values based on the substances composing the mixture. OTHER INFORMATION: Heal of combustion VOC (supply) 0.2 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10: STABILITY AND REACTIVITY REACTIVITY: Orresivity to metals: // It is not corrosive to metals. Pyrophorical properties: // It is not corrosive to metals. Pyrophorical properties: // It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS FEACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Afr: // El product no se viserible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar aboliaduras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de cargu descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS: 		# Not available.					
 Estimated values based on the substances composing the mixture. OTHER INFORMATION: Heat of combustion I 832 Kcal/kg VOC (supply) I 0.2 gil The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10: STABILITY AND REACTIVITY REACTIVITY:		# Not classified as oxidizing product.					
OTHER INFORMATION: - Heat of combustion - VOC (supply) : # 1832* Kcal/kg - 0.2 g/l The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10 : STABILITY AND REACTIVITY 1 REACTIVITY: Corrosivity to metals: Prophorical properties; # It is not corrosive to metals. Prophorical properties; # It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Linft: If possible, avoid direct contact with sunlight: Air: # El producto no se verial ectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressuie: # Not relevant. Shock: # El producto no es ensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes. en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:		*Estimated values based on the substances composi	ng the mixture				
 Heat of combustion Heat of combustion			ing the million				
The values indicated do not always coincide with product specifications. The data for the product specifications can be found in the technical data shee of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10 : STABILITY AND REACTIVITY 1 REACTIVITY: Corrosivity to metals: # It is not corrosive to metals. Pyrophorical properties: # It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: It possible, avoid direct contact with sunlight. Atr., # El producto no es vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.	2		:	#	1832*	Kcal/kg	
of the same. For additional information concerning physical and chemical properties related to safety and environment, see sections 7 and 12. CTION 10: STABILITY AND REACTIVITY 1 REACTIVITY: Corrosivity to metals: # It is not corrosive to metals. Pyrophorical properties: # It is not pyrophoric. 2: CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3: POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4: CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no es vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5: INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents.		- VOC (supply)	:	#	0.2	g/l	
CTION 10 : STABILITY AND REACTIVITY 1 REACTIVITY: Corrosivity to metals: # It is not corrosive to metals. Prophorical properties: # It is not pyrophoric. 2: CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3: POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4: CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: It possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es esensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar aboliaduras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de cargo descarga. 5: INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6: HAZARDOUS DECOMPOSITION PRODUCTS:							
1 REACTIVITY: Corrosivity to metals: # It is not corrosive to metals. Pyrophorical properties: # It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es ensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:	стю		<u>.</u>	· ·			
Corrosivity to metals: # It is not corrosive to metals. Pyrophorical properties: # It is not pyrophoric. 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:).1						
 2 CHEMICAL STABILITY: Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS: 		Corrosivity to metals: # It is not corrosive to metals.					
Stable under recommended storage and handling conditions. 3 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. 4 CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:		Pyrophorical properties: # It is not pyrophoric.					
 POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: 	.2	CHEMICAL STABILITY:					
 Possible dangerous reaction with oxidizing materials, acids or strong alkalis. CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: 							
 4 <u>CONDITIONS TO AVOID:</u> <u>Heat:</u> Keep away from sources of heat. <u>Light:</u> If possible, avoid direct contact with sunlight. <u>Air:</u> # El producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. <u>Pressure:</u> # Not relevant. <u>Shock:</u> # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 <u>INCOMPATIBLE MATERIALS:</u> Keep away from acid products and strongly oxidizing agents. 6 <u>HAZARDOUS DECOMPOSITION PRODUCTS:</u> 		Stable under recommended storage and handling cor	Iditions.				
Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # I producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:	.3	POSSIBILITY OF HAZARDOUS REACTIONS:		alis			
Light: If possible, avoid direct contact with sunlight. Air: # I producto no se vé afectado por exposición al aire, pero se recomienda no dejar los recipientes abiertos. Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:	0.3	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials,		alis.			
 Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: 		POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID:		alis.			
 Shock: # El producto no es sensible a los choques, pero como recomendación de tipo general se deben evitar golpes y manejos bruscos, para evitar abolladuras y roturas de envases y embalajes, en especial cuando se manipula el producto en grandes cantidades, y durante las operaciones de carga descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: 		POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight.	acids or strong alk		ion I-		
descarga. 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:).3).4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant.	acids or strong alk I aire, pero se reco	omienda no de			
 5 INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS: 		POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, p	acids or strong alk I aire, pero se reco pero como recome	omienda no de ndación de tip	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar
Keep away from acid products and strongly oxidizing agents. 6 HAZARDOUS DECOMPOSITION PRODUCTS:		POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, J abolladuras y roturas de envases y embalajes, en esp	acids or strong alk I aire, pero se reco pero como recome	omienda no de ndación de tip	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, p abolladuras y roturas de envases y embalajes, en esp descarga.	acids or strong alk I aire, pero se reco pero como recome	omienda no de ndación de tip	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, J abolladuras y roturas de envases y embalajes, en esj descarga.	acids or strong alk l aire, pero se reco pero como recome pecial cuando se n	omienda no de ndación de tip	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # Li producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, j abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing	acids or strong alk l aire, pero se reco pero como recome pecial cuando se n	omienda no de ndación de tip	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
		POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga
	.4	POSSIBILITY OF HAZARDOUS REACTIONS: Possible dangerous reaction with oxidizing materials, CONDITIONS TO AVOID: Heat: Keep away from sources of heat. Light: If possible, avoid direct contact with sunlight. Air: # El producto no se vé afectado por exposición a Pressure: # Not relevant. Shock: # El producto no es sensible a los choques, l'abolladuras y roturas de envases y embalajes, en esj descarga. INCOMPATIBLE MATERIALS: Keep away from acid products and strongly oxidizing HAZARDOUS DECOMPOSITION PRODUCTS: 1000000000000000000000000000000000000	acids or strong alk l aire, pero se reco pero como recome, pecial cuando se n agents.	omienda no de ndación de tip nanipula el pro	o genera	ıl se deben evitar golpes	y manejos bruscos, para evitar durante las operaciones de carga

In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

Maco Mac	SATINADO RENO Code: 80085	/2000 and negulation (EO)	110. 2013	//630					
	ON 11 : TOXICOLOGICAL INFORMA	TION							
calculat	erimental toxicological data on the pre-	. 1272/2008~605/2014 (CL		al classification for these n	nixture has been carried out	by using the conventional			
11.1	INFORMATION ON TOXICOLOGIC	AL EFFECIS:							
	Dose and lethal concentrations for individual ingredients : Isoproturon 1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 2	20-239-6 (3:1)		DL50 (OECD 401) DL50 (OECD 402) CL50 (OECD 402) mg/kg oral mg/kg cutaneous mg/m3.4h inhalation > 2000. Rat > 2000. Rat > 1950. Rat 1020. Rat > 2000. Rat > 2050. Rat 67. Rat 140. Rat > 1230. Rat					
	No observed adverse effect level Not available Lowest observed adverse effect level Not available								
	INFORMATION ON LIKELY ROUTE								
	Routes of exposure	Acute toxicity	Cat.	Main effects, acute and/c					
	Inhalation: Not classified	ATE > 20000 mg/m3	-	# Not classified as a prod data, the classification cr	duct with acute toxicity if inh iteria are not met).	aled (based on available			
	Skin: Not classified	ATE > 2000 mg/kg	-	ntact with skin (based on					
Eves: Not available - # Not classified				# Not classified as a proc	ified as a product with acute toxicity by eye contact (lack of data).				
	Ingestion: Not classified	ATE > 5000 mg/kg	-		duct with acute toxicity if sw fication criteria are not met)				
	CORROSION / IRRITATION / SENS	ITISATION :_							
	Danger class	Target organs Cat.		Main effects, acute and/or delayed					
	Respiratory corrosion/irritation: Not classified	-	-	# Not classified as a product corrosive or irritant by inhalation (based on available data, the classification criteria are not met).					
	Skin corrosion/irritation: Not classified	-	-		duct corrosive or irritant in c fication criteria are not met)				
	Serious eye damage/irritation: Not classified	-	-		duct corrosive or irritant in c fication criteria are not met)				
	Respiratory sensitisation: Not classified	-	-	- <i>#</i> Not classified as a product sensitising by inhalation (based on the classification criteria are not met).					
	Skin sensitisation: Not classified	-	- <i>#</i> Not classified as a product sensitising by skin contact (based on avail data, the classification criteria are not met).						
	Contains 1,2-benzisothiazol-3(2H)-one, mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1). May produce an allergic reaction. ASPIRATION HAZARD:								
	Danger class	Target organs	Cat.	Main effects, acute and/c	or delayed				
Danger class Target organs Cat. Main effects, acute and/or delayed Aspiration hazard: Not classified - - # Not classified as a product hazardous by aspiration (based or the classification criteria are not met).						n (based on available data,			

<u>SPECIFIC TARGET ORGANS TOXICITY (STOT): Single exposure (SE) and/or Repeated exposure (RE):</u> # Not classified as a dangerous product for target organs (based on available data, the classification criteria are not met).

CMR EFFECTS:

Carcinogenic effects: # Is not considered as a carcinogenic product. <u>Genotoxicity:</u> # Is not considered as a mutagenic product. <u>Toxicity for reproduction:</u> # Do not harm fertility. Do not harm the fetus developping. <u>Effects via lactation:</u> # Not classified as a hazardous product for children breast-fed.

	DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRON	NIC EFFECTS FROM SHORT AND I	ONG-TERM EXPOSURE	
	Routes of exposure: # Not available. Short-term exposure: # Not available.			
	Long-term or repeated exposure: # Not available.			
	INTERACTIVE EFFECTS: # Not available.			
	INFORMATION ABOUT TOXICOCINETICS, METABOLISM A	ND DISTRIBUTION:		
	Dermal absorption: # Not available. Basic toxicokinetics: # Not available.			
	ADDITIONAL INFORMATION: Not available.			
ECTI	ON 12 : ECOLOGICAL INFORMATION			
o exp	perimental ecotoxicological data on the preparation as such is av	vailable. The ecotoxicological classifi	cation for these mixture has b	een carried out by using
e cor	TOXICITY:	2008~605/2014 (GLP).		
	Acute toxicity in aquatic environment	CL50 (OECD 203)	CE50 (OECD 202)	CE50 (OECD 201)
	for individual ingredients : Isoproturon	mg/l.96hours 30. Fishes	mg/l.48hours 5.3 Daphnia	mg/l.72hours 0.030 Algae
	1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	1.2 Fishes 0.19 Fishes	0.85 Daphnia 0.16 Daphnia	0.37 Algae 0.018 Algae
	No observed effect concentration			
	Not available Lowest observed effect concentration			
	Not available			
2.2	PERSISTENCE AND DEGRADABILITY: # Not available.			
	Aerobic biodegradation for individual ingredients :	DQO	%DBO/DQO	Biodegradability
	Isoproturon	mgO2/g 3490.	5 days 14 days 28 days ~ 30.	Not easy
	1,2-benzisothiazol-3(2H)-one Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)			Not easy Inherently
2.3	BIOACCUMULATIVE POTENTIAL: Not available.			
	Bioaccumulation for individual ingredients :	logPow	BCF L/kg	Potential
	Isoproturon 1,2-benzisothiazol-3(2H)-one	2.87 0.640	36. (calculated) 3.2 (calculated)	Low Unlikely, low
	Mixture CIT EC 247-500-7 MIT EC 220-239-6 (3:1)	-0.830	3.2 (calculated)	No bioaccumulable
.4	MOBILITY IN SOIL: Not available.			
2.5	RESULTS OF PBT AND VPVB ASSESMENT: Annex XIII # Does not contain substances that fulfill the PBT/vPvB criteri	of Regulation (EC) no. 1907/2006: a.		
2.6	OTHER ADVERSE EFFECTS: Ozone depletion potential: Not available.			
	Photochemical ozone creation potential: Not available. Earth global warming potential: Not available.			
	Endocrine disrupting potential: Not available.			
ECTI	ON 13 : DISPOSAL CONSIDERATIONS			
3.1	WASTE TREATMENT METHODS: # Directive 2008/98/EC~F Take all necessary measures to prevent the production of was discharge into drains or the environment, dispose of at an aut current local and national regulations. For exposure controls a	ste whenever possible. Analyse poss horised waste collection point. Waste	e should be handled and dispo	
	Disposal of empty containers: # Directive 94/62/EC~2005/20 # Emptied containers and packaging should be disposed of in hazardous waste will depend on the degree of empting of the Chapter 15 01 of Decision 2000/532/EC, and forwarding to the same measures as for the product in itself.	accordance with currently local and same, being the holder of the residu	national regulations. The clas e responsible for their classific	cation,)in accordance w
	Procedures for neutralising or destroying the product: Authorised landfill in accordance with local regulations.			

In acco	Arevision: 21/10/2016 Page 10/11
Mai Mai	
SECTIO	ON 14 : TRANSPORT INFORMATION
14.1	UN NUMBER: Not applicable
14.2	UN PROPER SHIPPING NAME: Not applicable
14.3	TRANSPORT HAZARD CLASS(ES) AND PACKING GROUP:
14.4	Transport by road (ADR 2015) and Transport by rail (RID 2015): Not reglamented
	Transport by sea (IMDG 37-14): Not reglamented
	Transport by air (ICAO/IATA 2015): Not reglamented
	Transport by inland waterways (ADN): Free.
14.5	ENVIRONMENTAL HAZARDS: Not applicable.
14.6	SPECIAL PRECAUTIONS FOR USER: # Ensure that persons transporting the product know what to do in case of accident or spill. Always transport in closed containers that are in a vertical position and sure.
14.7	TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE: Not applicable.
SECTIO	DN 15 : REGULATORY INFORMATION
15.1	EU SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC: The regulations applicable to this product generally are listed throughout this material safety data sheet.
	Restrictions on manufacture, placing on market and use: See section 1.2
	Control of the risks inherent in major accidents (Seveso III):See section 7.2
	Tactile warning of danger: Not applicable (the classification criteria are not met).
	Child safety protection: Not applicable (the classification criteria are not met).
	VOC information on the label: # Contains VOC max. 41. g/l - The limit value 2004/42/CE-IIA cat. b) for the product ready for use is VOC max. 100. g/l (2010).
	OTHER REGULATIONS: Not available
15.2	CHEMICAL SAFETY ASSESSMENT: # For this mixture has not been carried out a chemical safety assessment.

the product's properties.

MATERIAL SAFETY DATA SHEET (REACH) # In accordance with Regulation (EC) No. 1907/2006 and Regulation (EU) No. 2015/830

٦

Mac	<u> </u>	SATINADO RENO Code: 80085	
SECTIO	ON 16 :	OTHER INFORMATION	
SECTIO 16.1	TEXT Hazarr Hazarr H301 skin im skin im Very to # ADV # It is unders MAIN # - Eu # - Acc Thress # - AC # - Eu # - AC # - Eu # - AC # - Eu # - CL # - CL # - CL # - EU # - CL # - CA # - VCC # - VC # - VC # - CD # - CL # - CA # - VC # - CA # -	OC THE PHRASES AND NOTES REFERENCED IN SECTIONS 2 AND/OR 3: diatements according the Begulation (EC) No. 1272/2008-005/2014 (CLP), Annex III: Toxic if svaluewed. H301 Toxic ic in contact with skin. H314 Causes severe skin burns and eye damag itation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H331 Toxic if inhaled. H400 Very toxic to boxic to aquatic life with long lasting effects. H351 Suspected of causing cancer. <i>IICES ON ANY TRAINING APPROPRIATE FOR WORKERS:</i> recommended for all staff that will handle this product to carry out a basic training in occupational risk and prevention, in order to standing and interpretation of material safety data sheets and labelling of products as well. LITERATURE REFERENCES AND SOURCES FOR DATA: ropean Chemicals Agency: ECHA, http://echa.europa.eu/ cess to European Union Law, http://echa.europa.eu/ ses to European Union Law, http://echa.europa.eu/ shold Limit Values, (AGCIH, 2014). IFEVIATIONS AND ACRONYMS: abbreviations and acronyms that can be used (but not necessarily used) in this material safety data sheet: ACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals. Diangerous Substances Directive. Si Globally Harmonized System of Classification and Labelling of Chemicals of the United Nations. P: European regularion on Classification and Labelling of Chemicals of the United Nations. P: Substances of Unknown or Variable composition, complex reaction products or biological materials). HG: Strategroam Inventory of Existing Commercial Chemical Society). GB: Substances of Unknown or Variable composition, complex reaction products or biological materials). HC: Substances of Very High Concern. Stratestont and very bioaccumulable substances. Very persistent and very bioaccumulable substances. Very persistent and very bioaccumulable substances. Very persistent and very HGCACH). Very tersistent ander	aquatic life. H410 o provide
	# The		lighted in this
conditio instructi	ons are l ion. It is	n of this Material Safety Data Sheet, is based on the present state of knowledge and on current UE and national laws, as the us beyond our knowledge and control. The product is not to be used for other purposes than those specified, without first obtaining always the responsibility of the user to take all necessary steps in order to fulfil the demand laid down in the local rules and leg his Material Safety Data Sheet is meant as a description of the safety requirements of the product and it is not to be considered	written handling islation. The